

PRICE LIST | 2026

Valid from 16.03.2026



PRICE LIST | 2026

Valid from 16.03.2026

01

p. 3 – 62

Fittings for Shower
Enclosures

02

p. 63 – 117

Fittings
for tempered glass
constructions

03

p. 118 – 141

Sliding systems

04

p. 142 – 166

Glass Point Fixings,
Balustrade Systems
& Canopies



PRICE LIST 2026

01

FITTINGS FOR SHOWER
ENCLOSURES

ETNA – SHOWER HINGES AND CLAMPS	5
VESUVIO – SHOWER HINGES AND CLAMPS	8
VENEZIA – SHOWER HINGES AND CLAMPS	9
VENEZIA II – ADJUSTABLE SHOWER HINGES	11
BRILLANTO – KNURLED SHOWER ENCLOSURE FITTINGS	12
BOLOGNA – SHOWER HINGES AND CLAMPS	14
AOSTA – SHOWER STABILIZING BARS AND CONNECTORS	16
BUDRIO – SEALS, ALUMINIUM SEALING PROFILES, AND THRESHOLDS FOR SHOWER ENCLOSURES	23
TODI DOCCIA – ALUMINIUM SEALING PROFILES WITH MAGNETIC STRIP FOR SHOWER ENCLOSURE SLIDING SYSTEMS	28
MODENA – KNOBS, PULL HANDLES AND LOCKS FOR SHOWER ENCLOSURES	29
ANCONA – SLIDING RECESSED PULL HANDLES	32
LAZIO DOCCIA – ALUMINIUM PROFILES FOR SHOWER ENCLOSURES	33
ERICE & VENEZIA BATHROOM – VACANT / ENGAGED LOCKS FOR BATHROOM AND TOILETS	36
ERICE MAGNETIC BATHROOM – VACANT / ENGAGED MAGNETIC LOCKS FOR BATHROOM AND TOILET	39
VERONA – SLIDING DOOR SYSTEM FOR SHOWER ENCLOSURES	44
VERONA II – SLIDING DOOR SYSTEM FOR SHOWER ENCLOSURES	46
SF40N NUOVA TRIESTE – SLIDING DOOR SYSTEM FOR SHOWER ENCLOSURES	48
IMOLA – BATHROOM AND TOILET CUBICLES	51
IMPREGNATES	52
CLEAR – SLIDING DOOR SYSTEM FOR SHOWER ENCLOSURES	53
LUCCA – FOLDING-SLIDING SYSTEM FOR SMALL BATHROOMS	60

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Standard hinge left wall to glass 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHS90LH-PC	 polished chrome	52,43 EUR
		TGHS90LH-SC	 satin chrome	52,43 EUR
	Standard hinge right wall to glass 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHS90RH-PC	 polished chrome	52,43 EUR
		TGHS90RH-SC	 satin chrome	52,43 EUR
	Standard hinge left wall to glass 90° offset fixing plate material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHS90-OSLH-PC	 polished chrome	52,43 EUR
		TGHS90-OSLH-SC	 satin chrome	52,43 EUR
	Standard hinge right wall to glass 90° offset fixing plate material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHS90-OSRH-PC	 polished chrome	52,43 EUR
		TGHS90-OSRH-SC	 satin chrome	52,43 EUR
	Standard hinge left glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHS180LH-PC	 polished chrome	65,12 EUR
		TGHS180LH-SC	 satin chrome	65,12 EUR
	Standard hinge right glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHS180RH-PC	 polished chrome	65,12 EUR
		TGHS180RH-SC	 satin chrome	65,12 EUR

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Lifted hinge left wall to glass 90°

material: brass
 glass thickness: 6; 8 mm
 max. glass weight per pair: 40 kg
 recommended torque force: 10 Nm

TGHU90LH-PC		polished chrome	52,98 EUR
TGHU90LH-SC		satin chrome	53,42 EUR
TGHU90LH-BL		black galvanised	59,55 EUR
NEW TGHU90LH-WH		white RAL	61,48 EUR
TGHU90LH-PBC		gold	65,00 EUR
NEW TGHU90LH-PBCS		brushed gold	66,45 EUR
NEW TGHU90LH-BRS		brushed brass	87,83 EUR
NEW TGHU90LH-CUP		polished copper	93,70 EUR
NEW TGHU90LH-GM		gun metal	99,58 EUR



Lifted hinge right wall to glass 90°

material: brass
 glass thickness: 6; 8 mm
 max. glass weight per pair: 40 kg
 recommended torque force: 10 Nm

TGHU90RH-PC		polished chrome	52,98 EUR
TGHU90RH-SC		satin chrome	53,42 EUR
TGHU90RH-BL		black galvanised	59,55 EUR
NEW TGHU90RH-WH		white RAL	61,48 EUR
TGHU90RH-PBC		gold	65,00 EUR
NEW TGHU90RH-PBCS		brushed gold	66,45 EUR
NEW TGHU90RH-BRS		brushed brass	87,83 EUR
NEW TGHU90RH-CUP		polished copper	93,70 EUR
NEW TGHU90RH-GM		gun metal	99,58 EUR



Lifted hinge left wall to glass 90° offset fixing plate

material: brass
 glass thickness: 6; 8 mm
 max. glass weight per pair: 40 kg
 recommended torque force: 10 Nm

TGHU90-OSLH-PC		polished chrome	52,98 EUR
TGHU90-OSLH-SC		satin chrome	53,42 EUR
TGHU90-OSLH-BL		black galvanised	60,44 EUR
NEW TGHU90-OSLH-WH		white RAL	61,48 EUR
TGHU90-OSLH-PBC		gold	65,00 EUR
NEW TGHU90-OSLH-PBCS		brushed gold	66,45 EUR
NEW TGHU90-OSLH-BRS		brushed brass	87,83 EUR
NEW TGHU90-OSLH-CUP		polished copper	93,70 EUR
NEW TGHU90-OSLH-GM		gun metal	99,58 EUR



Lifted hinge right wall to glass 90° offset fixing plate

material: brass
 glass thickness: 6; 8 mm
 max. glass weight per pair: 40 kg
 recommended torque force: 10 Nm

TGHU90-OSRH-PC		polished chrome	52,98 EUR
TGHU90-OSRH-SC		satin chrome	53,42 EUR
TGHU90-OSRH-BL		black galvanised	60,44 EUR
NEW TGHU90-OSRH-WH		white RAL	61,48 EUR
TGHU90-OSRH-PBC		gold	65,00 EUR
NEW TGHU90-OSRH-PBCS		brushed gold	66,45 EUR
NEW TGHU90-OSRH-BRS		brushed brass	87,83 EUR
NEW TGHU90-OSRH-CUP		polished copper	93,70 EUR
NEW TGHU90-OSRH-GM		gun metal	99,58 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Lifted hinge left glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHU180LH-PC	 polished chrome	65,22 EUR
		TGHU180LH-SC	 satin chrome	67,12 EUR
		TGHU180LH-BL	 black galvanised	72,12 EUR
		NEW TGHU180LH-WH	 white RAL	71,55 EUR
		TGHU180LH-PBC	 gold	75,80 EUR
		NEW TGHU180LH-PBCS	 brushed gold	84,81 EUR
		NEW TGHU180LH-BRS	 brushed brass	95,40 EUR
		NEW TGHU180LH-CUP	 polished copper	100,70 EUR
		NEW TGHU180LH-GM	 gun metal	111,32 EUR
	Lifted hinge right glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	TGHU180RH-PC	 polished chrome	65,22 EUR
		TGHU180RH-SC	 satin chrome	67,12 EUR
		TGHU180RH-BL	 black galvanised	72,12 EUR
		NEW TGHU180RH-WH	 white RAL	71,55 EUR
		TGHU180RH-PBC	 gold	75,80 EUR
		NEW TGHU180RH-PBCS	 brushed gold	84,81 EUR
		NEW TGHU180RH-BRS	 brushed brass	95,40 EUR
		NEW TGHU180RH-CUP	 polished copper	100,70 EUR
		NEW TGHU180RH-GM	 gun metal	111,32 EUR
	Clamp wall to glass 90° material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm	TGSC90-PC	 polished chrome	37,17 EUR
		TGSC90-SC	 satin chrome	37,17 EUR
		TGSC90-BL	 black galvanised	42,41 EUR
		TGSC90-PBC	 gold	56,66 EUR
	Clamp glass to glass 180° material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm	WHILE STOCKS LAST TGSC180-PC	 polished chrome	14,91 EUR
		WHILE STOCKS LAST TGSC180-SC	 satin chrome	14,90 EUR
	Clamp glass to glass 90° material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm	TGSC90-GG-PC	 polished chrome	44,07 EUR
		TGSC90-GG-SC	 satin chrome	44,07 EUR
		TGSC90-GG-BL	 black galvanised	50,65 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Lifted hinge with offset fixing plate left wall to glass 90°	WHILE STOCKS LAST TTU90-OSLH-WH	 white RAL	66,23 EUR
	material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm			
	Lifted hinge left glass to glass 180°	WHILE STOCKS LAST TTU180LH-PC	 polished chrome	66,10 EUR
	material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm		WHILE STOCKS LAST TTU180LH-WH  white RAL	80,08 EUR
	Clamp wall to glass 90°	WHILE STOCKS LAST TTSC90-PC	 polished chrome	19,95 NET
	material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm	WHILE STOCKS LAST TTSC90-SC	 satin chrome	19,95 NET
		WHILE STOCKS LAST TTSC90-WH	 white RAL	42,97 EUR
	Clamp glass to glass 180°	WHILE STOCKS LAST TTSC180-SC	 satin chrome	25,93 NET
	material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm			
	Clamp glass to glass 90°	WHILE STOCKS LAST TTSC90GG-PC	 polished chrome	25,93 NET
	material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm		WHILE STOCKS LAST TTSC90GG-SC  satin chrome	25,93 NET



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Adjustable hinge with offset fixing plate glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body hidden by the cover	WHILE STOCKS LAST TGAH801OS-PC	 polished chrome	67,94 EUR
			 satin	67,94 EUR
	Adjustable hinge glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body hidden by the cover	WHILE STOCKS LAST TGAH801-SC	 satin	67,94 EUR
			 satin	67,94 EUR
	Adjustable hinge with offset fixing plate glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body and on the fixing plate to the wall hidden by the cover	WHILE STOCKS LAST TGAH801OSCP-PBC	 gold	105,95 EUR
			 gold	105,95 EUR
	Adjustable hinge glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body and on the fixing plate to the wall hidden by the cover	WHILE STOCKS LAST TGAH801CP-PBC	 gold	105,74 EUR
			 gold	105,74 EUR
	Adjustable hinge glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body hidden by the cover	WHILE STOCKS LAST TGAH802CP-BL	 black galvanised	100,59 EUR
			 gold	108,99 EUR
	Adjustable clamp glass to wall, H=51 mm material: brass glass thickness: 8; 10; 12 mm	TGAC701-PC	 polished chrome	34,13 EUR
			 satin	34,13 EUR


PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Adjustable clamp glass to glass, H=51 mm material: brass glass thickness: 8; 10; 12 mm	TGAC704-PC	 polished chrome	44,48 EUR
		TGAC704-SC	 satin	44,48 EUR
	Standard clamp glass to wall 90°, H=44 mm material: brass glass thickness: 8; 10; 12 mm NOTE: The fixing screws on the hinge body and on the wall-mounting plate are hidden by the cover.	JHSC701-PC	 polished chrome	13,71 EUR
		JHSC701-SC	 satin	13,71 EUR
		JHSC701-BL	 black galvanised	15,27 EUR
		NEW JHSC701-PBC	 gold	20,27 EUR
		NEW JHSC701-PBCS	 brushed gold	17,33 EUR
		NEW JHSC701-BRS	 brushed brass	17,33 EUR
		NEW JHSC701-CUP	 polished copper	17,33 EUR
		NEW JHSC701-GM	 gun metal	17,33 EUR
	Standard clamp glass to glass 180°, H=44 mm material: brass glass thickness: 8; 10; 12 mm NOTE: The fixing screws on the hinge body and on the wall-mounting plate are hidden by the cover.	JHSC702-PC	 polished chrome	24,83 EUR
		JHSC702-SC	 satin	24,83 EUR
	Standard clamp glass to glass 90°, H=44 mm material: brass glass thickness: 8; 10; 12 mm NOTE: The fixing screws on the hinge body and on the wall-mounting plate are hidden by the cover.	JHSC704-PC	 polished chrome	30,35 EUR
		JHSC704-SC	 satin	30,35 EUR
	Standard clamp glass to glass 180°, H=72 mm material: brass glass thickness: 8; 10; 12 mm NOTE: The fixing screws on the hinge body and on the wall-mounting plate are hidden by the cover.	WHILE STOCKS LAST JHSC502-PC	 polished chrome	22,62 NET
		WHILE STOCKS LAST JHSC502-SC	 satin	22,62 NET
	Standard clamp glass to glass 90°, H=72 mm glass thickness: 8; 10; 12 mm NOTE: The fixing screws on the hinge body and on the wall-mounting plate are hidden by the cover.	WHILE STOCKS LAST JHSC504-PC	 polished chrome	22,62 NET

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Adjustable hinge with offset fixing plate glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body and on the fixing plate to the wall hidden by the cover	TGAH821OS-PC	 polished chrome	86,00 EUR
		TGAH821OS-SC	 satin	86,00 EUR
		TGAH821OS-BL	 black galvanised	86,00 EUR
		TGAH821OS-PBC	 gold	110,04 EUR
		TGAH821OS-PBCS	 brushed gold	119,21 EUR
		TGAH821OS-BRS	 brushed brass	119,21 EUR
		TGAH821OS-CUP	 polished copper	122,53 EUR
	Adjustable hinge glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body and on the fixing plate to the wall hidden by the cover	TGAH821-PC	 polished chrome	86,00 EUR
		TGAH821-SC	 satin	86,00 EUR
		TGAH821-BL	 black galvanised	86,00 EUR
		TGAH821-PBC	 gold	109,24 EUR
		TGAH821-PBCS	 brushed gold	119,21 EUR
		TGAH821-BRS	 brushed brass	119,21 EUR
		TGAH821-CUP	 polished copper	122,53 EUR
	Adjustable hinge glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body hidden by the cover	TGAH822-PC	 polished chrome	99,28 EUR
		TGAH822-SC	 satin	99,28 EUR
		TGAH822-BL	 black galvanised	99,28 EUR
		TGAH822-PBC	 gold	119,21 EUR
		TGAH822-PBCS	 brushed gold	119,21 EUR
		TGAH822-BRS	 brushed brass	129,17 EUR
		TGAH822-CUP	 polished copper	132,49 EUR
	Adjustable hinge glass to glass 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body hidden by the cover	NEW TGAH824-PC	 polished chrome	114,48 EUR
		NEW TGAH824-SC	 satin	114,48 EUR
		NEW TGAH824-BL	 black galvanised	117,66 EUR
		NEW TGAH824-PBC	 gold	122,96 EUR
		NEW TGAH824-PBCS	 brushed gold	126,14 EUR
		NEW TGAH824-BRS	 brushed brass	131,44 EUR
		NEW TGAH824-CUP	 polished copper	137,80 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Adjustable hinge glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body and on the fixing plate to the wall hidden by the cover	NEW TGAH821K-PC	 polished chrome	105,45 EUR
		NEW TGAH821K-BL	 black	105,45 EUR
		NEW TGAH821K-PBCS	 brushed gold	126,01 EUR
	Adjustable hinge with offset fixing plate glass to wall 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body and on the fixing plate to the wall hidden by the cover	NEW TGAH821KOS-PC	 polished chrome	105,45 EUR
		NEW TGAH821KOS-BL	 black	105,45 EUR
		NEW TGAH821KOS-PBCS	 brushed gold	126,01 EUR
	Adjustable hinge glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body hidden by the cover	NEW TGAH822K-PC	 polished chrome	128,95 EUR
		NEW TGAH822K-BL	 black	128,95 EUR
		NEW TGAH822K-PBCS	 brushed gold	164,19 EUR
	Adjustable hinge glass to glass 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 45 kg max. glass width: 750 mm NOTE: fixing screws on the hinge body and on the fixing plate to the wall hidden by the cover	NEW TGAH824K-PC	 polished chrome	146,58 EUR
		NEW TGAH824K-BL	 black	149,51 EUR
		NEW TGAH824K-PBCS	 brushed gold	173,01 EUR
	Lifted hinge left glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	NEW TGHU180KLH-PC	 polished chrome	76,08 EUR
		NEW TGHU180KLH-BL	 black	79,01 EUR
		NEW TGHU180KLH-PBCS	 brushed gold	102,51 EUR
	Lifted hinge right glass to glass 180° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	NEW TGHU180KRH-PC	 polished chrome	76,08 EUR
		NEW TGHU180KRH-BL	 black	79,01 EUR
		NEW TGHU180KRH-PBCS	 brushed gold	102,51 EUR
	Lifted hinge left wall to glass 90° offset fixing plate material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	NEW TGHU90K-OSLH-PC	 polished chrome	61,40 EUR
		NEW TGHU90K-OSLH-BL	 black	67,27 EUR
		NEW TGHU90K-OSLH-PBCS	 brushed gold	76,08 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Lifted hinge right wall to glass 90° offset fixing plate material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	NEW TGHU90K-OSRH-PC	 polished chrome	61,40 EUR
		NEW TGHU90K-OSRH-BL	 black	67,27 EUR
		NEW TGHU90K-OSRH-PBCS	 brushed gold	76,08 EUR
	Lifted hinge left wall to glass 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	NEW TGHU90KLH-PC	 polished chrome	61,40 EUR
		NEW TGHU90KLH-BL	 black	67,27 EUR
		NEW TGHU90KLH-PBCS	 brushed gold	76,08 EUR
	Lifted hinge right wall to glass 90° material: brass glass thickness: 6; 8 mm max. glass weight per pair: 40 kg recommended torque force: 10 Nm	NEW TGHU90KRH-PC	 polished chrome	61,40 EUR
		NEW TGHU90KRH-BL	 black	67,27 EUR
		NEW TGHU90KRH-PBCS	 brushed gold	76,08 EUR
	Clamp wall to glass 90° material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm	NEW TGSC90K-PC	 polished chrome	43,77 EUR
		NEW TGSC90K-BL	 black	46,70 EUR
		NEW TGSC90K-PBCS	 brushed gold	55,51 EUR
	Clamp glass to glass 90° material: brass glass thickness: 6; 8 mm recommended torque force: 10 Nm	NEW TGSC90K-GG-PC	 polished chrome	58,45 EUR
		NEW TGSC90K-GG-BL	 black	64,33 EUR
		NEW TGSC90K-GG-PBCS	 brushed gold	70,20 EUR
	Pull handle material: aluminium glass thickness: 8; 10; 12 mm	NEW H17K-20-200-PC	 polished chrome	90,77 EUR
		NEW H17K-20-200-BL	 black	90,77 EUR
		NEW H17K-20-200-PBCS	 brushed gold	114,27 EUR
	Door knob material: aluminium glass thickness: 8; 10; 12 mm	NEW TGKH16-25K-PC	 polished chrome	23,20 EUR
		NEW TGKH16-25K-BL	 black	23,20 EUR
		NEW TGKH16-25K-PBCS	 brushed gold	26,14 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Hinge (glass to wall 90°) material: brass glass thickness: 8; 10 mm max. door weight per pair: 60 kg max. door width: 900 mm recommended torque force: 10 Nm	GX990.1PC	polished chrome	49,18 EUR
		GX990.1SC	satin chrome	49,53 EUR
		GX990.1-BL	black galvanised	57,57 EUR
	Hinge, offset fixing plate (glass to wall 90°) material: brass glass thickness: 8; 10 mm max. door weight per pair: 60 kg max. door width: 900 mm recommended torque force: 10 Nm	GX990.10SPC	polished chrome	49,18 EUR
		GX990.10SSC	satin chrome	49,53 EUR
		GX990.10S-BL	black galvanised	57,57 EUR
	Hinge (glass to glass 180°) material: brass glass thickness: 8; 10 mm max. door weight per pair: 60 kg max. door width: 900 mm recommended torque force: 10 Nm	GX990.2PC	polished chrome	73,56 EUR
		GX990.2SC	satin chrome	73,56 EUR
		GX990.2-BL	black galvanised	83,33 EUR
	Hinge (glass to glass 135°) material: brass glass thickness: 8; 10 mm max. door weight per pair: 60 kg max. door width: 900 mm recommended torque force: 10 Nm	GX990.3PC	polished chrome	79,29 EUR
		GX990.3SC	satin chrome	80,46 EUR
	Hinge (glass to glass 90°) material: brass glass thickness: 8; 10 mm max. door weight per pair: 60 kg max. door width: 900 mm recommended torque force: 10 Nm	GX990.4PC	polished chrome	79,84 EUR
		GX990.4SC	satin chrome	80,45 EUR
	Clamp (glass to wall) material: brass glass thickness: 8; 10 mm recommended torque force: 10 Nm	PC401PC	polished chrome	14,72 EUR
		PC401SC	satin chrome	14,72 EUR
	Clamp (glass to wall 90°) material: brass glass thickness: 8; 10 mm recommended torque force: 10 Nm	PC401LPC	polished chrome	20,35 EUR
		PC401LSC	satin chrome	20,35 EUR
	Clamp (glass to glass 180°) material: brass glass thickness: 8; 10 mm recommended torque force: 10 Nm	PC402PC	polished chrome	25,43 EUR
		PC402SC	satin chrome	25,43 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Clamp (glass to glass 135°) material: brass glass thickness: 8; 10 mm recommended torque force: 10 Nm	PC403PC	polished chrome	25,43 EUR
		PC403SC	satin chrome	25,43 EUR
	Clamp (glass to wall) material: brass glass thickness: 8; 10 mm recommended torque force: 10 Nm	PC406PC	polished chrome	14,72 EUR
		PC406SC	satin chrome	14,72 EUR
	Clamp (glass to wall) material: brass glass thickness: 8; 10 mm recommended torque force: 10 Nm	PC406LPC	polished chrome	20,35 EUR
		PC406LSC	satin chrome	20,35 EUR
	Clamp (glass to glass 90°) material: brass glass thickness: 8; 10 mm recommended torque force: 10 Nm	PC414PC	polished chrome	25,43 EUR
		PC414SC	satin chrome	25,43 EUR



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
Round stabilizing bars JH series				
	Round bar material: stainless steel diameter: 19 mm length: 1000; 2000 mm	JHR19-1000PSS	 polished chrome	17,70 EUR
		JHR19-1000SSS	 satin	16,23 EUR
		JHR19-2000PSS	 polished chrome	35,40 EUR
		JHR19-2000SSS	 satin	32,45 EUR
	Swivel connector for round bar material: brass	WHILE STOCKS LAST JH01ADJ-PC	 polished chrome	21,43 EUR
	„T” connector side glass to round bar material: brass glass thickness: 6; 8; 10 mm	JH02ADJ-PC	 polished chrome	18,82 EUR
		JH02ADJ-SC	 satin chrome	19,30 EUR
	Connector to glass for passage round tube material: brass glass thickness: 6; 8; 10 mm	JH03AA-PC	 polished chrome	12,11 EUR
		JH03AA-SC	 satin chrome	13,03 EUR
	End connector glass to round bar material: brass glass thickness: 6; 8; 10 mm	JH03BA-PC	 polished chrome	12,11 EUR
		JH03BA-SC	 satin chrome	13,14 EUR
	Junction connector „T” for round bar material: brass	JH03T-PC	 polished chrome	13,80 EUR
		JH03T-SC	 satin chrome	15,12 EUR
	Fixed wall connector for round bar material: brass	JH04PC	 polished chrome	9,56 EUR
		JH04SC	 satin chrome	10,39 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Fixed wall connector for round bar 45° material: brass	JH045PC	 polished chrome	13,14 EUR
		JH045SC	 satin chrome	13,14 EUR
	Swivel wall connector for round bar material: brass inside diameter: 19.5 mm	JH05ADJ-PC	 polished chrome	17,41 EUR
		JH05ADJ-SC	 satin chrome	17,41 EUR
	Adjustable stabilizing bar glass to glass, 350-500 mm material: brass; stainless steel glass thickness: 6; 8; 10 mm adjustment range: 350 - 500 mm	WHILE STOCKS LAST JH001ADJ/500PC	 polished chrome	25,98 NET
		WHILE STOCKS LAST JH001ADJ/500SC	 satin chrome	25,98 NET
	Adjustable stabilizing bar wall to glass 45°, 270-450 mm material: brass; stainless steel glass thickness: 6; 8; 10 mm adjustment range: 270 - 450 mm	WHILE STOCKS LAST JH003ADJ/450SC	 satin chrome	25,98 NET




PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Square stabilizing bars JS series



Square bar

material: stainless steel
cross-section dimension: 15 x 15 mm
length: 1000; 2000 mm

JSR15-1000PSS	polished	22,47 EUR
JSR15-1000SSS	satin	21,90 EUR
JSR15-1000PBC	gold	32,69 EUR
NEW JSR15-1000PBCS	brushed gold	30,54 EUR
JSR15-2000PSS	polished	45,38 EUR
JSR15-2000SSS	satin	43,49 EUR
JSR15-2000PBC	gold	62,84 EUR
NEW JSR15-2000PBCS	brushed gold	61,07 EUR



Swivel connector for cross bar

material: brass

WHILE STOCKS LAST JS01ADJ-PC	polished chrome	15,43 EUR
WHILE STOCKS LAST JS01ADJ-SC	satin chrome	15,43 EUR



„T” connector side glass to round bar

material: brass
glass thickness: 6; 8; 10

JS02PC	polished chrome	26,21 EUR
JS02SC	satin chrome	26,21 EUR
JS02-PBC	gold	30,68 EUR
NEW JS02-PBCS	brushed gold	29,30 EUR



Intermediate connector to glass for passage square bar

material: brass
glass thickness: 6; 8; 10 mm

JS03AA-PC	polished chrome	14,16 EUR
JS03AA-SC	satin chrome	14,81 EUR



End connector glass to square bar

material: brass
glass thickness: 6; 8; 10 mm


JS03BA-PC	polished chrome	17,27 EUR
JS03BA-SC	satin chrome	17,57 EUR
JS03BA-PBC	gold	28,38 EUR
NEW JS03BA-PBCS	brushed gold	26,46 EUR



Junction connector „T” for square bar

material: brass

JS03T-PC	polished chrome	16,05 EUR
JS03T-SC	satin chrome	17,07 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Fixed wall connector for square bar material: brass	JS04PC	 polished chrome	8,84 EUR
		JS04SC	 satin chrome	9,26 EUR
		JS04-PBC	 gold	14,78 EUR
		NEW JS04-PBCS	 brushed gold	11,73 EUR
	Fixed wall connector for square bar 45° material: brass	JS045PC	 polished chrome	12,69 EUR
		JS045SC	 satin chrome	13,25 EUR
	Swivel wall connector for square bar material: brass	JS05ADJ-PC	 polished chrome	17,16 EUR
		JS05ADJ-SC	 satin chrome	17,16 EUR
		JS05ADJ-PBC	 gold	29,17 EUR
		NEW JS05ADJ-PBCS	 brushed gold	27,22 EUR
	Stabilizing bar wall to glass, 850-1000 mm material: brass; stainless steel glass thickness: 6; 8; 10 mm adjustment range: 850 - 1000 mm	WHILE STOCKS LAST JS002ADJ/1000SC	 satin chrome	32,56 NET
	Stabilizing bar wall to glass 45°, 270-450mm material: brass; stainless steel glass thickness: 6; 8; 10 mm adjustment range: 270 - 450 mm	WHILE STOCKS LAST JS003ADJ/450SC	 satin chrome	32,56 NET
				

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)

Rectangular stabilizing bars SHC series



Rectangular bar

material: stainless steel
profile dimension: 10 x 20 mm
length: 1000; 2000 mm

SHCR-1000PSS  polished **22,46 EUR**

SHCR-1000SSS  satin **23,80 EUR**

SHCR-1000BL  black **32,08 EUR**

SHCR-1000-WH  RAL **30,74 EUR**

NEW **SHCR-1000BRS**  brushed brass **40,28 EUR**

NEW **SHCR-1000CUP**  polished copper **40,28 EUR**

NEW **SHCR-1000GM**  gun metal **41,34 EUR**

SHCR-2000PSS  polished **50,33 EUR**

SHCR-2000SSS  satin **55,57 EUR**

SHCR-2000BL  black **64,15 EUR**

SHCR-2000-WH  white RAL **61,22 EUR**

NEW **SHCR-2000BRS**  brushed brass **69,96 EUR**

NEW **SHCR-2000CUP**  polished copper **69,96 EUR**

NEW **SHCR-2000GM**  gun metal **69,96 EUR**



Swivel connector for rectangular bar

material: brass

WHILE
STOCKS LAST

SHC01ADJ-PC  polished chrome **20,95 EUR**

WHILE
STOCKS LAST

SHC01ADJ-SC  satin chrome **18,22 EUR**



„T” connector side glass to rectangular bar

material: brass
glass thickness: 8-12 mm

SHC02ADJ-PC  polished chrome **25,10 EUR**

SHC02ADJ-SC  satin chrome **25,10 EUR**

SHC02ADJ-BL  black galvanised **29,44 EUR**

SHC02ADJ-WH  white RAL **31,80 EUR**

NEW **SHC02ADJ-BRS**  brushed brass **33,92 EUR**

NEW **SHC02ADJ-CUP**  polished copper **33,92 EUR**

NEW **SHC02ADJ-GM**  gun metal **33,92 EUR**



End connector glass to rectangular bar 90°

material: brass
glass thickness: 8-12 mm

SHC03BA-PC  polished chrome **19,74 EUR**

SHC03BA-SC  satin chrome **19,74 EUR**

SHC03BA-BL  black galvanised **22,25 EUR**

SHC03BA-WH  white RAL **26,50 EUR**

NEW **SHC03BA-BRS**  brushed brass **26,50 EUR**

NEW **SHC03BA-CUP**  polished copper **26,50 EUR**

NEW **SHC03BA-GM**  gun metal **26,50 EUR**



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Junction connector „T” for rectangular bar material: brass	SHC03T-PC	 polished chrome	13,91 EUR
		SHC03T-SC	 satin chrome	13,91 EUR
		NEW SHC03T-BRS	 brushed brass	20,14 EUR
		NEW SHC03T-CUP	 polished copper	20,14 EUR
	Fixed wall connector for rectangular bar material: brass	SHC04-PC	 polished chrome	9,38 EUR
		SHC04-SC	 satin chrome	9,38 EUR
		SHC04-BL	 black galvanised	10,71 EUR
		SHC04-WH	 white RAL	16,96 EUR
		NEW SHC04-BRS	 brushed brass	14,84 EUR
		NEW SHC04-CUP	 polished copper	14,84 EUR
	Swivel wall connector for rectangular bar material: brass	NEW SHC04-GM	 gun metal	14,84 EUR
		SHC04ADJ-PC	 polished chrome	20,66 EUR
		SHC04ADJ-SC	 satin chrome	20,66 EUR
		SHC04ADJ-BL	 black galvanised	23,37 EUR
		SHC04ADJ-WH	 white RAL	28,62 EUR
		NEW SHC04ADJ-BRS	 brushed brass	28,62 EUR
	Connector to glass 90° for passage rectangular bar material: brass glass thickness: 8-12 mm	NEW SHC04ADJ-CUP	 polished copper	28,62 EUR
		NEW SHC04ADJ-GM	 gun metal	28,62 EUR
		SHC30AA-PC	 polished chrome	13,97 EUR
	End connector to glass for passage rectangular bar material: brass glass thickness: 8-12 mm	SHC30AA-SC	 satin chrome	13,97 EUR
		SHC30BA-PC	 polished chrome	15,62 EUR
		SHC30BA-SC	 satin chrome	15,02 EUR
		SHC30BA-BL	 black galvanised	17,16 EUR
	Connector to rectangular bar glass installation material: brass glass thickness: 8-12 mm	SHC30BA-WH	 white RAL	17,16 EUR
		SHC06GBA-PC	 polished chrome	23,01 EUR
		WHILE STOCKS LAST SHC06GBA-SC	 satin chrome	21,71 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Angular support glass to wall 90° SH series



Angular support „L” left

material: brass
length 220 mm
glass thickness: 8-10 mm

SH-LSC220L-PC  polished chrome **70,89 EUR**

SH-LSC220L-SC  satin chrome **70,89 EUR**

SH-LSC220L-BL  matt black **71,52 EUR**

NEW **SH-LSC220L-PBCS**  brushed gold **78,44 EUR**

NEW **SH-LSC220L-BRS**  brushed brass **78,44 EUR**

NEW **SH-LSC220L-CUP**  polished copper **78,44 EUR**

NEW **SH-LSC220L-GM**  gun metal **78,44 EUR**



Angular support „R” right

material: brass
length: 220 mm
glass thickness: 8-10 mm

SH-LSC220R-PC  polished chrome **70,89 EUR**

SH-LSC220R-SC  satin chrome **70,89 EUR**

SH-LSC220R-BL  matt black **71,52 EUR**

NEW **SH-LSC220R-PBCS**  brushed gold **78,44 EUR**

NEW **SH-LSC220R-BRS**  brushed brass **78,44 EUR**

NEW **SH-LSC220R-CUP**  polished copper **78,44 EUR**

NEW **SH-LSC220R-GM**  gun metal **78,44 EUR**






PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	PRICE (EUR)
Seals for shower enclosures				
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	ABE-6-8	6-8 mm	7,08 EUR
		ABE-6-8-BL	6-8 mm	7,67 EUR
		ABE-10	10 mm	9,12 EUR
	Clip seal material: PVC length: 2200 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	ADE-6-8	6-8 mm	7,67 EUR
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	ASE-6-8	6-8 mm	7,40 EUR
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	BSE-6-8	6-8 mm	7,08 EUR
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	DOE-6-8	6-8 mm	7,08 EUR
		DOE-6-8-BL	6-8 mm	7,67 EUR
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	GCE-6-8	6-8 mm	7,40 EUR
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	GGE-8-10	8-10 mm	9,23 EUR
	Clip seal for the shower enclosures sliding systems CLEAR and NUOVA TRIESTE SF40 material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	SDEN-8-10	8-10 mm	8,31 EUR
		SDEN-8-10-BL	8-10 mm	9,12 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	OWE-6-8	6-8 mm	9,15 EUR
		OWE-10	10 mm	10,42 EUR
	Clip seal for the shower enclosures sliding system VERONA II material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	SDVN-8-10	8-10 mm	10,13 EUR
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	WBE-6-8	6-8 mm	7,73 EUR
	Clip seal material: PVC length: 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	WSE-6-8	6-8 mm	7,40 EUR
		WSE-6-8-BL	6-8 mm	7,67 EUR
		WSE-8-10	8-10 mm	9,56 EUR

Magnetic seals for shower enclosures

	Clip seal material: PVC length: 2200; 2500 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	PMFEN-6-8	6-8 mm	20,98 EUR
		PMFEN-6-8-BL	6-8 mm	23,95 EUR
		PMFEN-6-8-L2500	6-8 mm	23,70 EUR
	Magnetic clip seal material: PVC length: 2200 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	PMBE-6-8	6-8 mm	20,98 EUR
	Clip seal material: PVC length: 2200 mm temperature range: 0-50°C UV resistance: EN ISO 4892-2	PMSE-6-8	6-8 mm	20,74 EUR

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)

Aluminium sealing profiles for shower enclosures



Aluminium sealing profile with the gasket ADSE

length: 2300 mm
material: aluminium
glass thickness: 8 mm

	SHMADSE-2300PC		polished	19,11 EUR
	SHMADSE-2300NAS		satin anodised	19,11 EUR
	SHMADSE-2300NABL		black anodised	20,12 EUR
NEW	SHMADSE-2300BRS		brushed brass	20,14 EUR
NEW	SHMADSE-2300CUP		polished copper	20,14 EUR
NEW	SHMADSE-2300GM		gun metal	20,14 EUR



Aluminium sealing profile with the gasket WSE

length: 2300 mm
material: aluminium
glass thickness: 8 mm

	SHMWSE-2300PC		polished	19,11 EUR
	SHMWSE-2300NAS		satin anodised	19,11 EUR
	SHMWSE-2300NABL		black anodised	20,12 EUR



Aluminium sealing profile with the gasket DOSE

length: 2300 mm
material: aluminium
glass thickness: 8 mm

	SHMDOSE-2300PC		polished	19,76 EUR
	SHMDOSE-2300NAS		satin anodised	19,44 EUR
	SHMDOSE-2300NABL		black anodised	20,45 EUR
NEW	SHMDOSE-2300BRS		brushed brass	21,59 EUR
NEW	SHMDOSE-2300CUP		polished copper	21,59 EUR
NEW	SHMDOSE-2300GM		gun metal	21,59 EUR



Set composed of two aluminium
sealing profiles with the magnetic strip
glass to wall installation 90°

material: aluminium
length: 2300 mm
glass thickness: 8 mm

	SHMW-SET-PC		polished	54,16 EUR
	SHMW-SET-NAS		satin anodised	49,04 EUR
	SHMW-SET-NABL		black anodised	60,01 EUR
NEW	SHMW-SET-WH		white RAL	59,36 EUR
	SHMW-SET-PBC		gold	62,41 EUR
NEW	SHMW-SET-PBCS		brushed gold	79,84 EUR
NEW	SHMW-SET-BRS		brushed brass	76,32 EUR
NEW	SHMW-SET-CUP		polished copper	76,32 EUR
NEW	SHMW-SET-GM		gun metal	76,32 EUR


PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Set composed of aluminium sealing profile with the magnetic strip and magnetic clip seal on the door panel glass to wall installation 90°

material: aluminium, PVC
length: 2300 mm
glass thickness: 8 mm


	SHMPMW-SET-PC	 polished	47,60 EUR
	SHMPMW-SET-NABL	 black anodised	52,75 EUR
NEW	SHMPMW-SET-WH	 white RAL	54,05 EUR
NEW	SHMPMW-SET-PBC	 gold	65,72 EUR
NEW	SHMPMW-SET-PBCS	 brushed gold	65,72 EUR
NEW	SHMPMW-SET-BRS	 brushed brass	65,72 EUR
NEW	SHMPMW-SET-CUP	 polished copper	65,72 EUR
NEW	SHMPMW-SET-GM	 gun metal	65,72 EUR



Set composed of two aluminium sealing profiles with the magnetic strip glass to glass installation 90°

material: aluminium
length: 2300 mm
glass thickness: 8 mm

	SHMG-SET-PC	 polished	61,45 EUR
	SHMG-SET-NAS	 satin anodised	55,20 EUR
	SHMG-SET-NABL	 black anodised	68,14 EUR
	SHMG-SET-PBC	 gold	73,42 EUR
NEW	SHMG-SET-PBCS	 brushed gold	86,82 EUR
NEW	SHMG-SET-BRS	 brushed brass	83,74 EUR
NEW	SHMG-SET-CUP	 polished copper	83,74 EUR
NEW	SHMG-SET-GM	 gun metal	83,74 EUR



Set composed of aluminium sealing profile with the magnetic strip and magnetic clip seal on the door panel glass to glass installation 90°

material: aluminium, PVC
length: 2300 mm
glass thickness: 8 mm

	SHMPMG-SET-PC	 polished	56,32 EUR
	SHMPMG-SET-NAS	 satin anodised	51,81 EUR
	SHMPMG-SET-NABL	 black anodised	56,32 EUR
NEW	SHMPMG-SET-PBC	 gold	77,38 EUR
NEW	SHMPMG-SET-PBCS	 brushed gold	77,38 EUR
NEW	SHMPMG-SET-BRS	 brushed brass	77,38 EUR
NEW	SHMPMG-SET-CUP	 polished copper	77,38 EUR
NEW	SHMPMG-SET-GM	 gun metal	77,38 EUR

Threshold seals



Threshold seal

material: acrylic glass
length: 2000 mm

DS5-PMMA	 transparent white	10,96 EUR
----------	---	------------------



Threshold seal

material: acrylic glass
length: 2000 mm

DS10-PMMA	 transparent white	26,48 EUR
-----------	---	------------------

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)

Aluminium threshold seals



Aluminium threshold profile

material: aluminium
length: 950; 2000 mm

DSMP-950PC	 polished	11,07 EUR
DSMP-2000PC	 polished	22,65 EUR
DSMP-950NABL	 black anodised	13,52 EUR
DSMP-2000NABL	 black anodised	27,03 EUR
DSMP-950PBC	 gold	14,08 EUR
DSMP-2000PBC	 gold	28,16 EUR
NEW DSMP-2000PBCS	 brushed gold	28,62 EUR
NEW DSMP-2000CUP	 polished copper	31,67 EUR



Corner connector for aluminium threshold profile

material: PVC

DSMN-03-PC	 polished	2,53 EUR
DSMN-03-BL	 matt black	2,65 EUR
NEW DSMN-03-PBCS	 brushed gold	4,41 EUR
NEW DSMN-03-CUP	 polished copper	4,41 EUR



End cap for aluminium threshold profile - left

material: PVC

DSMK-02L-PC	 polished	2,53 EUR
DSMK-02L-BL	 matt black	2,65 EUR
DSMK-02L-PBCS	 brushed gold	4,41 EUR
DSMK-02L-CUP	 polished copper	4,41 EUR



End cap for aluminium threshold profile - right

material: PVC

DSMK-02R-PC	 polished	2,53 EUR
DSMK-02R-BL	 matt black	2,65 EUR
NEW DSMK-02R-PBCS	 brushed gold	4,41 EUR
NEW DSMK-02R-CUP	 polished copper	4,41 EUR

End cap for aluminium threshold profile
with adapter for glass 8-10mm - left

material: PVC

WHILE
STOCKS LAST

WHILE
STOCKS LAST

DSMB-01L-PC	 polished chrome	2,28 EUR
DSMB-01L-BL	 matt black	2,78 EUR

End cap for aluminium threshold profile
with adapter for glass 8-10mm - right

material: PVC

WHILE
STOCKS LAST

WHILE
STOCKS LAST

DSMB-01R-PC	 polished chrome	2,28 EUR
DSMB-01R-BL	 matt black	2,78 EUR

End cap for aluminium threshold profile
- left, side installation

material: PVC

TGMB-01L-PC	 polished chrome	2,26 EUR
TGMB-01L-BL	 matt black	2,63 EUR


End cap for aluminium threshold profile
- right, side installation

material: PVC

TGMB-01R-PC	 polished chrome	2,26 EUR
TGMB-01R-BL	 matt black	2,63 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
 Set composed of two aluminium sealing profiles with the magnetic strip glass to wall and glass to glass 90° installation material: aluminium glass thickness: 8 mm length: 2300 mm		SHMSD-SET-PC	 polished	37,29 EUR
		SHMSD-SET-NAS	 satin anodised	37,29 EUR
		SHMSD-SET-NABL	 black anodised	40,96 EUR
		NEW SHMSD-SET-PBC	 gold	42,87 EUR
		NEW SHMSD-SET-PBCS	 brushed gold	45,95 EUR
		NEW SHMSD-SET-GM	 gun metal	45,95 EUR
		SHMSD-SET-BRS	 brushed brass	45,95 EUR
		SHMSD-SET-CUP	 polished copper	45,95 EUR



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Door knob Ø25 material: aluminium glass thickness: 8; 10; 12 mm	TGKH16-25-PC	 polished chrome	18,58 EUR
		TGKH16-25-SC	 satin chrome	18,58 EUR
	Door knob Ø32 material: brass glass thickness: 8; 10; 12 mm	KH16-32-PC	 polished chrome	18,51 EUR
		KH16-32-SC	 satin chrome	18,00 EUR
	Door knob Ø38 material: stainless steel glass thickness: 8; 10; 12 mm	KH16-38PSS	 polished	25,30 EUR
		KH16-38SSS	 satin	24,12 EUR
	Door knob Ø32 material: brass glass thickness: 8; 10; 12 mm	KHJ32PC	 polished chrome	20,25 EUR
		KHJ32SC	 satin chrome	22,80 EUR
		KHJ32-BL	 black galvanised	23,13 EUR
		NEW KHJ32PBC	 gold	26,50 EUR
		NEW KHJ32-GM	 gun metal	24,96 EUR
	Door knob Ø30 material: stainless steel glass thickness: 6; 8; 10; 12 mm	KH34-30PSS	 polished	14,21 EUR
	Door knob 28x46 material: brass glass thickness: 6; 8; 10 mm	KH48JS-PC	 polished chrome	18,88 EUR
		KH48JS-BL	 black galvanised	22,42 EUR
	Door knob 27x27 material: brass glass thickness: 6; 8; 10; 12 mm	KH25-30PC	 polished chrome	25,91 EUR
		KH25-30SC	 satin chrome	25,91 EUR
		KH25-30BL	 black galvanised	29,91 EUR
	Door knob 35x35 material: brass glass thickness: 8; 10; 12 mm	KHJ24PC	 polished chrome	26,07 EUR
		KHJ24SC	 satin chrome	26,83 EUR
		KHJ24BL	 black galvanised	28,48 EUR
		KHJ24-WH	 white	33,62 EUR
		NEW KHJ24PBC	 gold	30,54 EUR
		NEW KHJ24PBCS	 brushed gold	27,45 EUR
		NEW KHJ24BRS	 brushed brass	36,73 EUR
		NEW KHJ24CUP	 polished copper	36,73 EUR
		NEW KHJ24GM	 gun metal	43,17 EUR

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Pull handle

material: stainless steel
glass thickness: 8; 10; 12 mm

WHILE
STOCKS LAST

H15-22-220PSS



polished

65,76 EUR



Pull handle

material: stainless steel
glass thickness: 8; 10; 12 mm

H19-19-220PSS



polished

42,91 EUR

H19-19-220SSS



satin

40,50 EUR

H19-19-220-BL



black

48,11 EUR

NEW

H19-19-220-WH



white RAL

54,71 EUR

H19-19-220-PBC



gold

64,05 EUR

NEW

H19-19-220-PBCS



brushed gold

64,66 EUR

NEW

H19-19-220GM



gun metal

49,64 EUR



Pull handle

material: stainless steel
glass thickness: 8; 10; 12 mm

H16-20-180L PSS	180	120
H16-20-300L PSS	300	200
H16-20-180L SSS	180	120
H16-20-300L SSS	300	200
H16-20-180L PBC	180	120
H16-20-300L PBC	300	200
H16-20-180L PBCS	180	120

H16-20-180LPSS



polished

32,28 EUR

H16-20-300LPSS



polished

36,61 EUR

H16-20-180LSSS



satin

29,44 EUR

H16-20-300LSSS



satin

33,47 EUR

H16-20-180L-PBC



gold

63,36 EUR



Square pull handle (towel holder) with knob

material: stainless steel
glass thickness: 8; 10; 12 mm

H02-20/40-450PSS



polished

32,94 EUR

H02-20/40-450BL



black galvanised

35,72 EUR

NEW

H02-20/40-450PBC



gold

87,83 EUR



Round pull handle (towel holder) with knob

material: stainless steel
glass thickness: 8; 10; 12 mm

WHILE
STOCKS LAST

H01-KH17-KH01PSS



polished

27,35 EUR

WHILE
STOCKS LAST

H01-KH17-KH01SSS



satin

24,15 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Latch material: stainless steel glass thickness: 8; 10; 12 mm	US625-PSS WHILE STOCKS LAST	 polished	27,64 EUR
	Strike for latch US625 material: stainless steel glass thickness:	GK625-PSS WHILE STOCKS LAST	 polished	10,47 EUR
	Strike for latch US625 (fixed to wall) material: stainless steel	KP625PSS WHILE STOCKS LAST	 polished	5,53 EUR



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Sliding recessed pull handle, grip closed material: stainless steel glass thickness: 8; 10; 12 mm	KHN19SSS	 satin	43,25 EUR
		KHN19PVD	 gold	56,25 EUR
	Sliding recessed pull handle, grip closed material: stainless steel glass thickness: 8; 10; 12 mm	KHN20PSS	 polished	19,43 EUR
		KHN20SSS	 satin	17,57 EUR
	Sliding recessed pull handle, grip open material: stainless steel glass thickness: 8; 10; 12 mm	KHN65PSS	 polished	19,25 EUR
		KHN65SSS	 satin	17,86 EUR
	Sliding recessed pull handle, grip open material: aluminium glass thickness: 8; 10; 12 mm	KHN60NA	 anodised	12,49 EUR
		KHN60NABL	 black anodised	12,84 EUR
	Sliding recessed pull handle, grip closed material: aluminium glass thickness: 8; 10; 12 mm	TGKH55-PC	 polished	27,61 EUR
		TGKH55-SC	 satin	27,61 EUR
		TGKH55-NABL	 black anodised	29,14 EUR
		TGKH55-PBC	 gold	40,48 EUR
		NEW TGKH55-BRS	 brushed brass	36,72 EUR
		NEW TGKH55-CUP	 polished copper	36,72 EUR
		NEW TGKH55-GM	 gun metal	36,72 EUR
		TGKH55-NA	 anodised	27,61 EUR

Stick-On handle for sliding glass doors

	Stick-On Handle for sliding glass doors – no cut-outs material: aluminium	NEW KH15SNH-AX	 alinox	23,20 EUR
		NEW KH15SNH-NA	 silver anodised	23,20 EUR
		NEW KH15SNH-NABL	 black anodised	23,20 EUR
	Stick-On Handle for sliding glass doors – no cut-outs material: aluminium	NEW KH15RNH-AX	 alinox	29,08 EUR
		NEW KH15RNH-NA	 silver anodised	29,08 EUR
		NEW KH15RNH-NABL	 black anodised	29,08 EUR

PHOTO

DESCRIPTION

CODE

LENGTH

FINISH

PRICE (EUR)



U-section profile for fixed panels

material: aluminium
glass thickness: 8 mm
glass installation using double-sided
tape, glue or silicone
(not included with the product)

Code	Length	Finish	Price EUR
FIXSG08-2300PC	2300 mm	polished	20,29 EUR
FIXSG08-3000PC	3000 mm	polished	24,80 EUR
FIXSG08-4000PC	4000 mm	polished	35,11 EUR
FIXSG08-2300AX	2300 mm	alinox	20,98 EUR
FIXSG08-3000AX	3000 mm	alinox	26,07 EUR
FIXSG08-2300NABL	2300 mm	black anodised	21,80 EUR
FIXSG08-3000NABL	3000 mm	black anodised	27,23 EUR
NEW FIXSG08-3000-WH	3000 mm	white RAL	39,78 EUR
FIXSG08-3000PBC	3000 mm	gold	29,20 EUR
NEW FIXSG08-3000BRS	3000 mm	brushed brass	36,73 EUR
NEW FIXSG08-3000CUP	3000 mm	polished copper	36,73 EUR
NEW FIXSG08-3000GM	3000 mm	gun metal	36,73 EUR



End cap

Code	Material	Finish	Price EUR
FIXSG08-EC-PSS	stainless steel	polished	3,11 EUR
FIXSG08-EC-SSS	stainless steel	satin	3,11 EUR
FIXSG08-EC-ABS-BL	ABS	black	0,81 EUR
FIXSG08-EC-PBC	stainless steel	gold	1,74 EUR
FIXSG08-EC-PBCS	stainless steel	brushed gold	1,78 EUR
NEW FIXSG08-EC-BRS	stainless steel	brushed brass	2,33 EUR
NEW FIXSG08-EC-CUP	stainless steel	polished copper	2,33 EUR
NEW FIXSG08-EC-GM	stainless steel	gun metal	2,33 EUR



U-section profile for fixed panels

material: aluminium
glass thickness: 10 mm
glass installation using double-sided
tape, glue or silicone
(not included with the product)

Code	Length	Finish	Price EUR
FIXSG10-2300PC	2300 mm	polished	21,40 EUR
FIXSG10-3000PC	3000 mm	polished	25,91 EUR
FIXSG10-2300AX	2300 mm	alinox	21,69 EUR
FIXSG10-3000AX	3000 mm	alinox	27,73 EUR
FIXSG10-2300NABL	2300 mm	black anodised	23,66 EUR
FIXSG10-3000NABL	3000 mm	black anodised	31,26 EUR



End cap

Code	Material	Finish	Price EUR
FIXSG10-EC-PSS	stainless steel	polished	2,89 EUR
FIXSG10-EC-SSS	stainless steel	satin	2,89 EUR
FIXSG10-EC-ABS--BL	ABS	black	0,83 EUR




PHOTO	DESCRIPTION	CODE	LENGTH	FINISH	PRICE (EUR)
 U-section profile for fixed panels with preassembled seal material: aluminium glass thickness: 8 mm seals included		FIXS-SET2300PC	2300 mm	 polished	27,45 EUR
		FIXS-SET3000PC	3000 mm	 polished	33,91 EUR
		FIXS-SET2300AX	2300 mm	 alinox	30,10 EUR
		FIXS-SET3000AX	3000 mm	 alinox	37,88 EUR
		FIXS-SET2300NABL	2300 mm	 black anodised	31,08 EUR
		FIXS-SET3000NABL	3000 mm	 black anodised	38,89 EUR
		FIXS-SET2300PGC	2300 mm	 gold-effect	30,88 EUR
 End cap		FIXS-EC-PSS	stainless steel	 polished	3,00 EUR
		FIXS-EC-SSS	stainless steel	 satin	2,97 EUR
		FIXS-EC-ABS-BL	ABS	 black	0,85 EUR
		FIXS-EC-PVD	stainless steel	 gold-effect	3,22 EUR
 U-section profile for fixed panels material: aluminium glass thickness: 6-10 mm		FIXD-2300PC	2300 mm	 polished	18,67 EUR
		FIXD-3000PC	3000 mm	 polished	23,13 EUR
		FIXD-2300AX	2300 mm	 alinox	21,84 EUR
		FIXD-2300NABL	2300 mm	 black anodised	20,57 EUR
		FIXD-3000NABL	3000 mm	 black anodised	25,78 EUR
		FIXD-3000AX	3000 mm	 alinox	24,06 EUR
		NEW FIXD-2300PBCS	2300 mm	 brushed gold	21,20 EUR
 End cap		FIXD-EC-PSS	stainless steel	 polished	2,89 EUR
		FIXD-EC-SSS	stainless steel	 satin	2,89 EUR
		FIXD-EC-ABS-BL	ABS	 black	1,86 EUR
 Seal for FIXD profile material: PVC-S glass thickness: U1=10 mm / U2=8 mm / U4=6 mm		U1	10 mm	 transparent white	0,75 EUR
		U2	8 mm	 transparent white	0,86 EUR
		U4	6 mm	 transparent white	0,96 EUR
		U1-BL	10 mm	 black	0,75 EUR
		U2-BL	8 mm	 black	1,06 EUR
		U4-BL	6 mm	 black	1,38 EUR

PHOTO	DESCRIPTION	CODE	DŁUGOŚĆ LENGTH	FINISH	PRICE (EUR)
-------	-------------	------	----------------	--------	-------------




Threshold cover profile
material: aluminium
threshold cover for FIXD profile visible section without glass (in case the FIXD is used as a shower doorstep)

Code	Length	Finish	Price EUR
FIXD-COV1000PC	1000 mm	polished	5,80 EUR
FIXD-COV2000PC	2000 mm	polished	11,23 EUR
FIXD-COV3000PC	3000 mm	polished	17,01 EUR
FIXD-COV1000AX	1000 mm	alinox	5,43 EUR
FIXD-COV2000AX	2000 mm	alinox	10,87 EUR
FIXD-COV3000AX	3000 mm	alinox	15,69 EUR
FIXD-COV1000NABL	1000 mm	black anodised	4,88 EUR
FIXD-COV2000NABL	2000 mm	black anodised	9,76 EUR
FIXD-COV3000NABL	3000 mm	black anodised	14,64 EUR



U-section profile for fixed panels
material: aluminium
glass thickness: 8; 10 mm
length: 3000 mm

Code	Length	Finish	Price EUR
FCM27U-NA	3000 mm	silver anodised	40,49 EUR
FCM27U-NABL	3000 mm	black anodised	46,32 EUR
FCM27U-NAS	3000 mm	satin anodised	58,60 EUR



End cap

Code	Material	Finish	Price EUR
FCM27EC-LH-ABS-NA	ABS	silver anodised	1,86 EUR
FCM27EC-RH-ABS-NA	ABS	silver anodised	1,86 EUR
FCM27EC-LH-ABS-NABL	ABS	black	1,01 EUR
FCM27EC-RH-ABS-NABL	ABS	black	1,01 EUR
FCM27EC-LH-ABS-NAS	ABS	satin anodised	1,86 EUR
FCM27EC-RH-ABS-NAS	ABS	satin anodised	1,86 EUR



Set: fixed seal UNISEAL + wedge seal RS-8
material: PVC-S
length: 3000 + 3000 mm

Code	glass thickness	Finish	Price EUR
FCM27RS-SET08-BL	8 mm	black	7,04 EUR
FCM27RS-SET10-BL	10 mm	black	7,04 EUR



Glass edge protection for U-Section profiles
material: plastic
length: 2300; 3000 mm
with self-adhesive tape

Code	Length	Finish	Price EUR
GEPP-2300	2300 mm	transparent	4,45 EUR
GEPP-3000	3000 mm	transparent	6,01 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Bathroom lock with vacant / engaged indicator material: stainless steel glass thickness: 8; 10; 12 mm keeper plate and lever handle not included	TGLI10S-PSS	 polished	68,77 EUR
		TGLI10S-SSS	 satin	68,77 EUR
	Strike box for the bathroom lock material: stainless steel glass thickness: 8; 10 mm for lock: TGLI10S	TGS10S-PSS	 polished	33,62 EUR
		TGS10S-SSS	 satin	33,62 EUR
	Bathroom lock with vacant / engaged indicator material: stainless steel glass thickness: 8; 10; 12 mm keeper plate and lever handle not included	WHILE STOCKS LAST TGLI30S-PSS	 polished	29,27 NET
		WHILE STOCKS LAST TGLI30S-SSS	 satin	59,24 EUR
	Strike box for the bathroom lock material: stainless steel glass thickness: 8; 10 mm for lock: TGLI30S	TGS30S-SSS	 satin	33,62 EUR

Vacant / engaged lock for bathroom and toilets

	Bathroom lock with vacant / engaged indicator and lever handle material: brass glass thickness: 8; 10; 12 mm Keeper plate included	WHILE STOCKS LAST TGLI70H-PC	 polished chrome	34,78 NET
		WHILE STOCKS LAST TGLI70H-SC	 satin	42,38 NET
	Strike box for bathroom lock material: brass glass thickness: 8; 10; 12 mm for lock: TGLI70H	WHILE STOCKS LAST TGS170H-PC	 polished chrome	20,73 NET
		WHILE STOCKS LAST TGS170H-SC	 satin	20,73 NET

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)	
Hinges					
	Hinge complete with pin sleeve material: aluminium glass thickness: 8,10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGH11-PC	 polished	36,54 EUR	
		TGH11-NABL	 black	38,65 EUR	
		TGH11-AX	 alinox	36,54 EUR	
		TGH11-NA	 silver anodised	33,03 EUR	
	Hinge complete with pin sleeve material: aluminium glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGH31-AX	 alinox	36,54 EUR	
		TGH31-NA	 silver anodised	31,86 EUR	
		WHILE STOCKS LAST	TGH31-PC	 polished	17,46 NET
	Frame pivot material: steel For all Erice Line locks				
		TGHP01	 zinc	8,38 EUR	
		TGHP01-SC	 satin	13,07 EUR	
		TGHP01-NA	 imitation silver anodised	13,07 EUR	
		TGHP01-BL	 black	13,80 EUR	
	Frame pivot material: steel for hinges: TGH11, TGH31, TGH41				
		TGHP11-NEW	 raw	10,11 EUR	
	Hinge complete with frame pivot and pin sleeve material: aluminium glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm set includes: hinge, frame pivot, cover pin sleeve	WHILE STOCKS LAST	TGH13SET-AX	 alinox	29,72 EUR
		WHILE STOCKS LAST	TGH13SET-NA	 silver anodised	26,40 EUR
		WHILE STOCKS LAST	TGH13SET-PC	 polished	29,72 EUR
			Free hinge with fixing plate material: brass glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm		
TGH12-SC	 satin chrome			64,13 EUR	
WHILE STOCKS LAST	TGH12-PC			 polished chrome	52,29 NET

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Free hinge with fixing plate material: brass glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGH32-SC	 satin chrome	80,13 EUR
		WHILE STOCKS LAST TGH32-PC	 polished chrome	52,29 NET
	Hinge with fixing plate material: aluminium glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGCR311-SC	 satin chrome	53,94 EUR
		TGCR311-NA	 silver anodised	47,47 EUR
		TGCR311-NABL	 black	54,24 EUR
	Free hinge with fixing plate material: aluminium glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGCR312-SC	 satin chrome	53,94 EUR
		TGCR312-NA	 silver anodised	47,47 EUR
		TGCR312-NABL	 black anodised	54,24 EUR
Complementary products for erice line locks – keeper plates				
	Strike plate for central lock with the stopper material: stainless steel For all single action Erice Line locks	TGLP01SET-SSS	 satin	5,93 EUR
	Keeper plate for central single action lock material: stainless steel For all single action Erice Line locks	TGLP02-SSS	 satin	4,31 EUR
	Keeper plate for central single action lock material: stainless steel For all single action Erice Line locks	TGLP03-SSS	 satin	3,69 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Bathroom magnetic horizontal lock with vacant / engaged indicator material: stainless steel glass thickness: 8, 10, 12 mm Lever handle and catch plate for magnetic lock not included	WHILE STOCKS LAST TGMHLI10S-SSS	 satin	45,72 NET
		WHILE STOCKS LAST TGMHLI10S-PSS	 polished	45,72 NET
	Bathroom magnetic horizontal lock with vacant / engaged indicator material: stainless steel glass thickness: 8, 10, 12 mm Lever handle and catch plate for magnetic lock not included	WHILE STOCKS LAST TGMHLI11S-SSS	 satin	45,72 NET
		WHILE STOCKS LAST TGMHLI11S-PSS	 polished	45,72 NET
	Strike patch for horizontal magnetic locks material: stainless steel glass thickness: 8, 10, 12 mm For TGMHLI10S and TGMHLI11S locks	WHILE STOCKS LAST TGMHS10S-SSS	 satin	22,69 NET
		WHILE STOCKS LAST TGMHS10S-PSS	 polished	22,69 NET
	Bathroom magnetic vertical lock with vacant / engaged indicator material: stainless steel glass thickness: 8, 10, 12 mm Lever handle and catch plate for magnetic lock not included	WHILE STOCKS LAST TGMVLI10S-SSS	 satin	45,72 NET
		WHILE STOCKS LAST TGMVLI10S-PSS	 polished	45,72 NET
	Bathroom magnetic vertical lock with vacant / engaged indicator material: stainless steel glass thickness: 8, 10, 12 mm Lever handle and catch plate for magnetic lock not included	WHILE STOCKS LAST TGMVLI11S-SSS	 satin	45,72 NET
		WHILE STOCKS LAST TGMVLI11S-PSS	 polished	45,72 NET
	Patch Lock for vertical magnetic locks material: stainless steel glass thickness: 8, 10, 12 mm For TGMVLI10S and TGMVLI11S locks	WHILE STOCKS LAST TGMVS10S-SSS	 satin	22,69 NET
		WHILE STOCKS LAST TGMVS10S-PSS	 polished	22,69 NET
	Catch plate for magnetic locks For TGMHLI10S, TGMHLI11S, TGMVLI10S, TGMVLI11S locks	WHILE STOCKS LAST FR-PML02-PSS	 satin	14,40 EUR
		FR-PML02-SSS	 satin	15,12 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
-------	-------------	------	----------	--------	-------------

Related products

Lever handles



Lever handle
For all Erice Line locks

TGLH01-SSS	stainless steel		satin	29,20 EUR
TGLH01-NA	aluminium		silver anodised	45,11 EUR
TGLH01-PSS	stainless steel		polished	28,93 EUR
TGLH01-NABL	aluminium		black anodised	42,24 EUR



Lever handle
For all Erice Line locks

TGLH02-SSS	stainless steel		satin	29,20 EUR
-------------------	-----------------	--	-------	------------------



Lever handle
For all Erice Line locks

WHILE STOCKS LAST	TGLH03-SSS	stainless steel		satin	16,12 NET
WHILE STOCKS LAST	TGLH03-NA	aluminium		silver anodised	16,12 NET
WHILE STOCKS LAST	TGLH03-PSS	stainless steel		polished	16,12 NET



Lever handle
For all Erice Line locks

WHILE STOCKS LAST	TGLH04-SSS	stainless steel		satin	22,69 NET
--------------------------	-------------------	-----------------	--	-------	------------------



Lever handle
For all Erice Line locks

WHILE STOCKS LAST	TGLH05-SSS	stainless steel		satin	38,30 EUR
--------------------------	-------------------	-----------------	--	-------	------------------



Lever handle
For all Erice Line locks

TGLH06-SSS	stainless steel		satin	43,59 EUR
TGLH06-NA	aluminium		silver anodised	43,99 EUR
TGLH06-PSS	stainless steel		polished	45,59 EUR
TGLH06-NABL	aluminium		black	49,04 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
Hinges					
	Hinge complete with pin sleeve glass thickness: 8,10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGH11-AX	aluminium	 alinox	36,54 EUR
		TGH11-NA	aluminium	 silver anodised	33,03 EUR
		TGH11-PC	aluminium	 polished	36,54 EUR
		TGH11-NABL	aluminium	 black	38,65 EUR
	Hinge complete with pin sleeve glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGH31-AX	aluminium	 alinox	36,54 EUR
		TGH31-NA	aluminium	 silver anodised	31,86 EUR
		TGH31-PC	aluminium	 polished	22,69 NET
	Hinge complete with pin sleeve glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	TGH41-AX	stainless steel	 polished	37,42 EUR
		TGH41-NA	aluminium	 silver anodised	16,12 NET
	Frame pivot For all Erice Line locks	TGHP01	steel	 zinc	8,38 EUR
		TGHP01-SC	steel	 satin	13,07 EUR
		TGHP01-NA	steel	 imitation silver anodised	13,07 EUR
		TGHP01-BL	steel	 black	13,80 EUR
	Frame pivot for hinges: TGH11, TGH31, TGH41	TGHP11-NEW	steel	 X raw	10,11 EUR
	Hinge complete with frame pivot and pin sleeve glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm set includes: hinge, frame pivot, cover pin sleeve	TGH13SET-AX	aluminium	 alinox	29,27 NET
		TGH13SET-NA	aluminium	 silver anodised	25,98 NET
		TGH13SET-PC	aluminium	 polished	29,27 NET
	Hinge complete with frame pivot and pin sleeve glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm set includes: hinge, frame pivot, cover pin sleeve	TGH33SET-AX	aluminium	 alinox	50,53 EUR
		TGH33SET-NA	aluminium	 silver anodised	43,67 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)	
	Free hinge with fixing plate glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	WHILE STOCKS LAST	TGH12-SC	brass	 satin chrome	64,13 EUR
			TGH12-PC	brass	 polished chrome	52,29 NET
	Free hinge with fixing plate glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm		TGH122-NA	aluminium	 silver anodised	38,24 EUR
	Free hinge with fixing plate max. glass weight for pair of hinges: 50 kg glass thickness: 8, 10 mm max. door width: 950 mm	WHILE STOCKS LAST	TGH32-SC	brass	 satin chrome	80,13 EUR
			TGH32-PC	brass	 polished chrome	52,29 NET
	Free hinge with fixing plate glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm		TGH322-NA	aluminium	 silver anodised	45,03 EUR
	Hinge with fixing plate glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm		TGH42-SC	brass	 satin chrome	78,20 EUR
	Hinge with fixing plate glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm	WHILE STOCKS LAST	TGH422-NA	aluminium	 silver anodised	29,27 NET
	Hinge with fixing plate glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm		TGCR311-SC	aluminium	 satin chrome	53,94 EUR
			TGCR311-NA	aluminium	 silver anodised	47,47 EUR
			TGCR311-NABL	aluminium	 black	54,24 EUR
	Free hinge with fixing plate glass thickness: 8, 10 mm max. glass weight for pair of hinges: 50 kg max. door width: 950 mm		TGCR312-SC	aluminium	 satin chrome	53,94 EUR
			TGCR312-NA	aluminium	 silver anodised	47,47 EUR
			TGCR312-NABL	aluminium	 black anodised	54,24 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
Cylinders					
	Profile cylinder 25 / 30 For the locks TGL40, TGL45, TGL60 and TGL70 installed on 10 mm thickness glass, we recommend using the cylinder TGLC03 SC	MZLC01-NS	brass	 satin	14,81 EUR
		MZLC01-BL	brass	 black	24,58 EUR
	Profile cylinder 21 / 27 Cylinder for use with TGL40, TGL45, TGL60 and TGL70 locks installed only on 8 mm thick glass. For the locks TGL15 and TGL35 installed both on 8 mm and 10 mm thickness glass.	TGLC01-NA	brass	 satin	26,21 EUR
	Euro-profile cylinder	TGLC03-SC	brass	 satin	24,60 EUR
	Profile cylinder c/w key & knob A & C Profile cylinder for Erice Line locks installed on 8 or 10 mm thickness glass panels	WHILE STOCKS LAST TGLC01TA-SC	A brass	 satin	18,48 NET
		TGLC01TC-SC	C brass	 satin	31,78 EUR
	Profile cylinder c/w key & knob C type Profile cylinder for Erice Line locks installed on 8 mm thickness glass panels.	TGLC01WC-SC	brass	 satin	23,13 EUR
	Profile cylinder c/w key & knob C type Profile cylinder for Erice Line locks installed on 8 mm thickness glass panels.	TGLC02WC-SC	brass	 satin	22,76 EUR
COMPLEMENTARY PRODUCTS FOR ERICE LINE LOCKS – KEEPER PLATES					
	Strike plate for central lock with the stopper For all single action Erice Line locks	TGLP01SET-SSS	stainless steel	 satin	5,93 EUR
	Keeper plate for central single action lock For all single action Erice Line locks	TGLP02-SSS	stainless steel	 satin	4,31 EUR
	Keeper plate for central single action lock For all single action Erice Line locks	TGLP03-SSS	stainless steel	 satin	3,69 EUR


PHOTO

DESCRIPTION

CODE

FINISH


PRICE (EUR)



Wall to wall set (one sliding panel and one fix panel)

weight capacity: 45 kg
glass thickness: 8; 10 mm
maximum door width: 954,5 mm


JHV-WM2000SET-PSS	 polished	215,58 EUR
JHV-WM2000SET-BL	 black	264,94 EUR
JHV-WM2000SET-PBCS	 brushed gold	274,19 EUR



Wall to glass set 90° (two sliding panels and two fix panels)

weight capacity: 45 kg
glass thickness: 8; 10 mm
maximum door width: 750 mm

JHV-WM2000SET-PSS	 polished	215,58 EUR
<i>does not include JHV-CON90PSS</i>		
JHV-WM2000SET-BL	 black	264,94 EUR
<i>does not include JHV-CON90BL</i>		
JHV-WM2000SET-PBCS	 brushed gold	274,19 EUR
<i>does not include JHV-CON90PBCS</i>		



Wall to glass set 90° (one sliding panel and two fix panels)

weight capacity: 45 kg
glass thickness: 8; 10 mm
maximum door width: 954,5 mm

JHV-WM2000SET-PSS	 polished	215,58 EUR
JHV-WM2000SET-BL	 black	264,94 EUR
JHV-WM2000SET-PBCS	 brushed gold	274,19 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Components of the set and additional elements



Corner connector for two Verona II systems

JHV-CON90PSS	polished	27,45 EUR
JHV-CON90BL	black	28,99 EUR
JHV-CON90PBCS	brushed gold	30,54 EUR



Rail to glass connector

material: stainless steel
glass thickness: 8; 10 mm

JHV-MSG-PC	polished chrome	19,74 EUR
JHV-MSG-BL	black galvanised	20,98 EUR
JHV-MSG-PBCS	brushed gold	24,37 EUR



Floor guide – glass installation

material: stainless steel
glass thickness: 8; 10 mm

JHV-FP-GUIDE-PC	polished chrome	18,20 EUR
JHV-FP-GUIDE-BL	black galvanised	18,20 EUR
JHV-FP-GUIDE-PBCS	brushed gold	21,28 EUR

Components of the set and additional elements



Eccentric adjustable roller



Rail to glass connector



Anti jump



Guide rail



Glass to rail connector



Door stopper



Bottom adjustable floor guide



Sliding recessed pull handle, grip close

Related products

Shower clamps

Clip seals and shower doorsteps

Aluminium profiles for the construction of the shower enclosures

Aluminium sealing profiles

Knobs and pull handles for the shower enclosures

ETNA (p. 5), **VESUVIO** (p. 8), **VENEZIA** (p. 9), **BOLOGNA** (p. 14)

BUDRIO (p. 23)

LAZIO DOCCIA (p. 33)

TODI DOCCIA (p. 28)

MODENA (p. 29) & **ANCONA** (p. 32)

PHOTO



DESCRIPTION

CODE

FINISH

PRICE (EUR)

Wall to wall set (one sliding panel and one fix panel)



weight capacity: 50 kg
 glass thickness: 8; 10 mm
 door width maximum: 1000 mm
 door width minimum: 450 mm

Set includes:

Top track	TS-TR3250-2000PC
Track cover	TSC-COV3260-2000PC
Wall to wall accessories set	TSC-WM SETPC

TSC-WM2M-SET-PC

polished

278,59 EUR

Top track	TSC-TR3250-2000AX
Track cover	TSC-COV3260-2000AX
Wall to wall accessories set	TSC-WM SETAX

TSC-WM2M-SET-AX

alinox

275,13 EUR

Top track	TSC-TR3250-2000NABL
Track cover	TSC-COV3260-2000NABL
Wall to wall accessories set	TSC-WM SETNABL

TSC-WM2M-SET-NABL

black anodised

274,81 EUR

Top track	TS-TR3250-2000PGC
Track cover	TS-COV3260-2000PGC
Wall to wall accessories set	TSC-WM SETPVD

TSC-WM2M-SET-PGC

gold

310,45 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Wall to wall set (one sliding panel and one fix panel) NEW finishes

Bottom adjustable floor guide	SHV-ADJU PBCS
Track cover	TS-COV3260-2000PBCS
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000PBCS

NEW

TSC-WM2M-SET-PBCS



brushed gold

297,53 EUR

Bottom adjustable floor guide	SHV-ADJU BRS
Track cover	TS-COV3260-2000BRS
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000BRS

NEW

TSC-WM2M-SET-BRS



brushed brass

297,53 EUR

Bottom adjustable floor guide	SHV-ADJU CUP
Track cover	TS-COV3260-2000CUP
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000CUP

NEW

TSC-WM2M-SET-CUP



polished copper

297,53 EUR

Bottom adjustable floor guide	SHV-ADJU GM
Track cover	TS-COV3260-2000GM
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000GM

NEW

TSC-WM2M-SET-GM



gun metal

297,53 EUR



PHOTO



DESCRIPTION

CODE

FINISH

PRICE (EUR)

Wall to glass set (one sliding panel and two fix panels)



weight capacity: 50 kg
 glass thickness: 8; 10 mm
 door width maximum: 1000 mm
 door width minimum: 450 mm

Wall to wall set (one sliding panel and one fix panel)

Top track	TSC-TR3250-2000PC
Track cover	TSC-COV3260-2000PC
Wall to glass accessories set	TSC-WMG SETPC

TSC-WMG2M-SET-PC

polished

281,28 EUR

Top track	TSC-TR3250-2000AX
Track cover	TSC-COV3260-2000AX
Wall to glass accessories set	TSC-WMG SETAX

TSC-WMG2M-SET-AX

alinox

281,28 EUR

Top track	TSC-TR3250-2000NABL
Track cover	TSC-COV3260-2000NABL
Wall to glass accessories set	TSC-WMG SETNABL

TSC-WMG2M-SET-NABL

black anodised

278,20 EUR

PHOTO



DESCRIPTION

CODE

FINISH

PRICE (EUR)

Glass to glass set (one sliding panel and three fix panels)



weight capacity: 50 kg
 glass thickness: 8; 10 mm
 door width maximum: 1000 mm
 door width minimum: 450 mm

Wall to wall set (one sliding panel and one fix panel)

Top track	TSC-TR3250-2000PC
Track cover	TSC-COV3260-2000PC
Glass to glass accessories set	TSC-GMG SETPC

TSC-GMG2M-SET-PC

polished

281,28 EUR

Top track	TSC-TR3250-2000AX
Track cover	TSC-COV3260-2000AX
Glass to glass accessories set	TSC-GMG SETAX

TSC-GMG2M-SET-AX

alinox

281,28 EUR

Top track	TSC-TR3250-2000NABL
Track cover	TSC-COV3260-2000NABL
Glass to glass accessories set	TSC-GMG SETNABL

TSC-GMG2M-SET-NABL

black anodised

278,20 EUR

PHOTO



DESCRIPTION

CODE

FINISH

PRICE (EUR)

90° corner sliding door set for shower enclosures



weight capacity: 50 kg
 glass thickness: 8; 10 mm
 door width maximum: 500 mm
 door width minimum: 450 mm

Sliding door system for shower enclosures

Top track	TSC-TR3250-2000PC
Track cover	TSC-COV3260-2000PC
Wall to wall accessories set	TSC-WM90 SETPC

TSC-WM90SET-PC

polished

458,93 EUR

Top track	TSC-TR3250-2000AX
Track cover	TSC-COV3260-2000AX
Wall to wall accessories set	TSC-WM90 SETAX

TSC-WM90SET-AX

alinox

470,92 EUR

Top track	TSC-TR3250-2000NABL
Track cover	TSC-COV3260-2000NABL
Wall to wall accessories set	TSC-WM90 SETNABL

TSC-WM90SET-NABL

black anodised

463,12 EUR

Top track	TS-TR3250-2000PGC
Track cover	TS-COV3260-2000PGC
Wall to wall accessories set	TSC-WM90 SETPVD

TSC-WM90SET-PGC

gold

484,51 EUR

PHOTO



DESCRIPTION

CODE

FINISH

PRICE (EUR)

90° corner sliding door set for shower enclosures NEW Finishes



weight capacity: 50 kg
 glass thickness: 8; 10 mm
 door width maximum: 500 mm
 door width minimum: 450 mm

Bottom adjustable floor guide	SHV-ADJU PBCS
Connector 90°	TSC-CON90 SET
Track cover	TS-COV3260-2000PBCS
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000PBCS

NEW

TSC-WM90-SET-PBCS



brushed gold

484,51 EUR

Bottom adjustable floor guide	SHV-ADJU BRS
Connector 90°	TSC-CON90 SET
Track cover	TS-COV3260-2000BRS
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000BRS

NEW

TSC-WM90SET-BRS



brushed brass

484,51 EUR

Bottom adjustable floor guide	SHV-ADJU CUP
Connector 90°	TSC-CON90 SET
Track cover	TS-COV3260-2000CUP
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000CUP

NEW

TSC-WM90SET-CUP



polished copper

484,51 EUR

Bottom adjustable floor guide	SHV-ADJU GM
Connector 90°	TSC-CON90 SET
Track cover	TS-COV3260-2000GM
CLEAR system accessories	TSC-UNISET BODY
Top track	TS-TR3250-2000GM

NEW

TSC-WM90SET-GM



gun metal

484,51 EUR

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)

Complementary products



Cover profile for top track TS-TR3250 on section of entrance to shower enclosure

material: aluminium
length: 950; 2000 mm

TS-FIXCOV2630-95PC	 polished	6,68 EUR
TS-FIXCOV2630-200PC	 polished	13,03 EUR
TS-FIXCOV2630-95AX	 alinox	6,37 EUR
TS-FIXCOV2630-200AX	 alinox	12,69 EUR
TS-FIXCOV2630-95NABL	 black anodised	6,35 EUR
TS-FIXCOV2630-200NAB	 black anodised	12,36 EUR
TS-FIXCOV2630-200PGC	 gold	13,95 EUR
TS-FIXCOV2630-200PBCS	 brushed gold	13,25 EUR
TS-FIXCOV2630-200BRS	 brushed brass	13,25 EUR
TS-FIXCOV2630-200CUP	 polished copper	13,25 EUR



Seal for installation of fix panel in top track TS-TR3250

material: PVC

TS-SEAL-FIX/8	 transparent white	4,01 EUR
TS-SEAL-FIX/10	 transparent white	4,01 EUR
TS-SEAL-FIX/12	 transparent white	4,12 EUR



Clamp for the installation of two fix panels in sets TSC-GMG2M SET (glass to glass) and TSC-WMG2M (wall to glass)

assembly of two fixed panels at 90°

TGSC90-GG-BL	 black anodised	50,65 EUR
TGSC90-GG-PC	 polished	44,07 EUR
TGSC90-GG-SC	 imitation alinox	44,07 EUR

U-Section profiles for shower enclosures



FCM27U



FIXSG



FIXS



FIXD



FIXD-COVER

Detailed technical specifications can be found in the section LAZIO DOCCIA – u section profiles for shower enclosures.(p.33)

PHOTO


DESCRIPTION

CODE

FINISH

PRICE (EUR)

Wall to wall set (one sliding panel)




weight capacity: 65 kg
glass thickness: 8 – 10 mm
maximum door width: 1200 x
2300 x 10 mm

A recommended set includes:

Main rail SHS-TR/T
Bottom Rail SHS-TR/B
Clip seal ABE
Clip seal BSE
Pull handle SHS-H01-525L
ATTENTION – The components must be ordered separately to create a recommended set.

SHS-UNISET-PSS	 polished	250,16 EUR
SHS-UNISET-BL	 black	267,12 EUR
SHS-UNISET-PBC	 polished gold	306,34 EUR
SHS-UNISET-PBCS	 brushed gold	306,34 EUR

Glass to wall set (one sliding panel and one fix panel)



weight capacity: 65 kg
glass thickness: 8 – 10 mm
maximum door width: 1200 x 2300 x 10 mm

A recommended set includes:

2 x Main rail SHS-TR/T
1 x Bottom rail SHS-TR/B
1 x Bottom rail with fix panel SHS-TRFIX/B
2 x Clip seal ABE
1 x Clip seal BSE
1 x Pull handle SHS-H01-525L
ATTENTION – The components must be ordered separately to create recommended set.

SHS-UNISET-PSS	 polished	250,16 EUR
SHS-UNISET-BL	 black	267,12 EUR
SHS-UNISET-PBC	 polished gold	306,34 EUR
SHS-UNISET-PBCS	 brushed gold	306,34 EUR

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Wall to wall set (one sliding panel)


NEW	SHS-UNISET-PSS	polished chrome	250,16 EUR
NEW	SHS-UNISET-BL	black	267,12 EUR
NEW	SHS-UNISET-PBC	polished gold	306,34 EUR
NEW	SHS-UNISET-PBCS	brushed gold	306,34 EUR



Main rail

 material: stainless steel
length: 1200 mm


NEW	SHS-TR/T-PSS	polished chrome	31,80 EUR
NEW	SHS-TR/T-BL	black	34,98 EUR
NEW	SHS-TR/T-PBC	polished gold	43,46 EUR
NEW	SHS-TR/T-PBCS	brushed gold	43,46 EUR



Bottom rail

 material: stainless steel
length: 1200 mm

NEW	SHS-TR/B-PC	polished chrome	41,34 EUR
NEW	SHS-TR/B-NABL	black anodised	37,10 EUR
NEW	SHS-TR/B-PBC	polished gold	47,70 EUR
NEW	SHS-TR/B-PBCS	brushed gold	47,70 EUR



Bottom rail with fix panel

 material: stainless steel
length: 1200 mm

NEW	SHS-TRFIX/B-PC	polished chrome	42,40 EUR
NEW	SHS-TRFIX/B-NABL	black anodised	41,34 EUR
NEW	SHS-TRFIX/B-PBC	polished gold	50,88 EUR
NEW	SHS-TRFIX/B-PBCS	brushed gold	50,88 EUR



Pull handle

 material: stainless steel
length: 525 mm

NEW	SHS-H01-525L-PSS	polished chrome	50,88 EUR
NEW	SHS-H01-525L-BL	black	55,12 EUR
NEW	SHS-H01-525L-PBC	polished gold	58,30 EUR
NEW	SHS-H01-525L-PBCS	brushed gold	58,30 EUR



Clip seal

 glass thickness: 6 - 8 mm
material: PVC
length: 2500 mm
temperature range: 0-50°C
UV resistance: EN ISO 4892-2

BSE-6-8	transparent white	7,08 EUR
----------------	-------------------	-----------------




Clip seal

Clip seal

 material: PVC
length: 2500 mm
temperature range: 0-50°C
UV resistance: EN ISO 4892-2 EN ISO 4892-2

ABE-6-8	transparent white	7,08 EUR
----------------	-------------------	-----------------



Clip seals

 material: PVC-S
glass thickness: U2=8 mm / U4=6 mm

U2	transparent white	0,86 EUR
U4	transparent white	0,96 EUR
U2-BL	black	1,06 EUR
U4-BL	black	1,38 EUR

PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Left clamp hinge
- no drilling or glass cut-outs

NEW **ES100UNH-LH-PC**  polished chrome **26,14 EUR**

NEW **ES100UNH-LH-BL**  black **29,08 EUR**



Right clamp hinge
- no drilling or glass cut-outs

NEW **ES100UNH-RH-PC**  polished chrome **26,14 EUR**

NEW **ES100UNH-RH-BL**  black **29,08 EUR**



PRICE LIST 2026

02

FITTINGS FOR TEMPERED
GLASS CONSTRUCTIONS

COMO - PATCH FITTINGS FOR FRAMELESS CONSTRUCTIONS	65
NUOVA BERGAMO - FLOOR SPRINGS TDJ800 AND TDC300	71
FIRENZE - FS880 - HYDRAULIC BOTTOM HINGES, EN STANDARD	72
ASTI - HYDRAULIC HINGES	74
RIMINI - ADJUSTABLE SPRING HINGES	77
ERICE STANDARD - LOCKS FOR GLASS DOOR TGL15 RANGE	78
ERICE BUSINESS - LOCKS FOR GLASS DOOR TGL70 RANGE	83
ERICE CONTROL ACCESS - LOCKS AND STRIKE PATCHES WITH ELECTRIC STRIKE	84
ERICE MAGNETIC - MAGNETIC LOCKS FOR GLASS DOOR	86
MONZA OFFICE - LOCK FOR EMERGENCY EXITS	87
MILANO - ALUMINIUM PULL HANDLES WITH DECORATIVE FACEPLATE	88
ANCONA - PULL HANDLES	89
GARDA - GLASS SEALING SYSTEM & DROP DOWN SEAL SYSTEMS	93
VICTORIA - GEORGIAN BAR PROFILES JBP H=2 MM	94
LAZIO - ALUMINIUM PROFILES FOR FIXED GLASS PANELS CONSTRUCTIONS	95
NUOVA ROMA - ALUMINIUM PROFILES FOR THE CONSTRUCTION OF FIXED GLASS PANELS IN TOUGHENED GLASS	98
NUOVA ROMA - ALUMINIUM PROFILES FOR THE CONSTRUCTION OF TOUGHENED GLASS FIX PANELS AND DOOR PANELS	99
NUOVA PALERMO - GLASS DOORS AND GLASS PARTITION WALLS	110
NUOVA PALERMO - FRZ ALUMINIUM FRAME PROFILE FOR GLASS DOORS INSTALLED ON MASONRY WALLS - INSTALLATION ON THE EDGE OF THE WALL	113
SILENZIO - ALUMINIUM PROFILES FOR MOUNTING WALLS WITH INCREASED ACOUSTIC INSULATION	117

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Bottom hinge glass thickness: 8, 10, 12 mm max. door width: 1000 mm* max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm includes insert to suit floor springs TDJ800, TDC300 and floor pivot PD15	PD10SSS	stainless steel	 satin	23,53 EUR
		PD10PSS	stainless steel	 polished	23,99 EUR
		PD10NA	aluminium	 silver anodised	23,74 EUR
		PD10NABL	aluminium	 black anodised	26,71 EUR
	Bottom hinge with ball bearing and floor pivot glass thickness: 8, 10, 12 mm max. door width: 1000 mm* max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD12SSS	stainless steel	 satin	45,34 EUR
		PD12NA	aluminium	 silver anodised	44,11 EUR
		PD12-PBCS	stainless steel	 brushed gold	92,22 EUR
	Top hinge glass thickness: 8, 10, 12 mm max. door width: 1000 mm max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm includes socket for: PD24, PD30, PD30B, PD40	PD20SSS	stainless steel	 satin	24,24 EUR
		PD20NA	aluminium	 silver anodised	24,37 EUR
		PD20NABL	aluminium	 black anodised	26,82 EUR
		PD24-PBCS	aluminium	 brushed gold	22,21 EUR
	Top pivot for PD20 hinge for: PD20	PD24SSS	stainless steel	 satin	6,43 EUR
		PD20-PBCS	stainless steel	 brushed gold	70,63 EUR
		PD24BL	stainless steel	 black	10,79 EUR
	Overpanel patch for PD20 hinge, wall installation by means of M8 threaded rod and expansion bolt glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20 set includes: M8 threaded rod and expansion bolt	PD30SSS	stainless steel	 satin	25,64 EUR
		PD30PSS	stainless steel	 polished	24,73 EUR
		PD30NA	aluminium	 silver anodised	25,73 EUR
		PD30NABL	aluminium	 black anodised	28,79 EUR
		PD30-PBCS	stainless steel	 brushed gold	71,24 EUR
	Overpanel patch for PD20 hinge, wall installation by means of the fixing plate glass thickness: recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20 set includes: fixing plate	PD30BSSS	stainless steel	 satin	29,04 EUR
		PD30B PBCS	stainless steel	 brushed gold	by request
	Overpanel & side panel patch for PD20 hinge glass thickness: 8, 10, 12 mm max. door width: 1000 mm max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20	PD40SSS	stainless steel	 satin	36,39 EUR
		PD40NA	aluminium	 silver anodised	37,02 EUR
		PD40NABL	aluminium	 black anodised	39,78 EUR
		PD40 PBCS	stainless steel	 brushed gold	by request

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Overpanel & side panel patch with fin link patch (left handed) for PD20 hinge glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20	PD41LHSSS	stainless steel	 satin	95,13 EUR
	Overpanel & side panel patch with fin link patch (right handed) for PD20 hinge glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20	PD41RHSSS	stainless steel	 satin	95,13 EUR
	Overpanel & side panel patch glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD63SSS	stainless steel	 satin	29,00 EUR
		PD63NA	aluminium	 silver anodised	29,82 EUR
		PD63NABL	aluminium	 black anodised	32,11 EUR
		PD63PBCS	stainless steel	 brushed gold	by request
INDIVIDUAL ORDER					
	Overpanel & side panel patch with stop insert glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD63S-SSS	stainless steel	 satin	30,40 EUR
	Two panels patch glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD70SSS	stainless steel	 satin	19,11 EUR
	Overpanel patch with double stop insert glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD70DS-SSS	stainless steel	 satin	19,58 EUR
	Two panels 90° angle patch glass thickness: 8, 10 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD70-90SSS	stainless steel	 satin	37,95 EUR
	Connector patch for four panels glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD80SSS	stainless steel	 satin	32,62 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Side patch wall to glass for two panels glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD82SSS	stainless steel	 satin	20,91 EUR
	Connector patch wall to glass glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm	PD85SSS	stainless steel	 satin	16,53 EUR
				 polished	16,12 EUR
				 silver anodised	16,45 EUR
				 black anodised	18,15 EUR
				 brushed gold	35,47 EUR
	Overpanel & side panel strike patch for PL50 lock glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for corner lock: PL50	GK40SSS	stainless steel	 satin	34,04 EUR
	Lock patch glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm cylinder and dust-proof keeper not included - lock to be used only with MZLC01 cylinder	PL34SSS	stainless steel	 polished	47,03 EUR
	Euro-profile cylinder 25 / 30 dedicated for PL34 lock for lock: PL34	MZLC01-NS	brass	 satin nickel	14,81 EUR
	Corner lock with cylinder protection glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm cylinder and dust-proof keeper not included	PL50SSS	stainless steel	 satin	31,46 EUR
				 silver anodised	32,08 EUR
				 black anodised	35,76 EUR
				 brushed gold	102,40 EUR
	Dust proof bolt keeper for PL50 and PL34 locks for locks: PL50 and PL34	9001WS-SSS	stainless steel	 satin	12,14 EUR
				 brushed gold	21,28 EUR
	Eccentric bush for PL50 and PL34 locks for locks: PL50 and PL34	9002	stainless steel	 satin	10,84 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Central lock with cylinder protection glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm cylinder not included	US50SSS	stainless steel	 satin	31,46 EUR
	Central strike patch for US50 lock glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for lock: US50	GK50SSS	stainless steel	 satin	20,31 EUR
	Bolt keeper cup for US50 lock, wall installation	9137-SSS	stainless steel	 satin	7,78 EUR
	Euro-profile cylinder 30 / 30	PM88	brass	 satin chrome	15,75 EUR
	Euro-profile thumb-turn cylinder 30 / 30	PM88TSC	brass	 satin chrome	22,82 EUR
	Lock with knob (no glass cut-out required) glass thickness: 8, 10, 12 mm includes keeper plate	US627SSS	stainless steel	 satin	25,73 EUR
		US627PSS	stainless steel	 polished	27,46 EUR
	Strike patch for US627 lock (without glass notch) glass thickness: 8, 10, 12 mm for lock: US627	GK627SSS	stainless steel	 satin	21,72 EUR
		GK627PSS	stainless steel	 polished	23,07 EUR
	Lock with cylinder (without glass notch) glass thickness: 8, 10, 12 cylinder and keeper plate included	US629SSS	stainless steel	 satin	53,39 EUR
		US629PSS	stainless steel	 polished	55,82 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Strike patch (without glass notch) for lock US629 glass thickness: 8, 10, 12 mm for lock: US629	GK629SSS	stainless steel	 satin	32,74 EUR
		GK629PSS	stainless steel	 polished	27,58 EUR
		WHILE STOCKS LAST			
	Floor pivot for PD10, PD10OS	PD15SSS	stainless steel	 satin	25,08 EUR
	Spacer set H=3 mm for floor pivot PD15	PD15-3SSS	stainless steel	 satin	9,17 EUR
	Spacer set H=5 mm for floor pivot PD15	PD15-5SSS	stainless steel	 satin	11,72 EUR
	Overhead door stopper glass thickness: 8, 10, 12 mm	110HSC	stainless steel	 satin	15,44 EUR
		110HPC	stainless steel	 polished	15,44 EUR
	Bottom hinge, offset (left) glass thickness: 8, 10, 12 mm max. door width: 1000 mm* max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm includes insert to suit floor spring: TDC300 and floor pivot PD15	PD10-OSLH-SET-SSS	stainless steel	 satin	81,54 EUR
	Bottom hinge, offset (right) max. door width: 1000 mm* max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm includes insert to suit floor spring: TDC300 and floor pivot PD15	PD10-OSRH-SET-SSS	stainless steel	 satin	81,54 EUR
	Top hinge, offset (left) glass thickness: 8, 10, 12 mm max. door width: 1000 mm max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for: PD30-OSLH, PD40-OSLH, PD24-OSLH	PD20-OSLH-SET-SSS	stainless steel	 satin	81,54 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Top hinge, offset (right) glass thickness: 8, 10, 12 mm max. door width: 1000 mm max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for: PD30-OSRH, PD40-OSRH, PD24-OSRH	PD20-OSRH-SET-SSS	stainless steel	satin	81,54 EUR
	Top pivot, offset (left) for PD20-OSLH hinge for: PD20-OSLH	PD24-OSLH-SSS	stainless steel	satin	27,40 EUR
	Top pivot, offset (right) for PD20-OSRH hinge for: PD20-OSRH	PD24-OSRH-SSS	stainless steel	satin	27,40 EUR
	Bottom hinge with ball bearing, offset (right) glass thickness: 8, 10, 12 mm max. door width: 1000 mm max. door weight: 90 kg recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm Includes floor pivot	PD12-OSRH-SET-SSS	stainless steel	satin	94,77 EUR
	Overpanel patch, offset (left) glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20-OSLH set includes: M8 threaded rod and expansion bolt	PD30-OSLH-SET-SSS	stainless steel	satin	95,35 EUR
	Overpanel patch, offset (right) glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20-OSRH set includes: M8 threaded rod and expansion bolt	PD30-OSRH-SET-SSS	stainless steel	satin	95,35 EUR
	Overpanel and side panel patch, offset (left) glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20-OSLH	PD30-OSLH-SET-SSS	stainless steel	satin	95,35 EUR
	Overpanel and side panel patch, offset (right) glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6 - 15 Nm, M8 - 20 Nm for hinge: PD20-OSRH	PD40-OSRH-SET-SSS	stainless steel	satin	109,16 EUR


PHOTO	DESCRIPTION	CODE	Force	Door width	Door weight	PRICE (EUR)
-------	-------------	------	-------	------------	-------------	-------------

Suitable for left-hand, right-hand and double-action doors



Floor spring - hold open 90°

TDJ800HO90-2	2	650 - 900 mm	130 kg	155,50 EUR
TDJ800HO90-3	3	900 - 1100 mm	130 kg	155,50 EUR
TDJ800HO90-4	4	1100 - 1300 mm	130 kg	155,50 EUR



PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)

Hydraulic bottom hinge – power force 3, EN Standard compliant

Hydraulic bottom hinge - without hold open



Door width: from 750 up to 1000 mm
Glass thickness: 8; 10; 12 mm
Max. door weight: 100 kg

FS880NHO-3



satin

316,73 EUR

Floor spring - hold open 90°



Door width: from 750 up to 1000 mm
Glass thickness: 8; 10; 12 mm
Max. door weight: 100 kg

FS880HO90-3



satin

252,53 EUR

FS880HO90-3-NABL



black anodised

272,95 EUR

FS880HO90-3-PBCS



brushed gold

326,59 EUR

Hydraulic bottom hinge – power force 5, EN Standard compliant

Floor spring - hold open 90°



Door width: from 850 up to 1250 mm
Glass thickness: 8; 10; 12 mm
Max. door weight: 100 kg

FS880HO90-5



satin

289,06 EUR

FS880HO90-5-PBCS



brushed gold

363,37 EUR

Door Closer + Top Hinge – Set



Door Closer + Top Hinge – Set

cover material: aluminium and stainless steel
glass thickness: 10 - 15 mm
Max. door width: 2500 mm
Max. door weight: 200 kg

NEW

FS360SET-BL



black

290,44 EUR

NEW

FS360SET-SSS



satin

278,78 EUR



PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)

Hinge wall to glass



Free-swing top hinge – wall-to-glass 90° installation

glass thickness (mm): 8-14 mm
Max. door width: 900 mm
Max. door weight: 70 kg

C4LFH-WM-SSS	 satin	200,17 EUR
C4LFH-WM-NA	 silver anodised	200,17 EUR
C4LFH-WM-NABL	 black anodised	212,50 EUR



Adjustable hydraulic hinge - wall to glass installation 90°

glass thickness (mm): 8-14 mm
Max. door width: 900 mm
Max. door weight: 70 kg

C4LHH-WM-SSS	 satin	323,53 EUR
C4LHH-WM-NA	 silver anodised	323,53 EUR
C4LHH-WM-NABL	 black anodised	335,87 EUR



Adjustable hydraulic hinge - wall to glass installation 90°

glass thickness (mm): 8-14 mm
Max. door width: 1000 mm
Max. door weight: 100 kg

C4LHH-WM-SSS	 satin	323,53 EUR
C4LHH-WM-NA	 silver anodised	323,53 EUR
C4LHH-WM-NABL	 black anodised	335,87 EUR

Hinge wall to glass 90° - side installation



Top free hinge - wall to glass installation 90°

glass thickness (mm): 8-14 mm
Max. door width: 900 mm
Max. door weight: 70 kg

C4LFH-WMOS-SSS	 satin	203,26 EUR
C4LFH-WMOS-NA	 silver anodised	203,26 EUR
C4LFH-WMOS-NABL	 black anodised	215,58 EUR



Adjustable hydraulic hinge - wall to glass installation 90°

glass thickness (mm): 8-14 mm
Max. door width: 900 mm
Max. door weight: 70 kg

C4LHH-WMOS-SSS	 satin	326,62 EUR
C4LHH-WMOS-NA	 silver anodised	326,62 EUR
C4LHH-WMOS-NABL	 black anodised	338,96 EUR



Adjustable hydraulic hinge - wall to glass installation 90°

glass thickness (mm): 8-14 mm
Max. door width: 1000 mm
Max. door weight: 100 kg

C4LHH-WMOS-SSS	 satin	326,62 EUR
C4LHH-WMOS-NA	 silver anodised	326,62 EUR
C4LHH-WMOS-NABL	 black anodised	338,96 EUR

Hinge glass to glass 180°



Top hinge glass to glass installation 180°

glass thickness (mm): 8-14 mm

Max. door width: 900 mm

Max. door weight: 70 kg

C4LFH-GM-SSS

satin

280,36 EUR**C4LFH-GM-NA**

silver anodised

280,36 EUR**C4LFH-GM-NABL**

black anodised

292,69 EURAdjustable hydraulic hinge
glass to glass installation 180°

glass thickness (mm): 8-14 mm

Max. door width: 900 mm

Max. door weight: 70 kg

C4LHH-GM-SSS

satin

453,08 EUR**C4LHH-GM-NA**

silver anodised

453,08 EUR**C4LHH-GM-NABL**

black anodised

462,32 EURAdjustable hydraulic hinge
glass to glass installation 180°

glass thickness (mm): 8-14 mm

Max. door width: 1000 mm

Max. door weight: 100 kg

C4LHH-GM-SSS

satin

453,08 EUR**C4LHH-GM-NA**

silver anodised

453,08 EUR**C4LHH-GM-NABL**

black anodised

462,32 EUR

Hydraulic hinge for frame profiles



Top free hinge

glass thickness (mm): 8-14 mm

Max. door width: 900 mm

Max. door weight: 70 kg

L8DS-SC

satin

240,26 EUR**L8DS-NA**

silver anodised

215,58 EUR**L8DS-NABL**

black anodised

231,01 EUR

Hydraulic hinge

glass thickness (mm): 8-14 mm

Max. door width: 900 mm

Max. door weight: 70 kg

L81S-HO90-SC

satin

369,80 EUR**L81S-HO90-NA**

silver anodised

357,46 EUR**L81S-HO90-NABL**

black anodised

369,80 EUR

Hydraulic hinge

glass thickness (mm): 8-14 mm

Max. door width: 1000 mm

Max. door weight: 100 kg

L81S-HO90-SC

satin

369,80 EUR**L81S-HO90-NA**

silver anodised

357,46 EUR**L81S-HO90-NABL**

black anodised

369,80 EUR


PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Bottom hydraulic hinge with 90° hold-open function - installation inside DRMN80 profile

glass thickness (mm): 8-14 mm

Max. door width: 900 mm

Max. door weight: 100 kg

FX1N-HO90-SSS



satin

470,64 EUR



Hydraulic bottom hinge with 90° hold open

glass thickness (mm): 8-14 mm

Max. door width: 1000 mm

Max. door weight: 100 kg

FS10HO90SSS



satin

338,96 EUR

FS10HO90NA



natural anodised

354,38 EUR

FS10HO90NABL



black anodised

363,63 EUR



PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Adjustable hinge, with spring-loaded mechanism,
offset fixing plate (glass to wall)

material: stainless steel
glass thickness: 10; 12 mm
max. glass weight per pair: 65 kg
max. door width: 900 mm

TGAH901OS-SSS



satin

102,66 EUR



Adjustable hinge with spring-loaded mechanism,
central fixing plate (glass to wall)

material: stainless steel
glass thickness: 10; 12 mm
max. glass weight per pair: 65 kg
max. door width: 900 mm

TGAH901-SSS



satin

102,66 EUR



Adjustable hinge, spring-loaded mechanism
(glass to glass), 180°

material: stainless steel
glass thickness: 10; 12 mm
max. glass weight per pair: 65 kg
max. door width: 900 mm

TGAH902-SSS



satin

121,72 EUR



PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
-------	-------------	------	----------	--------	-------------

Central locks (single action)



Central lock (single action) prepared for Euro-profile cylinder and lever handle

glass thickness: 8, 10, 12 mm

Lever handle, cylinder and keeper plate not included

TGL15S-SSS	stainless steel	satin	56,77 EUR
TGL15S-NA	aluminium	silver anodised	56,65 EUR
TGL15S-NABL	aluminium	black anodised	67,55 EUR
TGL15S-PSS	stainless steel	polished	61,37 EUR



Central lock (single action) prepared for lever handle

glass thickness: 8, 10, 12 mm

Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL15SNH-SSS	stainless steel	satin	56,77 EUR
TGL15SNH-NA	aluminium	silver anodised	56,65 EUR
TGL15SNH-NABL	aluminium	black anodised	67,55 EUR
TGL15SNH-PSS	stainless steel	polished	32,56 NET



Strike patch for TGL15S, TGL15SNH, TGL15SBBK locks

glass thickness: 8, 10, 12 mm

TGS10S-SSS	stainless steel	satin	33,62 EUR
TGS10S-NA	aluminium	silver anodised	33,62 EUR
TGS10S-NABL	aluminium	black anodised	35,78 EUR
TGS10S-PSS	stainless steel	polished	33,62 EUR

Central locks (double action)



Central lock (double action) prepared for Euro-profile cylinder and lever handle

glass thickness: 8, 10, 12 mm

Lever handle, cylinder and keeper plate not included

TGL15D-SSS	stainless steel	satin	58,29 EUR
-------------------	-----------------	-------	------------------



Strike patch for TGL15D, TGL15DNH locks

glass thickness: 8, 10, 12 mm

TGS10D-SSS	stainless steel	satin	33,62 EUR
-------------------	-----------------	-------	------------------



Central lock (single action) with key, for use with lever handle

glass thickness: 8, 10, 12 mm

Lever handle and keeper plate not included

TGL15SBBK-SSS	stainless steel	satin	32,56 NET
----------------------	-----------------	-------	------------------



PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
-------	-------------	------	----------	--------	-------------

Central locks (single action)



Central lock (single action) prepared for Euro-profile cylinder and lever handle

glass thickness: 8, 10, 12 mm

Lever handle, cylinder and keeper plate not included

TGL35S-SSS	stainless steel	satin	56,77 EUR
TGL35S-NA	aluminium	silver anodised	56,65 EUR
TGL35S-NABL	aluminium	black	67,55 EUR



Central lock (single action) prepared for lever handle

glass thickness: 8, 10, 12 mm

Lever handle, cylinder and keeper plate not included

TGL35SNH-SSS	stainless steel	satin	56,77 EUR
TGL35SNH-NA	aluminium	silver anodised	56,65 EUR
TGL35SNH-PSS	stainless steel	polished	25,05 EUR



Central lock (single action) with key, for use with lever handle

glass thickness: 8, 10, 12 mm

Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL35SBBK-SSS	stainless steel	satin	32,56 NET
----------------------	-----------------	-------	------------------



Strike patch for TGL35S, TGL35SNH, TGL35SBBK locks

glass thickness: 8, 10, 12 mm

TGS30S-SSS	stainless steel	satin	33,62 EUR
TGS30S-NA	aluminium	silver anodised	33,62 EUR

Central locks (double action)



Central lock (double action) prepared for lever handle

glass thickness: 8, 10, 12 mm

Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL35DNH-SSS	stainless steel	satin	32,56 NET
---------------------	-----------------	-------	------------------



PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
-------	-------------	------	----------	--------	-------------

Central locks (single action)



Central lock (single action) prepared for Euro-profile cylinder and lever handle

glass thickness: 8, 10, 12 mm

Lever handle, cylinder and keeper plate not included

TGL45S-SSS stainless steel  satin **54,07 EUR**

TGL45S-NA aluminium  silver anodised **53,95 EUR**



Central lock (single action) prepared for lever handle

glass thickness: 8, 10, 12 mm

Lever handle and keeper plate not included

TGL45SNH-SSS stainless steel  satin **54,07 EUR**

WHILE STOCKS LAST

TGL45SNH-NA aluminium  silver anodised **31,01 NET**



Central lock (single action) with key, for use with lever handle

glass thickness: 8, 10, 12 mm

Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL45SBBK-SSS stainless steel  satin **31,01 NET**



Strike patch for TGL45S, TGL45SNH, TGL45SBBK locks

glass thickness: 8, 10, 12 mm

TGS40S-SSS stainless steel  satin **32,01 EUR**

Central locks (double action)



Central lock (double action) prepared for lever handle

glass thickness: 8, 10, 12 mm

Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL45DNH-SSS stainless steel  satin **31,01 NET**



PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
-------	-------------	------	----------	--------	-------------

Central locks (single action)



Central lock (single action) prepared for Euro-profile cylinder and lever handle
glass thickness: 8, 10, 12 mm
Lever handle, cylinder and keeper plate not included

TGL40S-SSS stainless steel  satin **58,29 EUR**



Central lock (single action) prepared for lever handle
glass thickness: 8, 10, 12 mm
Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL40SNH-SSS stainless steel  satin **32,56 NET**



Strike patch for TGL40S, TGL40SNH locks
glass thickness: 8, 10, 12 mm

TGS40S-SSS stainless steel  satin **32,01 EUR**

Central locks (double action)



Central lock (double action) prepared for Euro-profile cylinder and lever handle
glass thickness: 8, 10, 12 mm
Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL40D-SSS stainless steel  satin **32,56 NET**



Central lock (double action) prepared for lever handle
glass thickness: 8, 10, 12 mm
Lever handle and keeper plate not included

WHILE STOCKS LAST

TGL40DNH-SSS stainless steel  satin **32,56 NET**



PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
-------	-------------	------	----------	--------	-------------

Central locks (single action)



Central lock (single action) prepared for Euro-profile cylinder and lever handle
glass thickness: 8, 10, 12 mm
Lever handle, cylinder and keeper plate not included

TGL60S-SSS	stainless steel	satin	32,87 NET
TGL60S-NA	aluminium	silver anodised	32,87 NET



Central lock (single action) prepared for lever handle
glass thickness:
Lever handle and keeper plate not included

TGL60SNH-SSS	stainless steel	satin	32,87 NET
TGL60SNH-NA	aluminium	silver anodised	32,87 NET



Strike patch for TGL60S, TGL60SNH locks
glass thickness: 8, 10, 12 mm

TGS60S-SSS	stainless steel	satin	12,94 NET
TGS60S-NA	aluminium	silver anodised	12,94 NET

Related hinges



TGH31



TGH32



TGH322



TGH33SET



TGC311

Detailed technical specifications can be found in the section ERICE & VENEZIA BATHROOM (page 37)

Related handles



TGLH01



TGLH02



TGLH03



TGLH04



TGLH05



TGLH06

Detailed technical specifications can be found in the section ERICE & VENEZIA BATHROOM (page 40)

Related cylinders

Detailed technical specifications can be found in the section COMO (page 65)

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Vertical central lock (single action) prepared for Euro-profile cylinder and lever handle, left glass thickness: 8, 10, 12 mm Keeper plate included Lever handle and cylinder not included	TGL70L-SSS	stainless steel	 satin	132,50 EUR
	Strike patch for TGL70L lock, left glass thickness: 8, 10, 12 mm	TGS70L-SSS	stainless steel	 satin	103,90 EUR
	Vertical central lock (single action) prepared for Euro-profile cylinder and lever handle, right glass thickness: 8, 10, 12 mm Keeper plate included Lever handle and cylinder not included	TGL70R-SSS	stainless steel	 satin	132,50 EUR
	Strike patch for TGL70R, lock right glass thickness: 8, 10, 12 mm	TGS70R-SSS	stainless steel	 satin	102,17 EUR

Complementary products for ERICE STANDARD & ERICE BUSINESS locks

Lever handles

Wykończenie / Finish	TGLH01	TGLH02	TGLH03	TGLH04	TGLH05	TGLH06
satin	✓	✓	✓	✓	✓	✓
silver anodised	✓		✓	✓	✓	✓
black anodised	✓					✓
polished	✓		✓			✓

Hinges

Wykończenie / Finish	TGH11	TGH31	TGH41	TGHP01	TGHP11	TGH13SET	TGH33SET	TGH12
satin	✓	✓	✓	✓		✓	✓	✓
silver anodised	✓	✓	✓	✓		✓	✓	
black anodised	✓							
polished	✓	✓				✓		✓

Wykończenie / Finish	TGH122	TGH32	TGH322	TGH42	TGH422	TGCR311	TGCR312
satin		✓		✓		✓	✓
silver anodised	✓		✓		✓	✓	✓
black anodised						✓	✓
polished		✓					

Cylinders

Wykończenie / Finish	MZLC01	TGLC01	TGLC03	TGLC01T	TGLC01WC	TGLC02WC
satin	✓		✓	✓	✓	✓
silver anodised		✓				
black	✓					

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Central lock with knob for electric strike glass thickness: 8, 10, 12 mm Cylinder included Lever handle and electric strike not included	TGL15S-E-SSS	stainless steel	 satin	98,26 EUR
		TGL15S-E-BL	stainless steel	 black	101,65 EUR
	Strike patch with electric strike fail secure glass thickness: 8, 10, 12 mm	TGS15S-E-SSS	stainless steel	 satin	126,56 EUR
	Strike patch with electric strike fail safe glass thickness: 8, 10, 12 mm	TGS15S-ER-SSS	stainless steel	 satin	120,53 EUR
	Central lock with knob for electric strike glass thickness: 8, 10, 12 mm Cylinder included Lever handle and electric strike not included	TGL35S-E-SSS	stainless steel	 satin	93,60 EUR
	Strike patch with electric strike fail secure glass thickness: 8, 10, 12 mm	TGS35S-E-SSS	stainless steel	 satin	120,53 EUR
	Strike patch with electric strike fail safe glass thickness: 8, 10, 12 mm	TGS35S-ER-SSS	stainless steel	 satin	120,53 EUR
	Vertical lock with knob for electric strike - left glass thickness: 8, 10, 12 mm Cylinder included Lever handle and electric strike not included	TGL70L-E-SSS	stainless steel	 satin	174,40 EUR
	Vertical strike patch with electric strike - left fail secure glass thickness: 8, 10, 12 mm	TGS70L-E-SSS	stainless steel	 satin	173,01 EUR
	Vertical strike patch with electric strike - left fail safe glass thickness: 8, 10, 12 mm	TGS70L-ER-SSS	stainless steel	 satin	173,01 EUR
	Vertical lock with knob for electric strike - right glass thickness: 8, 10, 12 mm Cylinder included Lever handle and electric strike not included	TGL70R-E-SSS	stainless steel	 satin	174,40 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Vertical strike patch with electric strike - right fail secure glass thickness: 8, 10, 12 mm	TGS70R-E-SSS	stainless steel	 satin	173,01 EUR
	Vertical strike patch with electric strike - right fail safe glass thickness: 8, 10, 12 mm	TGS70R-ER-SSS	stainless steel	 satin	173,01 EUR
	Electric strike fail secure 12 V For TGL15S-E, TGL35S-E, TGL70L-E, TGL70R-E locks	TGE65-S		☒ raw	44,73 EUR
	Electric strike fail safe 12 V For TGL15S-E, TGL35S-E, TGL70L-E, TGL70R-E locks	TGE65-R		☒ raw	44,73 EUR

Complementary products for ERICE control access

Hinges for TGL15S-E lock



Detailed technical specifications can be found in the section ERICE & VENEZIA BATHROOM (page 37)

Related hinges



Detailed technical specifications can be found in the section ERICE & VENEZIA BATHROOM (page 37)

Related handles



Detailed technical specifications can be found in the section ERICE & VENEZIA BATHROOM (page 40)

Related cylinders

Detailed technical specifications can be found in the section COMO (page 65)

PHOTO	DESCRIPTION	CODE	MATERIAL	FINISH	PRICE (EUR)
	Central magnetic lock prepared for Euro-profile cylinder and lever handle glass thickness: 8, 10, 12 mm Lever handle, cylinder, and magnetic keeper not included	TGML15S-SSS	stainless steel	 satin	53,38 EUR
		TGML15S-NA	aluminium	 silver anodised	56,07 EUR
		TGML15S-NABL	aluminium	 black anodised	64,13 EUR
	Strike patch for magnetic lock glass thickness: 8, 10, 12 mm For TGML15S lock	TGSM10S-SSS	stainless steel	 satin	37,90 EUR
		TGSM10S-NA	aluminium	 silver anodised	37,90 EUR
		TGSM10S-NABL	aluminium	 black anodised	40,83 EUR
	Central magnetic lock prepared for Euro-profile cylinder and lever handle glass thickness: 8, 10, 12 mm Lever handle, cylinder, and magnetic keeper not included	TGML35S-SSS	stainless steel	 satin	53,38 EUR
		TGML35S-NA	aluminium	 silver anodised	53,38 EUR
		TGML35S-NABL	aluminium	 black anodised	61,05 EUR
	Strike patch for magnetic lock glass thickness: 8, 10, 12 mm For TGML35S lock	TGSM30S-SSS	stainless steel	 satin	39,54 EUR
		TGSM30S-NA	aluminium	 silver anodised	39,54 EUR
		TGSM30S-NABL	aluminium	 black anodised	41,89 EUR
	Strike plate for magnetic lock For TGML15S & TGML35S locks	FR-PML02-SSS	stainless steel	 satin	15,12 EUR
	Strike plate for magnetic lock installation on NUOVA PALERMO frame profiles Lever handle and keeper plate not included	FR-PML03-SSS	stainless steel	 satin	18,36 EUR



PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Lock for emergency exits according to
DIN EN 179 actuated by push handle

material: aluminium
glass thickness: 8; 10; 12 mm
push handle finish
black rubber

INDIVIDUAL
ORDER

P13E-SET MC NG



matt chrome

by request



Strike box

material: aluminium
glass thickness: 8; 10; 12 mm
for lock: P13E-SET

INDIVIDUAL
ORDER

PGL1 MC



matt chrome

by request



PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Wood-insert pull handle

material: aluminium + wood

glass thickness: 8 - 12 mm

NEW

HW16-40-400L-BL



black

378,42 EUR

NEW

HW16-40-600L-BL



black

466,40 EUR



Glass-insert pull handle

material: aluminium + glass

glass thickness: 8 - 12 mm

NEW

HG16-40-400L-PBCS



brushed gold

408,10 EUR

NEW

HG16-40-600L-PBCS



brushed gold

496,08 EUR



Lock with pull handle – complete set

glass thickness: 8 - 12 mm

NEW

IML13NABL



black

261,82 EUR



PHOTO	DESCRIPTION	CODE	LENGTH	FINISH	PRICE (EUR)
	Door handle material: stainless steel SUS304 glass thickness: 8-12 mm	HM01-25-450LSSS	450 mm	 satin	49,10 EUR
		HM01-25-625LSSS	625 mm	 satin	54,28 EUR
		HM01-25-625L-BL	625 mm	 black	53,97 EUR
		HM01-25-450L-BL	450 mm	 black	64,46 EUR
	Door handle material: stainless steel SUS304 glass thickness: 8-12 mm	HM16-25-600LSSS	600 mm	 satin	69,04 EUR
		HM16-25-1000LSSS	1000 mm	 satin	81,26 EUR
	Door handle material: stainless steel SUS304 glass thickness: 8 - 12 mm	H50-25-375LSSS	375 mm	 satin	41,53 EUR
	Door handle material: stainless steel SUS304 glass thickness: 8-12 mm	INDIVIDUAL ORDER H16-20-300LPBC	300 mm	 gold	by request
		INDIVIDUAL ORDER H16-20-300LPBCS	300 mm	 brushed gold	by request
		H16-20-300LPSS	300 mm	 polished	36,61 EUR
		H16-20-300LSSS	300 mm	 satin	33,47 EUR
		H16-25-425LSSS	425 mm	 satin	39,15 EUR
		H16-30-600LSSS	600 mm	 satin	45,60 EUR
		H16-30-1000LSSS	1000 mm	 satin	63,00 EUR
		H16-30-1500LSSS	1500 mm	 satin	89,43 EUR
		H16-40-1800LSSS	1800 mm	 satin	118,52 EUR
		H16-25-425L-BL	425 mm	 black galvanised	48,01 EUR
		INDIVIDUAL ORDER H16-25-425L-PBCS	425 mm	 brushed gold	by request
		H16-30-600L-PBCS	600 mm	 brushed gold	222,06 EUR
		H16-30-600L-BL	600 mm	 black galvanised	56,55 EUR
		H16-30-1500L-BL	1500 mm	 black galvanised	105,92 EUR
	Pull handle material: stainless steel SUS304 glass thickness: 8; 10; 12 mm	WHILE STOCKS LAST H15-22-220PSS		 polished	65,76 EUR

PHOTO

DESCRIPTION

CODE

LENGTH

FINISH

PRICE (EUR)



Door handle

material: stainless steel SUS304
glass thickness: 8 - 12 mm
rectangular handle 20 x 40 mm

TH01-620LSSS	620 mm	 satin	61,37 EUR
TH01-620L-BL	620 mm	 black RAL	74,13 EUR
TH01-620L-PBCS	620 mm	 brushed gold	254,25 EUR
TH01-1020LSSS	1020 mm	 satin	80,05 EUR
TH01-1020L-BL	1020 mm	 black RAL	92,64 EUR



Door handle

material: stainless steel SUS304
glass thickness: 8 - 12 mm

WHILE STOCKS LAST

FH16-25-450LSSS	450 mm	 satin	62,63 NET
FH16-30-1000LSSS	1000 mm	 satin	135,57 NET
FH16-30-1500LSSS	1500 mm	 satin	127,36 EUR

WHILE STOCKS LAST



Door handle

material: stainless steel SUS304
glass thickness: 8 - 12 mm

HQ16-20/30-425LBI	425 mm	 bicolor (satin-polished)	63,08 EUR
HQ16-20/30-600LBI	600 mm	 bicolor (satin-polished)	71,69 EUR



Door handle with lock

material: stainless steel SUS304
glass thickness: 10; 12 mm
Set includes dust proof bolt keeper

SHL16SSS	 satin	263,46 EUR
SHL16BL	 black RAL	292,56 EUR



Pull door handle

material: stainless steel SUS304
glass thickness: 8 - 12 mm

KHN19SSS	 satin	43,25 EUR
KHN19PVD	 gold	56,25 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Pull door handle material: stainless steel SUS304 glass thickness: 6 - 12 mm	KHN20PSS	 polished	19,43 EUR
		KHN20SSS	 satin	17,57 EUR
	Pull door handle material: stainless steel SUS304 glass thickness: 6 - 10.76 mm	KHN65PSS	 polished	19,25 EUR
		KHN65SSS	 satin	17,86 EUR
	Pull door handle material: aluminium glass thickness: 8 - 12 mm	KHN60NA	 anodised	12,49 EUR
		KHN60NABL	 black anodised	12,84 EUR
	Through-hole door handle material: stainless steel SUS304 glass thickness: 10-12 mm	KHN60X60PSS	 polished	29,97 EUR
		KHN60X60SSS	 satin	28,22 EUR
	Door handle material: aluminium glass thickness: 8-12 mm	TGKH55-SC	 satin	27,61 EUR
		TGKH55-PC	 polished	27,61 EUR
		TGKH55-NA	 anodised	27,61 EUR
		TGKH55-NABL	 black anodised	29,14 EUR



PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)

Handles designed for saunas



Wooden and stainless steel handle
designed for saunas

material: stainless steel + wood
glass thickness: 8 - 18 mm

NEW

EWH16-15-425LAS



stainless steel/
natural wood

73,14 EUR



Wooden handle designed for sauna doors

material: wood
glass thickness: 8 - 12 mm

NEW

SWH01-425LAS



walnut

37,90 EUR

NEW

SWH01-425LWN



ash

37,90 EUR






PHOTO	DESCRIPTION	CODE	SIZE	FINISH	PRICE (EUR)
	Glass lip adhesive perimetric seal for glass doors and glass walls length: 3000 mm NOTE: Template is not included	CCU3000K	3000 mm	 transparent white	38,86 EUR
	Template for CCU3000K peripheral seal material: ABS glass thickness: 8-14 mm	CCU-PACK		 black	6,85 EUR
	Drop-down seal for glass door bottoms material: aluminium	CCR930B10-PAX	930 mm 10 mm	 polished alinox	62,61 EUR
		CCR930B12-PAX	930 mm 12 mm	 polished alinox	62,61 EUR
		CCR1030B10-PAX	1030 mm 10 mm	 polished alinox	64,46 EUR
		CCR1030B12-PAX	1030 mm 12 mm	 polished alinox	64,46 EUR
		CCR930B10-NA	930 mm 10 mm	 silver anodised	62,61 EUR
		CCR930B12-NA	930 mm 12 mm	 silver anodised	62,61 EUR
		CCR1030B10-NA	1030 mm 10 mm	 silver anodised	64,46 EUR
		CCR1030B12-NA	1030 mm 12 mm	 silver anodised	64,46 EUR
		CCR930B10-NABL	930 mm 10 mm	 black anodised	80,80 EUR
		CCR1030B10-NABL	1030 mm 10 mm	 black anodised	80,80 EUR
* Trimming lengths up to 130 mm on the opposite side to the plunger.					
	Polycarbonate profile for glass panel joining at 180° with TESA ACXPLUS 7054 adhesive type material: acrylic glass length: 3000 mm tape thickness: 0,5 mm temperature resistance to: 100°C double sided adhesive transparent tape TESA®ACXplus 7054 resistant to weather conditions recommended gap – 3 mm	ITSE180-08	8 mm	 transparent	18,58 EUR
		ITSE180-08BL	8 mm	 transparent	19,72 EUR
		ITSE180-10	10 mm	 transparent	18,58 EUR
		ITSE180-10BL	10 mm	 transparent	19,72 EUR
		ITSE180-11	11 mm	 transparent	18,87 EUR
		ITSE180-12	12 mm	 transparent	19,77 EUR
		ITSE180-12BL	12 mm	 transparent	20,28 EUR
	Polycarbonate profile for glass panel joining at 90° with TESA ACXPLUS 7054 adhesive type material: acrylic glass length: 3000 mm tape thickness: 0,5 mm temperature resistance to: 100°C double sided adhesive transparent tape TESA®ACXplus 7054 resistant to weather conditions recommended gap – 3 mm	ITSE90-08	8 mm	 transparent	29,91 EUR
		ITSE90-10	10 mm	 transparent	29,91 EUR
		ITSE90-11	11 mm	 transparent	29,91 EUR
		ITSE90-12	12 mm	 transparent	32,08 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Georgian bar profiles with reduced height and smooth edge material: aluminium length: 3000 mm	JBP-3000-PBC	 gold	12,66 EUR
		JBP-3000-AL	 raw aluminium	7,84 EUR
		JBP-3000NABL	 black anodised	10,78 EUR
	Adhesive tape	GBPTD-3000	3000 mm	6,63 EUR

Complementary aluminium profiles VITERBO range for construction with georgian bar profile GBP or georgian bar profile JBP





	H-type glass-to-glass 180° aluminium connection profile material: aluminium glass thickness: 8 mm	WHILE STOCKS LAST	FIXSGH08-2300NABL	 black anodised	25,55 EUR
			FIXSGH08-3000AX	 alinox	38,11 EUR
			FIXSGH08-3000NABL	 black anodised	36,70 EUR
	H-type glass-to-glass 180° aluminium connection profile material: aluminium glass thickness: 10 mm	WHILE STOCKS LAST	FIXSGH10-2300AX	 alinox	34,54 NET
		WHILE STOCKS LAST	FIXSGH10-2300NABL	 black anodised	34,54 NET
			FIXSGH10-3000AX	 alinox	40,18 EUR
			FIXSGH10-3000NABL	 black anodised	38,86 EUR
	L-type glass-to-glass 90° aluminium connection profile material: aluminium glass thickness: 8 mm	WHILE STOCKS LAST	FIXSGL08-2300NABL	 black anodised	43,77 EUR
			FIXSGL08-3000AX	 alinox	65,50 EUR
			FIXSGL08-3000NABL	 black anodised	65,55 EUR
	L-type glass-to-glass 90° aluminium connection profile material: aluminium glass thickness: 10 mm	WHILE STOCKS LAST	FIXSGL10-2300AX	 alinox	32,56 NET
		WHILE STOCKS LAST	FIXSGL10-2300NABL	 black anodised	32,56 NET
			FIXSGL10-3000AX	 alinox	69,66 EUR
			FIXSGL10-3000NABL	 black anodised	70,08 EUR



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Snap-on aluminium profile for fixed panels material: aluminium glass thickness: 8, 10 mm length: 3000 mm	FCM27-NA	 silver anodised	65,72 EUR
		FCM27-NAS	 satin anodised	91,38 EUR
		FCM27-NABL	 black anodised	69,38 EUR
	Snap-on aluminium profile for fixed panels, punched ready for installation material: aluminium glass thickness: 8, 10 mm length: 3000 mm Holes for screws Ø4 Hole centres 250 mm	FCM27O-NA	 silver anodised	76,77 EUR
		FCM27O-NAS	 satin anodised	102,85 EUR
		FCM27O-NABL	 black anodised	79,88 EUR
	Top aluminium profile "U" material: aluminium glass thickness: 8, 10 mm length: 3000 mm	FCM27U-NA	 silver anodised	40,49 EUR
		FCM27U-NAS	 satin anodised	58,60 EUR
		FCM27U-NABL	 black anodised	46,32 EUR
End caps for FCM27, FCM27O, FCM27U profiles				
	End caps for FCM27 profile – left material: ABS	FCM27EC-LH-ABS-NA	 light gray	1,86 EUR
		FCM27EC-LH-ABS-NAS	 dark gray	1,86 EUR
		FCM27EC-LH-ABS-NABL	 black	1,01 EUR
	End caps for FCM27 profile – right material: ABS	FCM27EC-RH-ABS-NA	 light gray	1,86 EUR
		FCM27EC-RH-ABS-NAS	 dark gray	1,86 EUR
		FCM27EC-RH-ABS-NABL	 black	1,01 EUR
	Set: fixed seal uniseal + wedge seal for 8 mm glass material: PVC-S glass thickness: 8 mm length: 3000 + 3000 mm	FCM27RS-SET08-CLEAR	 transparent	7,00 EUR
		FCM27RS-SET08-GR	 gray	7,00 EUR
		FCM27RS-SET08-BL	 black	7,04 EUR
	Set: fixed seal uniseal + wedge seal for 10 mm glass material: PVC-S glass thickness: 10 mm length: 3000 + 3000 mm	FCM27RS-SET10-CLEAR	 transparent	7,00 EUR
		FCM27RS-SET10-GR	 gray	7,00 EUR
		FCM27RS-SET10-BL	 black	7,04 EUR





PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Glass edge protection for U-Section profiles material: plastic length: 2300; 3000 mm with self-adhesive tape	GEPP-2300	 transparent white	4,45 EUR
		GEPP-3000	 transparent white	6,01 EUR
	Snap-on aluminium profile for fixed panels material: aluminium glass thickness: 8, 10, 12 mm length: 3000 mm gaskets not included	FCM38-AL	 raw aluminium	75,67 EUR
		FCM38-NA	 silver anodised	93,78 EUR
		FCM38-NAS	 satin anodised	116,36 EUR
		FCM38-NABL	 black anodised	101,02 EUR
	End caps for FCM38 profile material: ABS	FCM38EC-ABS-NA	 light gray	1,93 EUR
		FCM38EC-ABS-NAS	 dark gray	3,50 EUR
		FCM38EC-ABS-NABL	 black	2,47 EUR
	End caps for FCM38 profile material: stainless steel	FCM38EC-SSS	 satin	5,69 EUR
	Top aluminium profile "U" material: aluminium glass thickness: 8, 10, 12 mm length: 3000 mm gaskets not included	FCM38U-AL	 raw aluminium	72,01 EUR
		FCM38U-NA	 silver anodised	82,91 EUR
		FCM38U-NAS	 satin anodised	111,87 EUR
		FCM38U-NABL	 black anodised	88,70 EUR
	End caps for FCM38 profile material: ABS	FCM38UEC-ABS-NA	 light gray	2,09 EUR
		FCM38UEC-ABS-NAS	 dark gray	3,50 EUR
		FCM38UEC-ABS-NABL	 black	2,44 EUR
	Set: fixed seal uniseal + wedge seal for 8 mm glass material: PVC glass thickness: 8 mm length: 3000 + 3000 mm	FCM38RS-SET08GR	 gray	15,49 EUR
		FCM38RS-SET08BL	 black	15,49 EUR
	Set: fixed seal uniseal + wedge seal for 10 mm glass material: PVC glass thickness: 10 mm length: 3000 + 3000 mm	FCM38RS-SET10GR	 gray	13,30 EUR
		FCM38RS-SET10BL	 black	13,30 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Set: fixed seal uniseal + wedge seal for 12 mm glass material: PVC glass thickness: 12 mm length: 3000 + 3000 mm	FCM38RS-SET12-GR	 gray	12,05 EUR
		FCM38RS-SET12-BL	 black	12,05 EUR


	Glass edge protection for U-Section profiles material: PVC length: 2000 mm	FCMTS	 black	5,23 EUR
---	--	--------------	---	-----------------

Alignment components for FCM38 and FCM38U profiles

	180° connector for FCM38U material: stainless steel	CDA-BR180SSS	 raw	8,64 EUR
---	--	---------------------	---	-----------------

	90° connector for FCM38U material: stainless steel	CDA-BR90SSS	 raw	9,87 EUR
--	---	--------------------	---	-----------------

	135° connector for FCM38U material: stainless steel	CDA-BR135SSS	 raw	9,87 EUR
---	--	---------------------	---	-----------------

	180° connector for FCM38 material: ABS	FCM38-180ABS	 raw	0,81 EUR
--	---	---------------------	---	-----------------

	90° connector for FCM38 material: ABS	FCM38-90ABS	 raw	1,22 EUR
---	--	--------------------	---	-----------------


	135° connector for FCM38 material: ABS	FCM38-135ABS	 raw	1,22 EUR
--	---	---------------------	---	-----------------

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
-------	-------------	------	-----------------	--------	-------------

DRM38 clamp-mounting profile, supplied ready for installation.




Glass thickness: 8, 10, 12 mm
Length: 3005 mm
Material: aluminium

Set includes:

prefabricated main profile DRM38	x 1 pc
snap-on covers	x 2 pcs
gaskets (according to the glass thickness)	x 1set
M6x25 screws with nuts	x 30 pcs
mounting protection pads for glass	x 6 pcs

NOTE: DRM38 sets do not include the DRM38EC.

DRM38SETA08AL	8 mm	 raw aluminium	144,34 EUR
DRM38SETA08NA	8 mm	 silver anodised	154,80 EUR
DRM38SETA08NABL	8 mm	 black anodised	160,73 EUR
DRM38SETA08NAS	8 mm	 satin anodised	175,72 EUR
DRM38SETA08ALSSS	8 mm	 satin	181,05 EUR
DRM38SETA10AL	10 mm	 raw aluminium	141,55 EUR
DRM38SETA10NA	10 mm	 silver anodised	152,01 EUR
DRM38SETA10NABL	10 mm	 black anodised	157,59 EUR
DRM38SETA10NAS	10 mm	 satin anodised	172,93 EUR
DRM38SETA10ALSSS	10 mm	 satin	178,58 EUR
DRM38SETA12AL	12 mm	 raw aluminium	134,10 EUR
DRM38SETA12NA	12 mm	 silver anodised	144,15 EUR
DRM38SETA12NABL	12 mm	 black anodised	149,85 EUR
DRM38SETA12NAS	12 mm	 satin anodised	164,61 EUR
DRM38SETA12ALSSS	12 mm	 satin	168,40 EUR



DRM38EC-SSS	stainless steel	 satin	5,80 EUR
DRM38EC-ABS-NABL	ABS	 black	2,47 EUR
DRM38EC-ABS-SILV	ABS	 gray	2,47 EUR

UCPA SERVICE – ALUMINIUM PROFILE CUTTING SERVICE (cutting 1 pc of cover strip or 1 pc of main profile) 5.50 net/net*
*net/net prices are not subject to discounts**

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
-------	-------------	------	-----------------	--------	-------------

DRMN80 aluminium profile for the construction of toughened glass fix panels and door panels



DRM38 clamp mounting strip ready for installation.

Glass thickness: 8, 10, 12 mm

Length: 3005 mm

Material: aluminium

Set includes:

Prefabricated main profile DRMN80	x 1 pc
80 mm height covers	x 2 pcs
Gaskets (according to the glass thickness)	x 1set
M6x25 screws with nuts	x 60 pcs

NOTE: DRMN80 sets do not include the DRMN80EC and DRMN ADAPT..

DRMN80SET08NA	8 mm		silver anodised	266,52 EUR
DRMN80SET08NAS	8 mm		satin anodised	289,25 EUR
DRMN80SET08SSS	8 mm		satin	316,16 EUR
DRMN80SET10NA	10 mm		silver anodised	262,83 EUR
DRMN80SET10NAS	10 mm		satin anodised	283,24 EUR
DRMN80SET10SSS	10 mm		satin	310,13 EUR
DRMN80SET12NA	12 mm		silver anodised	260,15 EUR
DRMN80SET12NAS	12 mm		satin anodised	280,71 EUR
DRMN80SET12SSS	12 mm		satin	306,98 EUR



Adapter profile for the construction of toughened glass panels with profiles DRMN80 and DRMN100

length: 3005 mm

Glass thickness: 8, 10, 12 mm

Material: aluminium

Code	Finish	
DRMN-ADAPT-NA	silver anodised	46,03 EUR



End cap

Material: aluminium

Code	Finish	
DRMN80EC-NA	silver anodised	9,25 EUR
DRMN80EC-NAS	satin anodised	9,56 EUR

UCPA SERVICE - ALUMINIUM PROFILE CUTTING SERVICE (cutting 1 pc of cover strip or 1 pc of main profile) 5.50 net/net*

*net/net prices are not subject to discounts

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
-------	-------------	------	-----------------	--------	-------------

DRMN100 aluminium profiles for the construction of toughened glass fix panels and door panels



DRMN100 clamp mounting strip ready for installation.

Glass thickness: 8, 10, 12 mm

Length: 3005 mm

Material: aluminium

Set includes:

- x 1 pc prefabricated main profile DRMN80-FIX
- x 2 pcs 100 mm height covers DRMN100COV-NA
- Gaskets (according to the glass thickness) – 1set
- M6x25 screws with nuts x 60 pcs

DRMN100SET08NA	8 mm	silver anodised	296,35 EUR
DRMN100SET08NAS	8 mm	satin anodised	330,71 EUR
DRMN100SET08SSS	8 mm	satin	369,15 EUR
DRMN100SET10NA	10 mm	silver anodised	290,32 EUR
DRMN100SET10NAS	10 mm	satin anodised	324,70 EUR
DRMN100SET10SSS	10 mm	satin	362,06 EUR
DRMN100SET12NA	12 mm	silver anodised	287,64 EUR
DRMN100SET12NAS	12 mm	satin anodised	321,53 EUR
DRMN100SET12SSS	12 mm	satin	358,52 EUR



Adapter profile for the construction of toughened glass panels with profiles DRMN80 and DRMN100

length: 3005 mm

for: DRMN80 / DRMN100

Code	Material	Finish	
DRMN-ADAPT-NA	aluminium	silver anodised	46,03 EUR



End cap


Material: aluminium

Code	Finish	
DRMN100EC-NA	silver anodised	9,41 EUR
DRMN100EC-NAS	satin anodised	9,73 EUR

UCPA SERVICE – ALUMINIUM PROFILE CUTTING SERVICE (cutting 1 pc of cover strip or 1 pc of main profile) 5.50 net/net*

*net/net prices are not subject to discounts

Door sets A: Rail with bottom arm and lock



Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap	
cylinder protection	
bottom arm with fixing base	
lock with fixing base	
gaskets (according to the glass thickness)	set
screws with nuts	set
profile cylinder	


ATTENTION - Sets do not include bolt keeper, floor pivots and floor springs.

ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specifications..

Code	Length	Glass thickness	Finish	Price
DRMN80A980NA08	980 mm	8 mm	silver anodised	240,87 EUR
DRMN80A980NAS08	980 mm	8 mm	satin anodised	254,17 EUR
DRMN80A980SSS08	980 mm	8 mm	satin	281,67 EUR
DRMN80A980NA10	980 mm	10 mm	silver anodised	240,87 EUR
DRMN80A980NAS10	980 mm	10 mm	satin anodised	254,17 EUR
DRMN80A980SSS10	980 mm	10 mm	satin	281,67 EUR
DRMN80A980NA12	980 mm	12 mm	silver anodised	240,87 EUR
DRMN80A980NAS12	980 mm	12 mm	satin anodised	254,17 EUR
DRMN80A980SSS12	980 mm	12 mm	satin	281,67 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80A1250NA08	1250 mm	8 mm	silver anodised	284,97 EUR
DRMN80A1250NAS08	1250 mm	8 mm	satin anodised	299,16 EUR
DRMN80A1250SSS08	1250 mm	8 mm	satin	325,96 EUR
DRMN80A1250NA10	1250 mm	10 mm	silver anodised	284,97 EUR
DRMN80A1250NAS10	1250 mm	10 mm	satin anodised	299,16 EUR
DRMN80A1250SSS10	1250 mm	10 mm	satin	325,96 EUR
DRMN80A1250NA12	1250 mm	12 mm	silver anodised	284,97 EUR
DRMN80A1250NAS12	1250 mm	12 mm	satin anodised	299,16 EUR
DRMN80A1250SSS12	1250 mm	12 mm	satin	325,96 EUR

Door sets: B: Rail with bottom arm



Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap DRMN80EC	2
bottom arm with fixing base	1
gaskets (according to the glass thickness)	set
screws with nuts	set


ATTENTION - Sets do not include floor pivots and floor springs.

ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specifications.

Code	Length	Glass thickness	Finish	Price
DRMN80B980NA08	980 mm	8 mm	silver anodised	169,87 EUR
DRMN80B980NAS08	980 mm	8 mm	satin anodised	179,50 EUR
DRMN80B980SSS08	980 mm	8 mm	satin	201,27 EUR
DRMN80B980NA10	980 mm	10 mm	silver anodised	169,87 EUR
DRMN80B980NAS10	980 mm	10 mm	satin anodised	179,50 EUR
DRMN80B980SSS10	980 mm	10 mm	satin	201,27 EUR
DRMN80B980NA12	980 mm	12 mm	silver anodised	169,87 EUR
DRMN80B980NAS12	980 mm	12 mm	satin anodised	179,50 EUR
DRMN80B980SSS12	980 mm	12 mm	satin	201,27 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80B1250NA08	1250 mm	8 mm	silver anodised	214,88 EUR
DRMN80B1250NAS08	1250 mm	8 mm	satin anodised	226,69 EUR
DRMN80B1250SSS08	1250 mm	8 mm	satin	254,04 EUR
DRMN80B1250NA10	1250 mm	10 mm	silver anodised	214,88 EUR
DRMN80B1250NAS10	1250 mm	10 mm	satin anodised	226,69 EUR
DRMN80B1250SSS10	1250 mm	10 mm	satin	254,04 EUR
DRMN80B1250NA12	1250 mm	12 mm	silver anodised	214,88 EUR
DRMN80B1250NAS12	1250 mm	12 mm	satin anodised	226,69 EUR
DRMN80B1250SSS12	1250 mm	12 mm	satin	254,04 EUR

Door sets C: Rail with top arm and lock




Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap DRMN80EC	2
cylinder protection	2
top arm with fixing base PMROSES	1
lock with fixing base	1
gaskets (according to the glass thickness)	set
screws with nuts	set
profile cylinder	1
ATTENTION - Sets do not include bolt keeper and top pivot PD24.	
ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specification.	

Code	Length	Glass thickness	Finish	Price
DRMN80C980NA08	980 mm	8 mm	silver anodised	221,44 EUR
DRMN80C980NAS08	980 mm	8 mm	satin anodised	232,55 EUR
DRMN80C980SSS08	980 mm	8 mm	satin	258,51 EUR
DRMN80C980NA10	980 mm	10 mm	silver anodised	221,44 EUR
DRMN80C980NAS10	980 mm	10 mm	satin anodised	232,55 EUR
DRMN80C980SSS10	980 mm	10 mm	satin	258,51 EUR
DRMN80C980NA12	980 mm	12 mm	silver anodised	221,44 EUR
DRMN80C980NAS12	980 mm	12 mm	satin anodised	232,55 EUR
DRMN80C980SSS12	980 mm	12 mm	satin	258,51 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80C1250NA08	1250 mm	8 mm	silver anodised	263,08 EUR
DRMN80C1250NAS08	1250 mm	8 mm	satin anodised	279,73 EUR
DRMN80C1250SSS08	1250 mm	8 mm	satin	301,77 EUR
DRMN80C1250NA10	1250 mm	10 mm	silver anodised	263,08 EUR
DRMN80C1250NAS10	1250 mm	10 mm	satin anodised	279,73 EUR
DRMN80C1250SSS10	1250 mm	10 mm	satin	301,77 EUR
DRMN80C1250NA12	1250 mm	12 mm	silver anodised	263,08 EUR
DRMN80C1250NAS12	1250 mm	12 mm	satin anodised	279,73 EUR
DRMN80C1250SSS12	1250 mm	12 mm	satin	301,77 EUR

Door sets D: Rail with top arm




Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap DRMN80EC	2
top arm with fixing base	1
gaskets (according to the glass thickness)	set
screws with nuts	set
ATTENTION - Sets do not include top pivot PD24.	
ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specifications.	

Code	Length	Glass thickness	Finish	Price
DRMN80D980NA08	980 mm	8 mm	silver anodised	142,50 EUR
DRMN80D980NAS08	980 mm	8 mm	satin anodised	153,59 EUR
DRMN80D980SSS08	980 mm	8 mm	satin	171,11 EUR
DRMN80D980NA10	980 mm	10 mm	silver anodised	142,50 EUR
DRMN80D980NAS10	980 mm	10 mm	satin anodised	153,59 EUR
DRMN80D980SSS10	980 mm	10 mm	satin	171,11 EUR
DRMN80D980NA12	980 mm	12 mm	silver anodised	142,50 EUR
DRMN80D980NAS12	980 mm	12 mm	satin anodised	153,59 EUR
DRMN80D980SSS12	980 mm	12 mm	satin	171,11 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80D1250NA08	1250 mm	8 mm	silver anodised	185,42 EUR
DRMN80D1250NAS08	1250 mm	8 mm	satin anodised	200,79 EUR
DRMN80D1250SSS08	1250 mm	8 mm	satin	222,79 EUR
DRMN80D1250NA10	1250 mm	10 mm	silver anodised	185,42 EUR
DRMN80D1250NAS10	1250 mm	10 mm	satin anodised	200,79 EUR
DRMN80D1250SSS10	1250 mm	10 mm	satin	222,79 EUR
DRMN80D1250NA12	1250 mm	12 mm	silver anodised	185,42 EUR
DRMN80D1250NAS12	1250 mm	12 mm	satin anodised	200,79 EUR
DRMN80D1250SSS12	1250 mm	12 mm	satin	222,79 EUR

Door sets E: Rail with bottom arm and reversible electromagnetic bolt



Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap DRMN80EC	2
reversible electromagnetic bolt	1
bottom arm with fixing base	1
gaskets (according to the glass thickness)	set
screws with nuts	set
cable entering	set


ATTENTION - Sets do not include floor pivots and floor springs.

ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specifications.

Code	Length	Glass thickness	Finish	Price
DRMN80E980NA08	980 mm	8 mm	silver anodised	456,68 EUR
DRMN80E980NAS08	980 mm	8 mm	satin anodised	460,77 EUR
DRMN80E980SSS08	980 mm	8 mm	satin	485,97 EUR
DRMN80E980NA10	980 mm	10 mm	silver anodised	456,68 EUR
DRMN80E980NAS10	980 mm	10 mm	satin anodised	460,77 EUR
DRMN80E980SSS10	980 mm	10 mm	satin	485,97 EUR
DRMN80E980NA12	980 mm	12 mm	silver anodised	456,68 EUR
DRMN80E980NAS12	980 mm	12 mm	satin anodised	460,77 EUR
DRMN80E980SSS12	980 mm	12 mm	satin	485,97 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80E1250NA08	1250 mm	8 mm	silver anodised	502,06 EUR
DRMN80E1250NAS08	1250 mm	8 mm	satin anodised	502,75 EUR
DRMN80E1250SSS08	1250 mm	8 mm	satin	539,39 EUR
DRMN80E1250NA10	1250 mm	10 mm	silver anodised	502,06 EUR
DRMN80E1250NAS10	1250 mm	10 mm	satin anodised	502,75 EUR
DRMN80E1250SSS10	1250 mm	10 mm	satin	539,39 EUR
DRMN80E1250NA12	1250 mm	12 mm	silver anodised	502,06 EUR
DRMN80E1250NAS12	1250 mm	12 mm	satin anodised	502,75 EUR
DRMN80E1250SSS12	1250 mm	12 mm	satin	539,39 EUR

Door sets EK: Rail with bottom arm and electromagnetic bolt



Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap	2
profile cylinder	1
standard electromagnetic bolt	1
bottom arm with fixing base	1
gaskets (according to the glass thickness)	set
screws with nuts	set
cable entering	set


ATTENTION - Sets do not include floor pivots and floor springs.

ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specifications.

Code	Length	Glass thickness	Finish	Price
DRMN80EK980NA08	980 mm	8 mm	silver anodised	851,86 EUR
DRMN80EK980NAS08	980 mm	8 mm	satin anodised	863,89 EUR
DRMN80EK980SSS08	980 mm	8 mm	satin	881,16 EUR
DRMN80EK980NA10	980 mm	10 mm	silver anodised	851,86 EUR
DRMN80EK980NAS10	980 mm	10 mm	satin anodised	863,89 EUR
DRMN80EK980SSS10	980 mm	10 mm	satin	881,16 EUR
DRMN80EK980NA12	980 mm	12 mm	silver anodised	851,86 EUR
DRMN80EK980NAS12	980 mm	12 mm	satin anodised	863,89 EUR
DRMN80EK980SSS12	980 mm	12 mm	satin	881,16 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80EK1250NA08	1250 mm	8 mm	silver anodised	886,04 EUR
DRMN80EK1250NAS08	1250 mm	8 mm	satin anodised	875,54 EUR
DRMN80EK1250SSS08	1250 mm	8 mm	satin	923,93 EUR
DRMN80EK1250NA10	1250 mm	10 mm	silver anodised	886,04 EUR
DRMN80EK1250NAS10	1250 mm	10 mm	satin anodised	875,54 EUR
DRMN80EK1250SSS10	1250 mm	10 mm	satin	923,93 EUR
DRMN80EK1250NA12	1250 mm	12 mm	silver anodised	886,04 EUR
DRMN80EK1250NAS12	1250 mm	12 mm	satin anodised	875,54 EUR
DRMN80EK1250SSS12	1250 mm	12 mm	satin	923,93 EUR

Door sets EG: Rail with arm and reversible electromagnetic bolt



Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap DRMN80EC	2
reversible electromagnetic bolt	1
top arm with fixing base	1
gaskets (according to the glass thickness)	set
screws with nuts	set
cable entering	set


ATTENTION - Sets do not include top pivot PD24

ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specification.

Code	Length	Glass thickness	Finish	Price
DRMN80EG980NA08	980 mm	8 mm	silver anodised	424,50 EUR
DRMN80EG980NAS08	980 mm	8 mm	satin anodised	429,06 EUR
DRMN80EG980SSS08	980 mm	8 mm	satin	457,33 EUR
DRMN80EG980NA10	980 mm	10 mm	silver anodised	424,50 EUR
DRMN80EG980NAS10	980 mm	10 mm	satin anodised	429,06 EUR
DRMN80EG980SSS10	980 mm	10 mm	satin	457,33 EUR
DRMN80EG980NA12	980 mm	12 mm	silver anodised	424,50 EUR
DRMN80EG980NAS12	980 mm	12 mm	satin anodised	429,06 EUR
DRMN80EG980SSS12	980 mm	12 mm	satin	457,33 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80EG1250NA08	1250 mm	8 mm	silver anodised	460,45 EUR
DRMN80EG1250NAS08	1250 mm	8 mm	satin anodised	478,37 EUR
DRMN80EG1250SSS08	1250 mm	8 mm	satin	501,52 EUR
DRMN80EG1250NA10	1250 mm	10 mm	silver anodised	460,45 EUR
DRMN80EG1250NAS10	1250 mm	10 mm	satin anodised	478,37 EUR
DRMN80EG1250SSS10	1250 mm	10 mm	satin	501,52 EUR
DRMN80EG1250NA12	1250 mm	12 mm	silver anodised	460,45 EUR
DRMN80EG1250NAS12	1250 mm	12 mm	satin anodised	478,37 EUR
DRMN80EG1250SSS12	1250 mm	12 mm	satin	501,52 EUR

Door sets EGK: Rail with arm and electromagnetic bolt



Set includes	Pcs
main profile DRMN80	set
cover DRMN80	set
end cap DRMN80EC	2
profile cylinder	1
standard electromagnetic bolt	1
top arm with fixing base	1
gaskets (according to the glass thickness)	set
screws with nuts	set
cable entering	set
ATTENTION - Top pivot PD24 not included	

ATTENTION - Door sets are designed for the installation on the heavy duty and wide doors. The door rails are made to measure according to customer specifications.

Code	Length	Glass thickness	Finish	Price
DRMN80EGK980NA08	980 mm	8 mm	silver anodised	851,89 EUR
DRMN80EGK980NAS08	980 mm	8 mm	satin anodised	863,91 EUR
DRMN80EGK980SSS08	980 mm	8 mm	satin	881,16 EUR
DRMN80EGK980NA10	980 mm	10 mm	silver anodised	851,89 EUR
DRMN80EGK980NAS10	980 mm	10 mm	satin anodised	863,91 EUR
DRMN80EGK980SSS10	980 mm	10 mm	satin	881,16 EUR
DRMN80EGK980NA12	980 mm	12 mm	silver anodised	851,89 EUR
DRMN80EGK980NAS12	980 mm	12 mm	satin anodised	863,91 EUR
DRMN80EGK980SSS12	980 mm	12 mm	satin	881,16 EUR

Code	Length	Glass thickness	Finish	Price
DRMN80EGK1250NA08	1250 mm	8 mm	silver anodised	886,06 EUR
DRMN80EGK1250NAS08	1250 mm	8 mm	satin anodised	875,49 EUR
DRMN80EGK1250SSS08	1250 mm	8 mm	satin	923,90 EUR
DRMN80EGK1250NA10	1250 mm	10 mm	silver anodised	886,06 EUR
DRMN80EGK1250NAS10	1250 mm	10 mm	satin anodised	875,49 EUR
DRMN80EGK1250SSS10	1250 mm	10 mm	satin	923,90 EUR
DRMN80EGK1250NA12	1250 mm	12 mm	silver anodised	886,06 EUR
DRMN80EGK1250NAS12	1250 mm	12 mm	satin anodised	875,49 EUR
DRMN80EGK1250SSS12	1250 mm	12 mm	satin	923,90 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Euro-profile cylinder PM88-PL2 material: brass finish: nickel satin PM88-PL2 cylinder is an integral part of the sets DRMN80A, DRMN80C, DRMN80EK, DRMN80EGK	PM88-PL2	 satin nickel	22,00 EUR
Complementary accessories				
	Euro-profile half cylinder material: brass finish: nickel satin	PM88/9-PL2 WHILE STOCKS LAST	 satin nickel	26,72 NET
	Euro-profile cylinder with key and knob material: brass finish: nickel satin	PM88T-PL2	 satin nickel	29,29 EUR
	Half cylinder with knob for lock material: brass finish: nickel satin	SLFD-C37-PL2	 satin nickel	29,07 EUR
	Bottom dust-proof bristle strip material: plastic	SLF-BRISTLE-BOT-2000	 black	11,27 EUR
	Dust proof bolt keeper material: stainless steel	9001WS-SSS	 satin	12,14 EUR
	Eccentric bush material: stainless steel	9002	 satin	10,84 EUR
	Floor pivot material: stainless steel	PD15SSS	 satin	25,08 EUR



Floor spring - suitable for left hand, right hand and double action doors.
More details about door closers on page 71

PHOTO	DESCRIPTION	CODE	LENGTH	FINISH	PRICE (EUR)
 Aluminium frame profile for glass doors installed on glass partition walls Material: aluminium glass thickness: 8, 10 mm length: 1250; 2300; 2510; 3000 mm		FRH-1250NA	1250 mm	 silver anodised	32,99 EUR
		FRH-1250NABL	1250 mm	 black anodised	41,30 EUR
		FRH-1250NAS	1250 mm	 satin anodised	43,98 EUR
		FRH-2300NA	2300 mm	 silver anodised	60,07 EUR
		FRH-2300NABL	2300 mm	 black anodised	79,27 EUR
		FRH-2300NAS	2300 mm	 satin anodised	80,45 EUR
		FRH-2510NA	2510 mm	 silver anodised	66,24 EUR
		FRH-2510NABL	2510 mm	 black anodised	86,67 EUR
		FRH-2510NAS	2510 mm	 satin anodised	88,23 EUR
		FRH-3000NA	3000 mm	 silver anodised	78,85 EUR
		FRH-3000NABL	3000 mm	 black anodised	103,32 EUR
		FRH-3000NAS	3000 mm	 satin anodised	105,67 EUR
 Die-cast aluminium corner joint with spring-loaded buttons for frame profile FRH		FR-C-BRACKET		 raw	3,65 EUR
 Alignment corner joint for FRH frame profile stainless steel		FR-F-BRACKET		 raw	2,82 EUR
 Stabilising bolt for FRH frame profile - floor application expansion bolt included aluminium / brass		FR-GM-SET		 raw	12,11 EUR
 Stabilising bracket - floor application stainless steel		FR-HM-BRACKET		 raw	8,02 EUR
 Frame seal for FRH, FRZ and FRL profiles, glass thickness 8 mm Material: EPDM glass thickness: 8 mm length: 1250; 2300; 2510; 3000 mm		FR-UO4-1250BL	1250 mm	 black	3,38 EUR
		FR-UO4-2300BL	2300 mm	 black	6,08 EUR
		FR-UO4-2510BL	2510 mm	 black	6,63 EUR
		FR-UO4-3000BL	3000 mm	 black	7,77 EUR
		FR-UO4-1250GR	1250 mm	 gray	3,35 EUR
		FR-UO4-2300GR	2300 mm	 gray	6,08 EUR
		FR-UO4-2510GR	2510 mm	 gray	6,57 EUR
		FR-UO4-3000GR	3000 mm	 gray	7,77 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Frame seal for FRH, FRZ and FRL profiles, glass thickness 10 mm Material: EPDM glass thickness: 10 mm length: 1250; 2300; 2510; 3000 mm	FR-UO5-1250BL	 black	3,38 EUR
		FR-UO5-2300BL	 black	6,08 EUR
		FR-UO5-2510BL	 black	6,63 EUR
		FR-UO5-3000BL	 black	7,77 EUR
		FR-UO5-1250GR	 gray	3,38 EUR
		FR-UO5-2300GR	 gray	6,08 EUR
		FR-UO5-2510GR	 gray	6,63 EUR
		FR-UO5-3000GR	 gray	7,77 EUR
	Frame seal for FRH profile - installation of the side panel Material: EPDM glass thickness: 8 mm FCMRS08 + FCMRS10 glass thickness: 10 mm FCMRS10 + FCMRS10 glass thickness: 12 mm FCMRS12 + FCMRS12 length: mb	FCMRS08-BL	 black	2,82 EUR
		FCMRS08-GR	 gray	2,82 EUR
		FCMRS10-BL	 black	1,80 EUR
		FCMRS10-GR	 gray	1,82 EUR
		FCMRS12-BL	 black	1,82 EUR
		FCMRS12-GR	 gray	1,82 EUR
Additional accessories for FRH frame profile				
	Drilling template for hinges TGCR311 and TGCR312 hinges on the frame profiles Nuova Palermo	Code	Material	
		FR-CR-WZ	steel	4,38 EUR
	Drilling template for hinges TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 hinges on the frame profiles Nuova Palermo	Code	Material	
		FR-TGH-WZ	steel	4,93 EUR
	Drilling template for hinges TGH13SET and TGH33SET hinges on the frame profiles Nuova Palermo	Code	Material	
		FR-TGH13/33-WZ	steel	8,02 EUR
	Strike plate for Erice Line locks material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FRN-PCL-08-SSS	 satin	5,93 EUR
		FRN-PCL-08-BL	 black	7,78 EUR
	Strike plate for Erice Line locks material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FRN-PCL-10-SSS	 satin	5,93 EUR
		FRN-PCL-10-BL	 black	7,95 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Catch for the magnetic locks Material:stainless steel For TGML15S, TGML35S, TGMVLI, TGMHLI locks	FR-PML02-PSS	 satin	14,40 EUR
	Catch for the magnetic locks dedicated for Nuova Palermo frame profiles Material:stainless steel For TGML15S, TGML35S, TGMVLI, TGMHLI locks and the frame profile Nuova Palermo	FR-PML03-SSS	 satin	18,36 EUR
	Roller Latch material: brass	JH-RL1-SC JH-RL1-BL	 satin  black	8,33 EUR 7,78 EUR
	Strike plate for vertical lock TGL70L (left) material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PL70L-SSS	 satin	11,10 EUR
	Strike plate for vertical lock TGL70R (right) material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PL70R-SSS	 satin	11,10 EUR
	Strike plate for TGE65-R and TGE65-S material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PEL-SSS	 satin	8,56 EUR
	Short strike plate for TGE65-R and TGE65-S material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PLX-SSS	 satin	12,40 EUR
	Long strike plate for TGE65-R and TGE65-S material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PL70-EL-SSS	 satin	18,05 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	FRZ aluminium frame profile for glass doors installed on masonry walls material: aluminium glass thickness: 8, 10 mm length: 1250; 2300; 2510; 3000 mm	FRZ-1250NA	 silver anodised	17,44 EUR
		FRZ-2300NA	 silver anodised	31,92 EUR
		FRZ-2510NA	 silver anodised	35,29 EUR
		FRZ-3000NA	 silver anodised	41,99 EUR
		FRZ-1250NABL	 black anodised	21,72 EUR
		FRZ-2300NABL	 black anodised	40,76 EUR
		FRZ-2510NABL	 black anodised	45,19 EUR
		FRZ-3000NABL	 black anodised	54,63 EUR
		FRZ-1250NAS	 satin anodised	26,00 EUR
		FRZ-2300NAS	 satin anodised	48,12 EUR
		FRZ-2510NAS	 satin anodised	52,29 EUR
		FRZ-3000NAS	 satin anodised	63,08 EUR
	Frame seal for FRH, FRZ and FRL profiles, glass thickness 8 mm glass thickness: 8 mm length: 1250; 2300; 2510; 3000 mm material: EPDM	FR-UO4-1250BL	 black	3,38 EUR
		FR-UO4-2300BL	 black	6,08 EUR
		FR-UO4-2510BL	 black	6,63 EUR
		FR-UO4-3000BL	 black	7,77 EUR
		FR-UO4-1250GR	 gray	3,35 EUR
		FR-UO4-2300GR	 gray	6,08 EUR
		FR-UO4-2510GR	 gray	6,57 EUR
		FR-UO4-3000GR	 gray	7,77 EUR
	Frame seal for FRH, FRZ and FRL profiles, glass thickness 10 mm glass thickness: 10 mm length: 1250; 2300; 2510; 3000 mm material: EPDM	FR-UO5-1250BL	 black	3,38 EUR
		FR-UO5-2300BL	 black	6,08 EUR
		FR-UO5-2510BL	 black	6,63 EUR
		FR-UO5-3000BL	 black	7,77 EUR
		FR-UO5-1250GR	 gray	3,38 EUR
		FR-UO5-2300GR	 gray	6,08 EUR
		FR-UO5-2510GR	 gray	6,63 EUR
		FR-UO5-3000GR	 gray	7,77 EUR
	Top corner joint for FRZ profiles material: stainless steel	FR-BRACKET	 raw	13,75 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Reinforcing insert for TGCR311 and TGCR312 hinges installed on FRZ frame profile material: steel set includes three screws, class A2 M5x16	FR-CR-INS	☒ raw	14,81 EUR
	Reinforcing insert for TGH12, TGH122, TGH32, TGH322, TGH42, TGH422 hinges installed on FRZ frame profile material: steel set includes four screws, class A2 M5x16	FR-TGH-INS	☒ raw	17,27 EUR
	Strike plate for Erice Line locks material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FRN-PCL-08-SSS	☐ satin	5,93 EUR
		FRN-PCL08-BL	☐ black	7,78 EUR
	Strike plate for Erice Line locks material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FRN-PCL10-SSS	☐ satin	5,93 EUR
		FRN-PCL10-BL	☐ black	7,95 EUR
	Strike plate for magnetic lock For TGML15S and TGML35S locks material: stainless steel	FR-PML02-PSS	☐ satin	14,40 EUR
	Roller Latch material: brass	JH-RL1-SC	☐ satin	8,33 EUR
		JH-RL1-BL	☐ black	7,78 EUR
	Strike plate for vertical lock TGL70L (left) material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PL70L-SSS	☐ satin	11,10 EUR
	Strike plate for vertical lock TGL70R (right) material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PL70R-SSS	☐ satin	11,10 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	FRL aluminium frame profile for glass doors installed on masonry walls – installation between two walls length: 1250; 2300; 2510; 3000 mm glass thickness: 8, 10 mm material: aluminium	FRL-1250NA	 silver anodised	16,81 EUR
		FRL-2300NA	 silver anodised	30,68 EUR
		FRL-2510NA	 silver anodised	33,63 EUR
		FRL-3000NA	 silver anodised	40,42 EUR
		FRL-1250NABL	 black anodised	22,21 EUR
		FRL-2300NABL	 black anodised	40,71 EUR
		FRL-2510NABL	 black anodised	44,41 EUR
		FRL-3000NABL	 black anodised	53,36 EUR
		FRL-1250NAS	 satin anodised	24,78 EUR
		FRL-2300NAS	 satin anodised	45,73 EUR
		FRL-2510NAS	 satin anodised	49,57 EUR
		FRL-3000NAS	 satin anodised	59,30 EUR

Seals

	Frame seal for FRH, FRZ and FRL profiles, glass thickness 8 mm glass thickness: 8 mm length: 1250; 2300; 2510; 3000 mm material: EPDM	FR-UO4-1250BL	 black	3,38 EUR
		FR-UO4-2300BL	 black	6,08 EUR
		FR-UO4-2510BL	 black	6,63 EUR
		FR-UO4-3000BL	 black	7,77 EUR
		FR-UO4-1250GR	 gray	3,35 EUR
		FR-UO4-2300GR	 gray	6,08 EUR
		FR-UO4-2510GR	 gray	6,57 EUR
		FR-UO4-3000GR	 gray	7,77 EUR

	Frame seal for FRH, FRZ and FRL profiles, glass thickness 10 mm glass thickness: 10 mm length: 1250; 2300; 2510; 3000 mm material: EPDM	FR-UO5-1250BL	 black	3,38 EUR
		FR-UO5-2300BL	 black	6,08 EUR
		FR-UO5-2510BL	 black	6,63 EUR
		FR-UO5-3000BL	 black	7,77 EUR
		FR-UO5-1250GR	 gray	3,38 EUR
		FR-UO5-2300GR	 gray	6,08 EUR
		FR-UO5-2510GR	 gray	6,63 EUR
		FR-UO5-3000GR	 gray	7,77 EUR

	Top corner joint on FRL profile material: stainless steel	FR-BRACKET	 raw	13,75 EUR
---	--	-------------------	---	------------------

	Reinforcing insert for mounting TGCR311 and TGCR312 hinges installed on FRL frame profile material: steel set includes three screws, class A2 M5x16	FR-CR-INS	 raw	14,81 EUR
--	--	------------------	---	------------------

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
Additional accessories for FRL frame profile				
	Template for marking holes and position of the TGCR311 and TGCR312 hinges on the frame profiles Nuova Palermo	FR-CR-WZ	steel	4,38 EUR
	Strike plate for Erice Line locks material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FRN-PCL-08-SSS	 satin	5,93 EUR
		FRN-PCL-08-BL	 black	7,78 EUR
	Strike plate for Erice Line locks material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FRN-PCL-10-SSS	 satin	5,93 EUR
		FRN-PCL-10-BL	 black	7,95 EUR
	Strike plate for magnetic lock dedicated for the installation on Nuova Palermo frame profiles for the TGML15S, TGML35S, TGMVLI, TGMHLI, locks and frame profile Nuova Palermo material: brass	FR-PML03-SSS	 satin	18,36 EUR
	Roller Latch material: stainless steel	JH-RL1-SC	 satin	8,33 EUR
		JH-RL1-BL	 black	7,78 EUR
	Strike plate for vertical lock TGL70L (left) material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PL70L-SSS	 satin	11,10 EUR
	Strike plate for vertical lock TGL70R (right) material: stainless steel ATTENTION: For the milling of the profiles please refer to the instruction on the web page www.cdabufab.pl	FR-PL70R-SSS	 satin	11,10 EUR
PREFABRICATION SERVICES				
TJ-UCFPFR	PREPARATION OF FRAME PROFILES			34,00 EUR
TJ-UCFPFR-E	PREPARATION OF FRAME PROFILES FOR ELECTRIC LOCK			46,00 EUR
TJ-UCPA	CUTTING AND PREPARATION OF ALUMINIUM PROFILES			5,50 EUR
TJ-UFR	MILLING FOR LOCKS AND BOLTS			7,50 EUR



Acoustic insulation of the SILENZIO CDA Bufab system.

Type of glass used	Rw[dB]	C [dB]	RA1 [dB]
VSG 44.2 + VSG 55.2	43	-1	42
VSG 44.2 + VSG 66.2	44	-1	43
VSG 44.2 + VSG 66.2 silence	47	-2	45
VSG 55.2 + VSG 66.2	50	-2	48
VSG 66.2 + VSG 88.2 Silence with acoustic inserts along the frame profiles.	53	-2	51
VSG 66.2 + VSG 88.2 Silence with acoustic inserts along the frame profiles and the vertical glazing joints.	56	-2	54

Thanks to carefully designed structural profiles, the system allows for the use of different glass thicknesses, which helps reduce investment costs in cases of lower acoustic insulation requirements for the partition.

NOTE: Products are made to individual order.

To arrange delivery times and obtain a quotation, please contact the CDA Technical Department.



PRICE LIST 2026

03

SLIDING SYSTEMS

MICRO 80 – SLIDING DOOR SYSTEM	120
VETRO 80 – SLIDING DOOR SYSTEM	122
VETRO 80 ECO – SLIDING DOOR SYSTEM	123
VETRO 80 SYNCRO – SIMULTANEOUS GLASS DOOR SLIDING SYSTEM	125
VETRO 80 DRAG – SLIDING DOOR SYSTEM WITH DRAG MECHANISM	126
VETRO 120 – SLIDING DOOR SYSTEM	129
VETRO 180 – SLIDING SYSTEM FOR HEAVY DUTY DOOR	130
VETRO DIVA FLUID – SLIDING DOOR SYSTEM	132
RAGUSA – SLIDING DOOR SYSTEM	133
TODI – ACCESSORIES FOR SLIDING DOOR SYSTEMS	137
VETRO FRAME – FRAME SLIDING SYSTEM	139
NAPOLI SLF300 – SLIDE & STACK GLASS PANEL SYSTEM	140
NAPOLI SLF400 – SLIDE & FOLD GLASS PANEL SYSTEM	141

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
Set of accessories for the sliding system with soft damper stoppers from both sides				
	set capacity: 80 kg glass thickness: 8,00 - 8,76 mm, 10,00 - 10,76 mm, 12,00 - 12,76 mm minimum door width: 700 mm	Set includes: 2 x clamp roller (2 pcs) gaskets for the glass (set) 2 x soft damper stopper (2 pcs) cover retainer (set) pair of the end caps (set) 1 x floor guide TGADJ-U (1 pc) ATTENTION: Set does not include: top track, and cover		
		TS-MP80SET-NA	 silver anodised	271,21 EUR
		TS-MP80SET-NABL	 black anodised	271,21 EUR
Set of accessories for sliding system with standard catch stopper from both sides				
	set capacity: 80 kg glass thickness: 8,00 - 8,76 mm, 10,00 - 10,76 mm, 12,00 - 12,76 mm minimum door width: 700 mm	Set includes: 2 x clamp roller gaskets for the glass (set) 2 x end stopper with catch cover retainer (set) pair of the end caps (set) 1 x floor guide TGADJ-U ATTENTION: Set does not include: top track, and cover		
		TS-M80SET-NA	 silver anodised	206,57 EUR
		TS-M80SET-NABL	 black anodised	206,57 EUR
Sets: top track + cover				
	material: aluminium length: 2000, 3000, 4000 mm	TS-MTR200SET-NA	 silver anodised	96,16 EUR
		TS-MTR300SET-NA	 silver anodised	137,46 EUR
		TS-MTR400SET-NA	 silver anodised	188,76 EUR
		TS-MTR200SET-NAS	 satin anodised	134,05 EUR
		TS-MTR300SET-NAS	 satin anodised	198,27 EUR
		TS-MTR400SET-NAS	 satin anodised	268,10 EUR
		TS-MTR200SET-NABL	 black anodised	110,10 EUR
		TS-MTR300SET-NABL	 black anodised	169,07 EUR
		TS-MTR400SET-NABL	 black anodised	231,31 EUR
Sets: top track with integrated profile for fixed panel + cover				
	material: aluminium length: 2000, 3000, 4000 mm	TS-MTRFIX200SET-NA	 silver anodised	111,19 EUR
		TS-MTRFIX300SET-NA	 silver anodised	166,73 EUR
		TS-MTRFIX400SET-NA	 silver anodised	222,15 EUR
		TS-MTRFIX200SET-NAS	 satin anodised	153,90 EUR
		TS-MTRFIX300SET-NAS	 satin anodised	230,39 EUR
		TS-MTRFIX400SET-NAS	 satin anodised	307,50 EUR
		TS-MTRFIX200SET-NABL	 black anodised	132,67 EUR
		TS-MTRFIX300SET-NABL	 black anodised	199,00 EUR
		TS-MTRFIX400SET-NABL	 black anodised	265,34 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Complementary components



Seal for the installation of the fixed panel in the top track with integrated profile for fixed panel

material: PVC

TS-SEAL-FIX/8	 transparent white	4,01 EUR
TS-SEAL-FIX/10	 transparent white	4,01 EUR
TS-SEAL-FIX/12	 transparent white	4,12 EUR



Top track cover on the section of the entrance

material: aluminium

length: 950, 2000, 3000 mm

TS-FIXCOV2740-100NA	 silver anodised	6,28 EUR
TS-FIXCOV2740-200NA	 silver anodised	12,20 EUR
TS-FIXCOV2740-300NA	 silver anodised	18,48 EUR
TS-FIXCOV2740-100NAS	 satin anodised	10,81 EUR
TS-FIXCOV2740-200NAS	 satin anodised	21,96 EUR
TS-FIXCOV2740-300NAS	 satin anodised	32,78 EUR
TS-FIXCOV2740-100NAB	 black anodised	9,12 EUR
TS-FIXCOV2740-200NAB	 black anodised	18,23 EUR
TS-FIXCOV2740-300NAB	 black anodised	27,81 EUR



Track to overpanel fixing

material: brass

glass thickness: 8, 10, 12 mm

TS-MTTG-SC	 satin	17,09 EUR
TS-MTTG-RAL-SI	 RAL silver*	18,20 EUR
TS-MTTG-BL	 black galvanised	18,20 EUR





PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------


Sliding door system with two self-closing Fluid Dampers in the opening and closing positions



set capacity: 80 kg
 glass thickness: 8,00 - 8,76 mm, 10,00 - 10,76 mm,
 12,00 - 12,76 mm
 minimum door width: 740 mm

Set includes:
 2 x clamps (2 pcs)
 gaskets (set)
 2 x roller with integrated self-closing Fluid Damper
 cover retainer (1 set)
 end caps for clamps (left and right) (set)
 1 x floor guide TS-GUIDE-ADJ SC

TS-DFD80/08SET	 silver anodised	315,75 EUR
TS-DFD80/10SET	 silver anodised	315,75 EUR
TS-DFD80/12SET	 silver anodised	315,75 EUR



Top track, ceiling installation
 length: 2000; 3000; 4000 mm
 material: aluminium

TS-TR-1280-2000NA	 silver anodised	29,16 EUR
TS-TR-1280-3000NA	 silver anodised	43,85 EUR
TS-TR-1280-4000NA	 silver anodised	58,32 EUR



Top track, wall installation
 length: 2000; 3000; 4000 mm
 material: aluminium

TS-TR-1359-2000	 silver anodised	45,97 EUR
TS-TR-1359-3000	 silver anodised	69,12 EUR
TS-TR-1359-4000	 silver anodised	91,93 EUR



Top track integrated with the profile for fixed panel installation
 length: 2000; 3000; 4000 mm
 material: aluminium

TS-TRFIX-2000-NA	 silver anodised	88,82 EUR
TS-TRFIX-3000-NA	 silver anodised	133,24 EUR
TS-TRFIX-4000-NA	 silver anodised	176,52 EUR
TS-TRFIX-2000-NAS	 satin anodised	131,75 EUR
TS-TRFIX-3000-NAS	 satin anodised	197,63 EUR
TS-TRFIX-4000-NAS	 satin anodised	261,33 EUR



Seal for TS-TRFIX profile
 material: PVC

TS-SEAL-266	 gray	4,01 EUR
--------------------	--	-----------------



Cover
 length: 2000; 3000; 4000 mm
 material: aluminium

TS-COV-1690-2000-NA	 silver anodised	28,07 EUR
TS-COV-1690-3000-NA	 silver anodised	41,52 EUR
TS-COV-1690-4000-NA	 silver anodised	56,45 EUR
TS-COV-1690-2000-NAS	 satin anodised	51,96 EUR
TS-COV-1690-3000-NAS	 satin anodised	76,25 EUR
TS-COV-1690-4000-NAS	 satin anodised	101,40 EUR




End cap set
 material: PVC

TS-V80WM-EC	 gray	8,38 EUR
--------------------	--	-----------------

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Sliding system with two standard stoppers in opening and closing positions




set capacity: 80 kg
glass thickness: 8,00 - 8,76 mm, 10,00 - 10,76 mm,
12,00 - 12,76 mm
minimum door width: 600 mm

Set includes:

clamps (2 pcs)
gaskets (set)
sliding rollers (2 pcs)
standard stoppers (2 pcs)
end caps for clamps (left and right) (set)
floor guide TS-GUIDE-ADJ SC (1 pc)

TS-STD80/08SET		silver anodised	164,88 EUR
TS-STD80/10SET		silver anodised	164,88 EUR
TS-STD80/12SET		silver anodised	164,88 EUR

Sliding door system with two standard stoppers integrated with Shock Absorber (in opening and closing positions)




set capacity: 80 kg
glass thickness: 8,00 - 8,76 mm, 10,00 - 10,76 mm,
12,00 - 12,76 mm
minimum door width: 600 mm

Set includes:

clamps (2 pcs)
gaskets (set)
sliding rollers (2 pcs)
standard stoppers with integrated shock absorber (2 pcs)
end caps for clamps (left and right) (set)
floor guide TS-GUIDE-ADJ SC (1 pc)

TS-DSA80/08SET		silver anodised	212,12 EUR
TS-DSA80/10SET		silver anodised	212,12 EUR
TS-DSA80/12SET		silver anodised	212,12 EUR

Complementary components



Top track, ceiling installation

length: 2000; 3000; 4000 mm
material: aluminium

TS-TR-1280-2000NA		silver anodised	29,16 EUR
TS-TR-1280-3000NA		silver anodised	43,85 EUR
TS-TR-1280-4000NA		silver anodised	58,32 EUR



Top track, wall installation

length: 2000; 3000; 4000 mm
material: aluminium

TS-TR-1359-2000		silver anodised	45,97 EUR
TS-TR-1359-3000		silver anodised	69,12 EUR
TS-TR-1359-4000		silver anodised	91,93 EUR



Top track integrated with the profile for fixed panel installation

length: 2000; 3000; 4000 mm
material: aluminium

TS-TRFIX-2000-NA		silver anodised	88,82 EUR
TS-TRFIX-3000-NA		silver anodised	133,24 EUR
TS-TRFIX-4000-NA		silver anodised	176,52 EUR
TS-TRFIX-2000-NAS		satin anodised	131,75 EUR
TS-TRFIX-3000-NAS		satin anodised	197,63 EUR
TS-TRFIX-4000-NAS		satin anodised	261,33 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------



Seal for TS-TRFIX profile
material: PVC

TS-SEAL-266

 gray

4,01 EUR



Cover
Length: 2000; 3000; 4000 mm
material: aluminium

TS-COV-1690-2000-NA

 silver anodised

28,07 EUR

TS-COV-1690-3000-NA

 silver anodised

41,52 EUR

TS-COV-1690-4000-NA

 silver anodised

56,45 EUR

TS-COV-1690-2000-NAS

 satin anodised

51,96 EUR

TS-COV-1690-3000-NAS

 satin anodised

76,25 EUR

TS-COV-1690-4000-NAS

 satin anodised

101,40 EUR



End cap set, wall installation
material: PVC

TS-V80WM-EC

 gray

8,38 EUR






PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Accessory set for synchronized system VETRO 80 SYNCRO glass thickness: 8,00 - 8,76; 10,00 - 10,76; 12,00 - 12,76 mm set capacity: 80 kg minimum door width: 780 mm Set includes: glass clamp set with gaskets (1 set) movement transmission cable (1 pc) transmission cable connector (2 pcs) transmission rollers (2 pcs) floor guide TS-GUIDE-ADJ SC (2 pcs) roller with integrated self-closing Fluid Damper (4 pcs) installation wrench for clamps (1 pc) components for the installation (set)			
	Top track, ceiling installation length: 2000, 3000, 4000 mm material:	TS-DFD/SYNC08	 silver anodised	681,55 EUR
		TS-DFD/SYNC10	 silver anodised	681,55 EUR
		TS-DFD/SYNC12	 silver anodised	681,55 EUR
	Top track, wall installation length: 2000, 3000, 4000 mm material:	TS-TR-1280-2000NA	 silver anodised	29,16 EUR
		TS-TR-1280-3000NA	 silver anodised	43,85 EUR
		TS-TR-1280-4000NA	 silver anodised	58,32 EUR
	Cover length: 2000, 3000, 4000 mm material:	TS-TR-1359-2000	 silver anodised	45,97 EUR
		TS-TR-1359-3000	 silver anodised	69,12 EUR
		TS-TR-1359-4000	 silver anodised	91,93 EUR
		TS-COV-1690-2000-NA	 silver anodised	28,07 EUR
		TS-COV-1690-3000-NA	 silver anodised	41,52 EUR
		TS-COV-1690-4000-NA	 silver anodised	56,45 EUR
	End cap set material: PVC	TS-COV-1690-2000-NAS	 satin anodised	51,96 EUR
		TS-COV-1690-3000-NAS	 satin anodised	76,25 EUR
		TS-COV-1690-4000-NAS	 satin anodised	101,40 EUR
	End cap set material: PVC	TS-V80WM-EC	 gray	8,38 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Accessory set A + C for multiple dragging system - the first and the last panel



set capacity: 80 kg
glass thickness: 8 - 8,76 mm
minimum door width: 600 mm

Set includes:


1 x set of clamps for the first panel (1 set)
1 x set of clamps for the last panel (1 set)
2 x gaskets for the glass (2 sets)
2 sets of end caps
1 x bottom floor guide for the first panel
1 x bottom floor guide for the next panel
4 x upper hook (4 pcs)
2 x clamp installation wrench (2 pcs)
2 sets of rollers
2 sets of shock absorber (shock absorbing bumper)
ATTENTION: Set does not include: top track, and cover

TSD-AC08SET

silver anodised

458,45 EUR

Accessory set A + C for multiple dragging system - the first and the last panel



set capacity: 80 kg
glass thickness: 10 - 10,76 mm
minimum door width: 600 mm

Set includes:


clamps for the first panel (1 set)
clamps for the last panel (1 set)
gaskets for the glass (2 sets)
end caps (2 sets)
bottom floor guide for the first panel (1 pc)
bottom floor guide for the next panel (1 pc)
upper hook (4 pcs)
clamp installation wrench (2 pcs)
rollers (2 sets)
shock absorber (shock absorbing bumper) (2 sets)
ATTENTION: Set does not include: top track, and cover

TSD-AC10SET

silver anodised

458,45 EUR

Accessory set A + B + C for multiple dragging system - the first, the middle and the last panel



set capacity: 80 kg
glass thickness: 8 - 8,76 mm
minimum door width: 600 mm

Set includes:

clamps for the first panel (1 set)
clamps for the middle panel (1 set)
clamps for the last panel (1 set)
gaskets for the glass (4 sets)
end caps (4 sets)
bottom floor guide for the first panel (1 pc)
bottom floor guide for the next panel (2 pcs)
upper hook (6 pcs)
clamp installation wrench (3 pcs)
rollers (3 sets)
shock absorber (shock absorbing bumper) (3 sets)
ATTENTION: Set does not include: top track, and cover


TSD-ABC08SET

silver anodised

677,47 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

Accessory set A + B + C for multiple dragging system - the first, the middle and the last panel



set capacity: 80 kg
glass thickness: 10 - 10,76 mm
minimum door width: 600 mm


Set includes:
clamps for the first panel (1 set)
clamps for the middle panel (1 set)
clamps for the last panel (1 set)
gaskets for the glass (4 sets)
end caps (4 sets)
bottom floor guide for the first panel (1 pc)
bottom floor guide for the next panel (2 pcs)
upper hook (6 pcs)
clamp installation wrench (3 pcs)
rollers (3 sets)
shock absorber (shock absorbing bumper) (3 sets)
ATTENTION: Set does not include: top track, and cover

TSD-ABC10SET

silver anodised

677,47 EUR

Accessory set A + B + B + C for multiple dragging system - the first, the 2 middle and the last panel



set capacity: 80 kg
glass thickness: 8 - 8,76 mm
minimum door width: 600 mm


Set includes:
clamps for the first panel (1 set)
clamps for the middle panel (2 sets)
clamps for the last panel (1 set)
gaskets for the glass (4 sets)
end caps (4 sets)
bottom floor guide for the first panel (1 pc)
bottom floor guide for the next panel (3 pcs)
upper hook (8 pcs)
clamp installation wrench (4 pcs)
rollers (4 sets)
shock absorber (shock absorbing bumper) (4 sets)

TSD-ABBC08SET

silver anodised

894,82 EUR

Accessory set A + B + B + C for multiple dragging system - the first, the 2 middle and the last panel



set capacity: 80 kg
glass thickness: 10 - 10,76 mm
minimum door width: 600 mm

Set includes:
clamps for the first panel (1 set)
clamps for the middle panel (2 sets)
clamps for the last panel (1 set)
gaskets for the glass (4 sets)
end caps (4 sets)
bottom floor guide for the first panel (1 pc)
bottom floor guide for the next panel (3 pcs)
upper hook (8 pcs)
clamp installation wrench (4 pcs)
rollers (4 sets)
shock absorber (shock absorbing bumper) (4 sets)
ATTENTION: Set does not include: top track, and cover

TSD-ABBC10SET

silver anodised

894,82 EUR


PHOTO	DESCRIPTION	CODE	LENGTH	FINISH	PRICE (EUR)
	Top track, ceiling installation material: aluminium	TS-TR-1280-2000NA	L = 2000 mm	 silver anodised	29,16 EUR
		TS-TR-1280-3000NA	L = 3000 mm	 silver anodised	43,85 EUR
		TS-TR-1280-4000NA	L = 4000 mm	 silver anodised	58,32 EUR
	Top track integrated with the profile for fixed panel, ceiling installation material: aluminium	TS-TRFIX-2000-NA	L = 2000 mm	 silver anodised	88,82 EUR
		TS-TRFIX-3000-NA	L = 3000 mm	 silver anodised	133,24 EUR
		TS-TRFIX-4000-NA	L = 4000 mm	 silver anodised	176,52 EUR
		TS-TRFIX-2000-NAS	L = 2000 mm	 satin anodised	131,75 EUR
		TS-TRFIX-3000-NAS	L = 3000 mm	 satin anodised	197,63 EUR
		TS-TRFIX-4000-NAS	L = 4000 mm	 satin anodised	261,33 EUR
	Cover material: aluminium	TS-COV-1690-2000-NA	L = 2000 mm	 silver anodised	28,07 EUR
		TS-COV-1690-3000-NA	L = 3000 mm	 silver anodised	41,52 EUR
		TS-COV-1690-4000-NA	L = 4000 mm	 silver anodised	56,45 EUR
		TS-COV-1690-2000-NAS	L = 2000 mm	 satin anodised	51,96 EUR
		TS-COV-1690-3000-NAS	L = 3000 mm	 satin anodised	76,25 EUR
		TS-COV-1690-4000-NAS	L = 4000 mm	 satin anodised	101,40 EUR
	Mounting bracket material: steel mounting spacing: 300 mm	TS-BRACKET		 galvanised	3,74 EUR
	Seal profile material: steel PVC	TS-SEAL-266		 gray	4,01 EUR





PHOTO	DESCRIPTION	CODE	LENGTH	FINISH	PRICE (EUR)
Sliding door system with two self-closing Fluid Damper in opening and closing positions  set capacity: 120 kg glass thickness: 8,00 - 8,76, 10,00 - 10,76, 12,00 - 12,76 minimum door width: 740 mm Set includes: clamps (2 pcs) gaskets (set) roller with integrated self-closing Fluid Damper (2 pcs) cover retainer (1 set) end caps for clamps (left and right) (set) floor guide TS-GUIDE-ADJ SC (1 pc)					
		TS-DFD120/08SET		 silver anodised	328,56 EUR
		TS-DFD120/10SET		 silver anodised	328,56 EUR
		TS-DFD120/12SET		 silver anodised	328,56 EUR
	Top track, ceiling installation material: aluminium	TS-TR-1280-2000NA	2000 mm	 silver anodised	29,16 EUR
		TS-TR-1280-3000NA	3000 mm	 silver anodised	43,85 EUR
		TS-TR-1280-4000NA	4000 mm	 silver anodised	58,32 EUR
	Top track, wall installation material: aluminium	TS-TR-1359-2000	2000 mm	 silver anodised	45,97 EUR
		TS-TR-1359-3000	3000 mm	 silver anodised	69,12 EUR
		TS-TR-1359-4000	4000 mm	 silver anodised	91,93 EUR
	Top track integrated with the profile for fixed panel installation material: aluminium	TS-TRFIX-2000-NA	2000 mm	 silver anodised	88,82 EUR
		TS-TRFIX-3000-NA	3000 mm	 silver anodised	133,24 EUR
		TS-TRFIX-4000-NA	4000 mm	 silver anodised	176,52 EUR
		TS-TRFIX-2000-NAS	2000 mm	 satin anodised	131,75 EUR
		TS-TRFIX-3000-NAS	3000 mm	 satin anodised	197,63 EUR
		TS-TRFIX-4000-NAS	4000 mm	 satin anodised	261,33 EUR
	Seal for TS-TRFIX profile material: PVC	TS-SEAL-266		 gray	4,01 EUR
	Cover material: aluminium	TS-COV-1690-2000-NA	2000 mm	 silver anodised	28,07 EUR
		TS-COV-1690-3000-NA	3000 mm	 silver anodised	41,52 EUR
		TS-COV-1690-4000-NA	4000 mm	 silver anodised	56,45 EUR
		TS-COV-1690-2000-NAS	2000 mm	 satin anodised	51,96 EUR
		TS-COV-1690-3000-NAS	3000 mm	 satin anodised	76,25 EUR
		TS-COV-1690-4000-NAS	4000 mm	 satin anodised	101,40 EUR
	End cap set material: PVC	TS-V80WM-EC		 silver	8,38 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)

Set of accessories for heavy duty sliding system Vetro 180



set capacity: 180 kg
glass thickness: 10-10,7
minimum door width: 700 mm

Set includes:

2 x clamps
2 x rollers
gaskets for the glass (set)
2 x standard stoppers with integrated shock absorber
1 x floor guide TS-GUIDE-ADJ SC (1 pc)
End caps TS180-CLAMP EC (set)


TS180-DSA10SET



silver anodised

391,69 EUR

Set of accessories for heavy duty sliding system Vetro 180



set capacity: 180 kg
glass thickness: 12-12,7
minimum door width: 700 mm

Set includes:

clamps (2 pcs)
rollers (2 pcs)
gaskets for the glass (set)
standard stoppers with integrated shock absorber (2 pcs)
floor guide TS-GUIDE-ADJ SC (1 pc)
End caps TS180-CLAMP EC (set)


TS180-DSA12SET



silver anodised

391,69 EUR

PHOTO	DESCRIPTION	CODE	LENGTH	FINISH	PRICE (EUR)
	Top track material: aluminium	TS180-TR-2000NA	2000 mm	 silver anodised	153,29 EUR
		TS180-TR-4000NA	4000 mm	 silver anodised	306,88 EUR
	Top track cover material: aluminium	TS180-TRCOV-2000NA	2000 mm	 silver anodised	43,17 EUR
		TS180-TRCOV-4000NA	4000 mm	 silver anodised	86,05 EUR
	Set of end caps for the top track material: ABS	TS180-TRWM-EC		 silver	8,64 EUR
	Clamps cover material: aluminium Length: 2000 mm	TS180-CLAMPCOV-2M-NA		 silver anodised	51,51 EUR
	Clamps cover material: aluminium Length: 4000 mm	TS180-CLAMPCOV-4M-NA		 silver anodised	102,70 EUR
	Set of end caps for the clamps cover material: ABS	TS180-CLAMP-EC		 silver	8,64 EUR
	Mounting bracket Vetro 180 system - wall installation material: steel	TS180-BRACKET		 raw	4,01 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Set of accessories for the sliding system with soft damper stoppers from both sides material: aluminium set capacity: 80 kg glass thickness: 8 - 12,7 mm Set includes: clamp roller (2 pcs) soft damper stopper (2 pcs) pair of the end caps (set) floor guide	WHILE STOCKS LAST TS-DIVA-SET-NABL	 black anodised	333,40 EUR



Main track - wall installation

material: aluminium
length: 3 000 mm
wall installation

WHILE STOCKS LAST

TS-TR-DIVA-3000NABL



black anodised

345,15 EUR

Related accessories



H19-19-220



JBP-3000



FIXSG



PHOTO


DESCRIPTION

CODE

FINISH

PRICE (EUR)

Set of accessories for wall installation, one sliding door



Max. door width: 1050 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg

Set includes:		Pcs
sliding stud with roller	SHR-ROLLER	2
end stopper right	SHR-STPR	1
end stopper left	SHR-STPL	1
fixing clamp for tubular rail-wall installation	SHR-WM	5
bottom adjustable floor guide	SHV-ADJU	1
end cap for tubular rail	SHR-EC	2
tubular rail ø25, L=2000	SHR-TR2000	1
ATTENTION: Sets do not include pull handles		


SHR-WMSET2000SSS



satin

130,31 EUR

Set of accessories for wall installation, one sliding door



Max. door width: 1500 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg

Set includes:	Code AX	Pcs
sliding stud with roller	SHR-ROLLER	2
end stopper right	SHR-STPR	1
end stopper left	SHR-STPL	1
fixing clamp for tubular rail-wall installation	SHR-WM	6
bottom adjustable floor guide	SHV-ADJU	1
end cap for tubular rail	SHR-EC	2
tubular rail ø25, L=3000	SHR-TR3000	1
ATTENTION: Sets do not include pull handles		


SHR-WMSET3000SSS



satin

132,62 EUR

Set of accessories for glass installation, one sliding door



Max. door width: 1050 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg

Set includes:	Code AX	Pcs
sliding stud with roller	SHR-ROLLER	2
end stopper right	SHR-STPR	1
end stopper left	SHR-STPL	1
fixing clamp for tubular rail-glass installation	SHR-TTG	5
bottom adjustable floor guide	SHV-ADJU	1
end cap for tubular rail	SHR-EC	2
tubular rail ø25, L=2000	SHR-TR2000	1
ATTENTION: Sets do not include pull handles		


SHR-TTGSET2000SSS



satin

143,25 EUR

Set of accessories for glass installation, one sliding door



Max. door width: 1500 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg

Set includes:	Code	Pcs
sliding stud with roller	SHR-ROLLER	2
end stopper right	SHR-STPR	1
end stopper left	SHR-STPL	1
fixing clamp for tubular rail-glass installation	SHR-TTG	6
bottom adjustable floor guide	SHV-ADJU	1
end cap for tubular rail	SHR-EC	2
tubular rail ø25, L=3000	SHR-TR3000	1
ATTENTION: Sets do not include pull handles		


SHR-TTGSET3000SSS



satin

148,03 EUR

Set of accessories for wall installation, two sliding doors



Max. door width: 2 x 1050 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg/one sliding door

Set includes:	Code	Pcs
sliding stud with roller	SHR-ROLLER	4
end stopper right	SHR-STPR	2
end stopper left	SHR-STPL	2
fixing clamp for tubular rail-wall installation	SHR-WM	10
bottom adjustable floor guide	SHV-ADJU	2
end cap for tubular rail	SHR-EC	2
connector for two tubular rails	SHR-CON	1
tubular rail ø25, L=2000	SHR-TR2000	2
ATTENTION: Sets do not include pull handles		


SHR-WM2SET4000SSS



satin

265,65 EUR

Set of accessories for wall installation, two sliding doors



Max. door width 2 x 1500 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg/one sliding door

Set includes:	Code	Pcs
sliding stud with roller	SHR-ROLLER	4
end stopper right	SHR-STPR	2
end stopper left	SHR-STPL	2
fixing clamp for tubular rail-wall installation	SHR-WM	12
bottom adjustable floor guide	SHV-ADJU	2
end cap for tubular rail	SHR-EC	2
connector for two tubular rails	SHR-CON	1
tubular rail ø25, L=3000	SHR-TR3000	2
ATTENTION: Sets do not include pull handles		


SHR-WM2SET6000SSS



satin

273,21 EUR

Set of accessories for glass installation, two sliding doors



Max. door width 2x1050 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg / one sliding door

Set includes:	Code AX	Pcs
sliding stud with roller	SHR-ROLLER	4
end stopper right	SHR-STPR	2
end stopper left	SHR-STPL	2
fixing clamp for tubular rail-glass installation	SHR-TTG	10
bottom adjustable floor guide	SHV-ADJU	2
end cap for tubular rail	SHR-EC	2
connector for two tubular rails	SHR-CON	1
tubular rail ø25, L=2000	SHR-TR2000	2

ATTENTION: Sets do not include pull handles


SHR-TTG2SET4000SSS



satin

275,84 EUR

Set of accessories for glass installation, two sliding doors



Max. door width 2x1500 mm
material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm
weight capacity: 80 kg / one sliding door

Set includes:	Code AX	Pcs
sliding stud with roller	SHR-ROLLER	4
end stopper right	SHR-STPR	2
end stopper left	SHR-STPL	2
fixing clamp for tubular rail-glass installation	SHR-TTG	12
bottom adjustable floor guide	SHV-ADJU	2
end cap for tubular rail	SHR-EC	2
connector for two tubular rails	SHR-CON	1
tubular rail ø25, L=3000	SHR-TR3000	2

ATTENTION: Sets do not include pull handles

SHR-TTG2SET6000SSS



satin

285,92 EUR

Sliding system Ragusa components



Tubular rail

material: stainless steel 1.4301
length (mm): 2000, 3000 mm

WHILE STOCKS LAST

SHR-TR2000SSS



satin

19,26 EUR

WHILE STOCKS LAST

SHR-TR3000SSS



satin

20,92 EUR



Fixing clamp for tubular rail – wall installation

stainless steel 1.4301

WHILE STOCKS LAST

SHR-WM-SSS



satin

6,30 EUR



Fixing clamp for tubular rail – glass installation

material: stainless steel 1.4301
glass thickness: 8, 10, 12 mm

WHILE STOCKS LAST

SHR-TTG-SSS



satin

7,56 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Sliding stud with roller material: stainless steel 1.4301 glass thickness: 8, 10, 12 mm	WHILE STOCKS LAST SHR-ROLLER-SSS	 satin	30,14 EUR
	End stopper right material: stainless steel 1.4301	WHILE STOCKS LAST SHR-STPR-SSS	 satin	7,35 EUR
	End stopper left material: stainless steel 1.4301	WHILE STOCKS LAST SHR-STPL-SSS	 satin	7,35 EUR
	Connector for two tubular rails material: stainless steel 1.4301	WHILE STOCKS LAST SHR-CON-SSS	 satin	5,78 EUR
	Bottom adjustable floor guide material: stainless steel 1.4301 glass thickness: 8, 10, 12, 13,5 mm	SHV-ADJU-SSS	 satin	13,47 EUR
	End cap for tubular rail stainless steel 1.4301	WHILE STOCKS LAST SHR-EC-SSS	 satin	2,84 EUR

Additional fittings for special installations

	Side connector for tubular rail – wall installation stainless steel 1.4301	WHILE STOCKS LAST SHV-MSD-SSS	 satin	7,35 EUR
	Ceiling retainer for tubular rail stainless steel 1.4301	WHILE STOCKS LAST SHR-CM-SSS	 satin	20,48 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
Hook locks, strike patches and pull handle for sliding doors				
	Hook lock for sliding door with integrated pull handle, prepared for Euro-profile cylinder material: stainless steel glass thickness: 8, 10, 12 mm Keeper plate included Euro-profile cylinder not included	TGL90-SSS	 satin	64,33 EUR
	Strike patch material: stainless steel glass thickness: 8, 10, 12 mm For lock: TGL90	TGS90-SSS	 satin	37,51 EUR
	Hook lock with integrated recessed pull handle, prepared for Euro-profile cylinder material: aluminium glass thickness: 10, 12 mm Keeper plate included Euro-profile cylinder not included	TGL80H-SC TGL80H-NA	 satin  anodised	89,15 EUR 88,84 EUR
	Strike patch material: aluminium glass thickness: 10, 12 mm For lock: TGL80H	TGS80H-SC TGS80H-NA	 satin  anodised	70,24 EUR 59,22 EUR
	Recessed pull handle for sliding door material: aluminium glass thickness: 10, 12 mm	WHILE STOCKS LAST TGPH80-SC WHILE STOCKS LAST TGPH80-NA	 satin  anodised	17,46 EUR 17,46 EUR
	Euro-profile cylinder material: brass For lock: TGL80H	TGLC01-NA	 silver anodised look	26,21 EUR
	Euro-profile cylinder material: brass For locks: TGL90 and TGL80H	TGLC03-SC	 satin nickel	24,60 EUR
	Euro-profile cylinder 25 / 30 material: brass For locks: TGL90 and TGL80H	MZLC01-NS	 satin nickel	14,81 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Bottom adjustable floor guide material: stainless steel 1.4301 glass thickness: 8, 10, 12, 13,5	SHV-ADJU-SSS	 satin	13,47 EUR
		SHV-ADJU-PSS	 polished	14,14 EUR
		SHV-ADJU-BL	 black galvanised	13,57 EUR
	Bottom floor guide with progressive adjustment material: zinc alloy glass thickness: 8-12 mm	TGADJ-U-SC	 satin	11,10 EUR
		TGADJ-U-BL	 black galvanised	11,66 EUR
	Bottom adjustable floor guide with progressive adjustment material: nylon / ZnAl glass thickness (mm): 8-12,76 mm	TS-GUIDE-ADJ-SC	 satin	14,98 EUR
	Glass edge protection seal length: 2500 mm material: PVC / double-sided transparent tape TESA®ACXplus 7054 temperature resistance up to: +100°C tape thickness (mm): 0,5 mm adhesive type: acrylic Resistant to weather conditions	GPE	 satin	11,58 EUR



Fittings for sliding systems belonging to other product groups

Sliding recessed pull handles - ancona series

	Sliding recessed pull handle, grip closed material: stainless steel glass thickness: 8; 10; 12 mm	KHN19SSS	 satin	43,25 EUR
		KHN19PVD	 gold	56,25 EUR
	Lock patch material: stainless steel glass thickness: 8, 10, 12 mm recommended torque force for the screws: M6: 15 Nm, M8: 20 Nm cylinder not included - lock to be used only with MZLC01 cylinder	PL34SSS	 satin	47,03 EUR
	Euro-profile cylinder 25 / 30 dedicated for PL34 lock material: brass for locks PL34	MZLC01-NS	 satin nickel	14,81 EUR
	Dust proof bolt keeper material: stainless steel for locks PL34	9001WS-SSS	 satin nickel	12,14 EUR
	Eccentric bush material: stainless steel for locks PL34	9002	 satin nickel	10,84 EUR

VETRO FRAME

FRAME SLIDING SYSTEM

PHOTO	DESCRIPTION	CODE	LENGTH	FINISH	PRICE (EUR)
	Accessories set with two self-closing Fluid Dampers in opening and closing positions for glass panel up to 80 kg set capacity: 80 kg glass thickness: 8 mm minimum door width: 762 mm Set includes: Frame assembling accessories (1 set) roller with integrated self-closing Fluid Damper (2 pcs) floor guide TS-VF GUIDE BL (1 pc)	TS-DFD-VF-SET		 silver anodised	349,13 EUR
	Top track, ceiling installation material: aluminium	TS-TR-1280-3000NABL	3000 mm	 black anodised	37,74 EUR
		TS-TR-1280-4000NABL	4000 mm	 black anodised	52,12 EUR
	Top track, wall installation material: aluminium	TS-TR-1359-3000	3000 mm	 black anodised	69,12 EUR
		TS-TR-1359-4000	4000 mm	 black anodised	91,93 EUR
	Cover for Vetrol Frame System-wall installation material: aluminium	TSF-COV3000-NABL	3000 mm	 black anodised	35,73 EUR
		TSF-COV4000-NABL	4000 mm	 black anodised	49,09 EUR
	Crossbar for sliding door panel Vetrol Frame System material: aluminium	TSF-HP2500-NABL	2500 mm	 black anodised	87,11 EUR
		TSF-HP3000-NABL	3000 mm	 black anodised	104,22 EUR
	Vertical profile for sliding door panel Vetrol Frame System material: aluminium	TSF-VP2300-NABL	2300 mm	 black anodised	32,07 EUR
		TSF-VP3000-NABL	3000 mm	 black anodised	35,51 EUR
	Seal material: PVC	TSF-GASKET-2600BL	2600 mm	 black	14,81 EUR
		TSF-GASKET-3000BL	3000 mm	 black	17,27 EUR
	Bristle for Vetrol Frame System material: PVC	TSF-BRISTLE-BL	price per meter	 black	1,18 EUR


Visualisation example



NOTE: SLF300 systems are always priced individually based on drawings provided by the customer.

**To prepare technical drawings, arrange delivery dates, and obtain a quotation,
please contact the CDA Technical Department.**

The final offer for the complete SLF300 system includes the preparation costs.



NOTE: SLF400 systems are always priced individually based on drawings provided by the customer.

**To prepare technical drawings, arrange delivery dates, and obtain a quotation,
please contact the CDA Technical Department.**

The final offer for the complete SLF400 system includes the preparation costs.

A modern interior staircase with wooden treads and a glass balustrade system. The staircase is set against a light-colored wall with framed artwork. A large potted plant is visible on the right side of the frame. The floor is made of dark wood.

PRICE LIST 2026

04

GLASS POINT FIXINGS,
BALUSTRADE SYSTEMS
& CANOPIES

PIEMONTE - SQUARE POINT STUD WITH BASE AND LEVEL ADJUSTMENT	144
PIEMONTE - GLASS POINT FIXINGS	145
RAVENNA - FLATHEAD ARTICULATED ROUTELS	152
MARSALA - CANOPIES	153
MERANO - CANOPIES	154
NUOVA TRAPANI - ALUMINIUM BALUSTRADE PROFILES	156
CORLEONE - GLASS BALUSTRADE SYSTEM	161
NUOVA CORLEONE - GLASS BALUSTRADE SYSTEM	163
SPEZIA - GLASS BALUSTRADE SPIGOTS	164


PHOTO

DESCRIPTION

CODE

FINISH

PRICE (EUR)



Square point stud with base
and level adjustment

material: stainless steel 1,4301; 1,4305
glass thickness: 10 – 21,52 mm
gaskets included

NEW

SQ06-SSS



satin

32,01 EUR

NEW

SQ06-BL



black

37,90 EUR




PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
	Point stud with standoff 30 mm material: stainless steel 1.4301; 1.4305 gaskets included	SO230SSS	8 - 12 mm	 satin	12,74 EUR
	Point stud with standoff 30 mm material: stainless steel 1.4301; 1.4305 gaskets included	SO230DSSS	8 - 12 mm	 satin	12,76 EUR
	Point stud with standoff 30 mm material: stainless steel 1.4301; 1.4305 gaskets included	SO330SSS	10 - 17.52 mm	 satin	19,18 EUR
	Point stud with standoff 30 mm material: stainless steel 1.4301; 1.4305 gaskets included	SO330DSSS	10 - 17.52 mm	 satin	19,53 EUR
	Point stud with standoff 30 mm material: stainless steel 1.4301; 1.4305 gaskets included screws included: M10x30 for glass 10 - 12.52 mm M10x40 for glass 17.52 - 21.52 mm	SO430SSS	10 - 21.52 mm	 satin	27,61 EUR
	Point stud with standoff 30 mm material: stainless steel 1.4301; 1.4305 gaskets included screws included: M10x30 for glass 10 - 12.52 mm M10x40 for glass 17.52 - 21.52 mm	SO430DSSS	10 - 21.52 mm	 satin	32,36 EUR
	Point stud with standoff 45 mm material: stainless steel 1.4301; 1.4305 gaskets included	SO445SSS	10 - 21.52 mm	 satin	32,67 EUR
	Point stud with standoff 45 mm material: stainless steel 1.4301; 1.4305 glass thickness: 10 - 21.52 mm gaskets included	SO445DSSS	10 - 21.52 mm	 satin	37,65 EUR

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
	Spacer 3 mm for point studs SO430, SO430D, SO445, SO445D material: stainless steel 1.4301 thickness: 3 mm	SO403SSS	–	 satin	2,80 EUR
	Spacer 5 mm for point studs SO430, SO430D, SO445, SO445D material: stainless steel 1.4301 thickness: 5 mm	SO405SSS	–	 satin	3,51 EUR
	Point stud with adjustable standoff 30,5 – 35,5 mm material: stainless steel 1.4301; 1.4305 glass thickness: 10 - 21.52 mm gaskets included	SO630SSS	10 - 21.52 mm	 satin	40,74 EUR
	Countersunk point stud with adjustable standoff 30,5 mm – 35,5 mm material: stainless steel 1.4301; 1.4305 gaskets included screws included: M10x16 for glass 10 - 12.76mm M10x25 for glass 12.76 - 17.52 mm	SO930DSSS	10 - 17.52 mm	 satin	36,67 EUR
	Point stud material: stainless steel 1.4301; 1.4305 gaskets included	R50SSS	10 - 21.52 mm	 satin	19,04 EUR
	Point stud ø 49,5 - with concealed screws material: stainless steel 1.4301; 1.4305 gaskets included	R50FD-SSS	10 - 21.52 mm	 satin	23,10 EUR
	Point stud R50 with standoff 60 mm material: stainless steel 1.4301; 1.4305 gaskets included	R50-DS60SSS	10 - 21.52 mm	 satin	28,46 EUR
	R50FD point stud with 60 mm standoff - with concealed screws material: stainless steel 1.4301; 1.4305 gaskets included	R50FD-DS60-SSS	10 - 21.52 mm	 satin	32,23 EUR
	Point stud with adjustable standoff material: stainless steel 1.4301; 1.4305 gaskets included	R50-ADJ-SSS	10 - 21.52 mm	 satin	27,68 EUR


PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
	R50FD point stud with adjustable standoff - without the fixing screws at sight. material: stainless steel 1.4301; 1.4305 gaskets included	R50FD-ADJ-SSS	10 - 21.52 mm	 satin	31,93 EUR
	Point stud ø 49,5 with standoff adjustable from the front - without the screws at sight. material: stainless steel 1.4301; 1.4305 gaskets included	SO730FD-SSS	10 - 21.52 mm	 satin	45,13 EUR
		SO730FD-BL	10 - 21.52 mm	 RAL 9005	42,44 EUR
		SO730FD-PBCS	10 - 21.52 mm	 brushed gold	56,71 EUR
	Point stud with standoff adjustable from the front - no visible fixing screws material: stainless steel 1.4301; 1.4305 gaskets included	SO850-SSS	10 - 21.52 mm	 satin	38,40 EUR
		SO850-PBL	10 - 21.52 mm	 PVD black	17,40 EUR
		SO850-BL	10 - 21.52 mm	 matt black	46,60 EUR
	Countersunk point stud (adjustable) material: stainless steel 1.4305	CSQSSS	8 - 12 mm	 satin	15,12 EUR
	Countersunk point stud (adjustable) material: stainless steel 1.4305	CSQ17.52SSS	12.76 - 17.52 mm	 satin	15,83 EUR
	Flathead point stud (adjustable) material: stainless steel 1.4305	FHQSSS	8 - 12 mm	 satin	17,09 EUR
	Flathead point stud (adjustable) Countersunk point stud (adjustable) material: stainless steel 1.4305	FHQ17.52SSS	12.76 - 17.52 mm	 satin	17,89 EUR
	Flathead point stud (adjustable) material: stainless steel 1.4301; 1.4305 gaskets included	FQSSS	8 - 12.76 mm	 satin	11,71 EUR
	Standoff ST installation with point studs CSQ or CSQ17.52 Standoff: 30 mm material: stainless steel 1.4301; 1.4305 gaskets and screw M8x16 included	SO1-30-CSQSSS	8 - 12 mm	 satin	21,66 EUR
		SO1-30-CSQ17.52SSS	12.76 - 17.52 mm	 satin	22,34 EUR

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
	Standoff ST installation with point studs CSQ or CSQ17.52 Standoff: 45 mm material: stainless steel 1.4301; 1.4305 gaskets and screw M8x16 included	SO1-45-CSQSSS	8 - 12 mm	 satin	22,21 EUR
		SO1-45-CSQ17.52SSS	12.76 - 17.52 mm	 satin	23,49 EUR
	Standoff ST installation with point studs CSQ or CSQ17.52 Standoff: 60 mm material: stainless steel 1.4301; 1.4305 gaskets and screw M8x16 included	SO1-60-CSQSSS	8 - 12 mm	 satin	24,05 EUR
		SO1-60-CSQ17.52SSS	12.76 - 17.52 mm	 satin	24,78 EUR
	Standoff ST installation with point studs FHQ or FHQ17.52 Standoff: 30 mm material: stainless steel 1.4301; 1.4305 gaskets and screw M8x16 included	SO1-30-FHQSSS	8 - 12 mm	 satin	23,53 EUR
		SO1-30-FHQ17.52SSS	12.76 - 17.52 mm	 satin	24,06 EUR
	Standoff ST installation with point studs FHQ or FHQ17.52 Standoff: 45 mm material: stainless steel 1.4301; 1.4305 gaskets and screw M8x16 included	SO1-45-FHQSSS	8 - 12 mm	 satin	24,89 EUR
		SO1-45-FHQ17.52SSS	12.76 - 17.52 mm	 satin	25,63 EUR
	Standoff ST installation with point studs FHQ or FHQ17.52 Standoff: 60 mm material: stainless steel 1.4301; 1.4305 gaskets and screw M8x16 included	SO1-60-FHQSSS	8 - 12 mm	 satin	25,95 EUR
		SO1-60-FHQ17.52SSS	12.76 - 17.52 mm	 satin	26,67 EUR
	Standoff ST installation with FQ point stud Standoff: 30 mm material: stainless steel 1.4301; 1.4305 finish satin gaskets included	SO1-30-FQSSS	8 - 12.76 mm	 satin	17,89 EUR
	Standoff ST installation with FQ point stud Standoff: 45 mm material: stainless steel 1.4301; 1.4305 finish satin gaskets included	SO1-45-FQSSS	8 - 12.76 mm	 satin	19,30 EUR
	Standoff ST installation with FQ point stud Standoff: 60 mm material: stainless steel 1.4301; 1.4305 finish satin gaskets included	SO1-60-FQSSS	8 - 12.76 mm	 satin	20,57 EUR

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
	Point fix connector (wall to glass) with point stud CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets and two expansion bolts ø 8 mm with screw 5x60 mm included	MCN1-CSQSSS	8 - 12 mm	 satin	41,22 EUR
		MCN1-CSQ17.52-SSS	12.76 - 17.52 mm	 satin	41,84 EUR
	Point fix connector (wall to glass) with point stud FHQ / FHQ17.52 material: stainless steel 1.4301; 1.4305 gaskets and two expansion bolts ø 8 mm with screw 5x60 mm included	MCN1-FHQSSS	8 - 12 mm	 satin	43,58 EUR
		MCN1-FHQ17.52-SSS	12.76 - 17.52 mm	 satin	44,26 EUR
	Point fix connector (wall to glass) with point stud FQ material: stainless steel 1.4301; 1.4305 gaskets and two expansion bolts ø 8 mm with screw 5x60 mm included	MCN1-FQSSS	8 - 12.76 mm	 satin	37,65 EUR
	Point fix connector (glass to glass 180°) with point studs CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	MCN2-CSQSSS	8 - 12 mm	 satin	49,97 EUR
		MCN2-CSQ17.52-SSS	12.76 - 17.52 mm	 satin	52,43 EUR
	Point fix connector (glass to glass 180°) with point studs FHQ / FHQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	MCN2-FHQSSS	8 - 12 mm	 satin	53,49 EUR
		MCN2-FHQ17.52-SSS	12.76 - 17.52 mm	 satin	56,17 EUR
	Point fix connector (glass to glass 180°) with point studs FQ material: stainless steel 1.4301; 1.4305 gaskets included	MCN2-FQSSS	8 - 12.76 mm	 satin	44,72 EUR
	Point fix connector (glass to glass 90°) with point studs CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	MCN3-CSQSSS	8 - 12 mm	 satin	46,26 EUR
		MCN3-CSQ17.52-SSS	12.76 - 17.52 mm	 satin	46,92 EUR
	Point fix connector (glass to glass 90°) with point studs CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	MCN3-FHQSSS	8 - 12 mm	 satin	49,00 EUR
		MCN3-FHQ17.52-SSS	12.76 - 17.52 mm	 satin	50,95 EUR

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
	Point fix connector (glass to glass 90°) with point studs FQ material: stainless steel 1.4301; 1.4305 gaskets included	MCN3-FQSSS	8 - 12,76 mm	 satin	38,94 EUR
	Double point fix connector with perpendicular panel with point studs CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	MCN6-CSQSSS	8 - 12 mm	 satin	76,77 EUR
		MCN6-CSQ17.52-SSS	12,76 - 17,52 mm	 satin	79,45 EUR
	Double point fix connector with perpendicular panel with point studs CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	MCN6-FHQSSS	8 - 12 mm	 satin	81,02 EUR
		MCN6-FHQ17.52-SSS	12,76 - 17,52 mm	 satin	82,12 EUR
	Double point fix connector with perpendicular panel with point studs FQ material: stainless steel 1.4301; 1.4305 gaskets included	MCN6-FQSSS	8 - 12,76 mm	 satin	70,73 EUR
	Swivel point fix connector (wall to glass) with point stud CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets and two expansion bolts ø 8 mm with screw 5x60 mm included	PGN1-CSQSSS	8 - 12 mm	 satin	51,20 EUR
		PGN1-CSQ17.52-SSS	12,76 - 17,52 mm	 satin	53,05 EUR
	Swivel point fix connector (wall to glass) with point stud FHQ / FHQ17.52 material: stainless steel 1.4301; 1.4305 gaskets and two expansion bolts ø 8 mm with screw 5x60 mm included	PGN1-FHQSSS	8 - 12 mm	 satin	52,12 EUR
		PGN1-FHQ17.52-SSS	12,76 - 17,52 mm	 satin	53,05 EUR
	Swivel point fix connector (wall to glass) with point stud FQ material: stainless steel 1.4301; 1.4305 gaskets and two expansion bolts ø 8 mm with screw 5x60 mm included	PGN1-FQSSS	8 - 12,76 mm	 satin	48,11 EUR

PHOTO	DESCRIPTION	CODE	GLASS THICKNESS	FINISH	PRICE (EUR)
	Swivel point fix connector (glass to glass 180°) with point studs CSQ / CSQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	PGN2-CSQSSS	8 - 12 mm	 satin	71,07 EUR
		PGN2-CSQ17.52-SSS	12.76 - 17.52 mm	 satin	71,98 EUR
	Swivel point fix connector (glass to glass 180°) with point studs FHQ / FHQ17.52 material: stainless steel 1.4301; 1.4305 gaskets included	PGN2-FHQSSS	8 - 12 mm	 satin	73,42 EUR
		PGN2-FHQ17.52-SSS	12.76 - 17.52 mm	 satin	75,77 EUR
	Swivel point fix connector (glass to glass 180°) with point studs FQ material: stainless steel 1.4301; 1.4305 gaskets included	PGN2-FQSSS	8 - 12.76 mm	 satin	62,64 EUR
	Point fixing for mirrors and glass panels material: stainless steel 1.4301; 1.4305 glass thickness: 8 - 12.76 mm gaskets included	PS01SSS		 satin	7,38 EUR
	Point fixing for mirrors and glass panels material: stainless steel 1.4301; 1.4305 glass thickness: 8 - 12.76 mm gaskets included	PS02SSS		 satin	8,05 EUR
	Point fixing for mirrors and glass panels material: stainless steel 1.4301; 1.4305; brass (pin) glass thickness: 3 - 6 mm gaskets & dowel included	PS03SSS		 satin	4,94 EUR
		PS03PSS		 polished	7,73 EUR
	Point fixing for mirrors and glass panels material: stainless steel 1.4301; 1.4305; brass (pin) glass thickness: 3 - 6 mm gaskets & dowel included	PS04SSS		 satin	5,25 EUR
		PS04PSS		 polished	7,78 EUR
	Countersunk point fixing material: stainless steel glass thickness: 8; 10; 12 mm	MPE06		 satin	2,95 EUR
	Countersunk point fixing material: stainless steel glass thickness: 8; 10; 12 mm	MPE08		 satin	4,21 EUR
	Countersunk point fixing material: stainless steel glass thickness: 8; 10; 12 mm	MPE10		 satin	5,35 EUR

PHOTO

DESCRIPTION

CODE

GLASS THICKNESS

FINISH

PRICE (EUR)



Articulated flat-head routel
in SUS 316 stainless steel

item weight: 0,53 kg
stainless steel SUS 316

SP-AR02-17NSSS

12,76 - 17,52 mm



satin

40,93 EUR

Articulated flat-head routel
in SUS 316 stainless steel

item weight: 0,58 kg
stainless steel SUS 316


SP-AR02-26NSSS

17,52 - 26 mm



satin

43,25 EUR

PHOTO	DESCRIPTION	CODE	MATERIAL	SIZE	FINISH	PRICE (EUR)
		NEW MW1N-950-OCY	galvanised steel	954 x 40 x 80 mm	X raw / untreated	199,61 EUR
		NEW MW1N-950-RAL	galvanised steel	954 x 40 x 80 mm	RAL RAL-coated	238,40 EUR
		NEW MW1N-950-SSS	stainless steel	954 x 40 x 80 mm	satin	278,71 EUR
		NEW MW1N-1100-OCY	galvanised steel	1104 x 40 x 80 mm	X raw / untreated	214,59 EUR
		NEW MW1N-1100-RAL	galvanised steel	1104 x 40 x 80 mm	RAL RAL-coated	258,76 EUR
		NEW MW1N-1100-SSS	stainless steel	1104 x 40 x 80 mm	satin	288,69 EUR
		NEW MW1N-1400-OCY	galvanised steel	1404 x 40 x 100 mm	X raw / untreated	251,72 EUR
		NEW MW1N-1400-RAL	galvanised steel	1404 x 40 x 100 mm	RAL RAL-coated	304,56 EUR
		NEW MW1N-1400-SSS	stainless steel	1404 x 40 x 100 mm	satin	344,70 EUR

Single canopy fixing set

glass thickness: 10 – 21,52 mm
Maximum panel size for 12.52 mm glass: 1500 × 1500 mm
recommended torque force: M8 × 16: 12 Nm, M10 × 50: 10 Nm

Set includes:
wall fixing with support – 1 pc.
routel – 2 pcs.
Mounting anchors not included

		NEW MW2N-950-OCY	galvanised steel	954 x 40 x 80 mm	X raw / untreated	242,71 EUR
		NEW MW2N-950-RAL	galvanised steel	954 x 40 x 80 mm	RAL RAL-coated	341,73 EUR
		NEW MW2N-950-SSS	stainless steel	954 x 40 x 80 mm	satin	385,35 EUR
		NEW MW2N-1100-OCY	galvanised steel	1104 x 40 x 80 mm	X raw / untreated	257,70 EUR
		NEW MW2N-1100-RAL	galvanised steel	1104 x 40 x 80 mm	RAL RAL-coated	362,40 EUR
		NEW MW2N-1100-SSS	stainless steel	1104 x 40 x 80 mm	satin	395,33 EUR
		NEW MW2N-1400-OCY	galvanised steel	1404 x 40 x 100 mm	X raw / untreated	294,82 EUR
		NEW MW2N-1400-RAL	galvanised steel	1404 x 40 x 100 mm	RAL RAL-coated	407,84 EUR
		NEW MW2N-1400-SSS	stainless steel	1404 x 40 x 100 mm	satin	450,71 EUR


Double canopy fixing set

glass thickness: 10 – 21,52 mm
Maximum panel size for 12.52 mm glass: 1500 × 1500 mm
recommended torque force: M8 × 16: 12 Nm, M10 × 50: 10 Nm


Set includes:
wall fixing with support – 1 pc
routel – 2 pcs
Mounting anchors not included



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Bottom single fixing material: stainless steel 1.4301/1.4305 glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8x16: 12 Nm; M10x50: 10 Nm	MD15-SSS	 satin	46,66 EUR
	Bottom single side fixing material: stainless steel 1.4301/1.4305 glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8x16: 12 Nm; M10x50: 10 Nm	MD15-OS-SSS	 satin	89,60 EUR
	Bottom double fixing glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8 x 16: 12 Nm; M10 x 50: 10 Nm stainless steel 1.4301/1.4305	MD25-SSS	 satin	115,75 EUR
	Bottom double side fixing glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8 x 16: 12 Nm; M10 x 50: 10 Nm stainless steel 1.4301/1.4305	MD25-OS-SSS	 satin	147,72 EUR
	Set: top single fixing with point stud material: stainless steel 1.4301/1.4305 glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8x16: 12 Nm; M10x50: 10 Nm	MG15-SSS	 satin	65,72 EUR
	Top double point fixing — side-mounted version stainless steel 1.4301/1.4305 glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8x16: 12 Nm; M10x50: 10 Nm	MG15-OS-SSS	 satin	104,59 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Set: top double fixing with point stud glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8 x 16: 12 Nm; M10 x 50: 10 Nm stainless steel 1.4301/1.4305	MG25-SSS	 satin	131,44 EUR
	Bottom double fixing glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8x16: 12 Nm; M10x50: 10 Nm stainless steel 1.4301/1.4305	MG25-OS-SSS	 satin	163,87 EUR
	Set: top "V" type fixing with two point studs glass thickness: 10 - 21,52 mm max. load: 120 kg recommended torque force: M8 x 16: 12 Nm; M10 x 50: 10 Nm stainless steel 1.4301/1.4305	MGV5-SSS	 satin	174,51 EUR
	Tension rod material: stainless steel 1.4301/1.4305 length adjustment: ± 20 mm	MC-845SSS	L = 845 mm  satin	20,98 EUR
		MC-1045SSS	L = 1045 mm  satin	24,37 EUR
		MC-1245SSS	L = 1245 mm  satin	26,52 EUR
		MC-1445SSS	L = 1445 mm  satin	29,30 EUR
		MC-1645SSS	L = 1645 mm  satin	32,08 EUR
		MC-1845SSS	L = 1845 mm  satin	34,85 EUR
	Mounting anchor material: steel S235 Attention - chemical anchor and fasteners not included	MCT300	 zinc	18,20 EUR
	Mounting anchor material: steel S235 Attention - chemical anchor and fasteners not included	MCT350	 zinc	19,40 EUR

Aluminium balustrade profile - floor-mounted profile, pre-drilled and ready for installation



CODE	LENGTH	GLASS THICKNESS	FINISH	PRICE (EUR)
BAL-DN3000-SET-AL	3000 mm	13, 17, 18, 21, 22 mm	 raw aluminium	331,44 EUR
BAL-DN3000-SET-NA	3000 mm	13, 17, 18, 21, 22 mm	 anodised aluminium	359,91 EUR
BAL-DN3000-SET-NAB	3000 mm	13, 17, 18, 21, 22 mm	 black anodised	389,64 EUR
BAL-DN3000-SET-NAS	3000 mm	13, 17, 18, 21, 22 mm	 satin anodised	364,65 EUR
BAL-DN6000-SET-AL	6000 mm	13, 17, 18, 21, 22 mm	 raw aluminium	631,00 EUR
BAL-DN6000-SET-NA	6000 mm	13, 17, 18, 21, 22 mm	 anodised aluminium	682,30 EUR
BAL-DN6000-SET-NAB	6000 mm	13, 17, 18, 21, 22 mm	 black anodised	741,30 EUR
BAL-DN6000-SET-NAS	6000 mm	13, 17, 18, 21, 22 mm	 satin anodised	686,80 EUR


Please specify required glass thickness when ordering (13, 17, 18, 21 or 22 mm).

Aluminium balustrade profile - floor installation side fixing pre-drilled and ready for installation



material: aluminium
glass thickness: 12,76 – 21,52
length: 3005; 6005 mm

Gaskets and wedge inserts not included.
Cover profile available on request.
Fixing accessories not included.
Please specify the glass thickness.



CODE	LENGTH	GLASS THICKNESS	FINISH	PRICE (EUR)
BAL-FN3000-SET-AL	3000 mm	13, 17, 18, 21, 22 mm	raw aluminium	424,43 EUR
BAL-FN3000-SET-NA	3000 mm	13, 17, 18, 21, 22 mm	anodised aluminium	458,58 EUR
BAL-FN3000-SET-NAB	3000 mm	13, 17, 18, 21, 22 mm	black anodised	495,27 EUR
BAL-FN3000-SET-NAS	3000 mm	13, 17, 18, 21, 22 mm	satin anodised	463,33 EUR
BAL-FN6000-SET-AL	6000 mm	13, 17, 18, 21, 22 mm	raw aluminium	848,54 EUR
BAL-FN6000-SET-NA	6000 mm	13, 17, 18, 21, 22 mm	anodised aluminium	916,85 EUR
BAL-FN6000-SET-NAB	6000 mm	13, 17, 18, 21, 22 mm	black anodised	996,55 EUR
BAL-FN6000-SET-NAS	6000 mm	13, 17, 18, 21, 22 mm	satin anodised	926,34 EUR

Please specify required glass thickness when ordering (13, 17, 18, 21 or 22 mm).



Cover for balustrade profile BAL-FN
material: aluminium
length: 3005; 6005 mm

BAL-FN-COV3000-AL	raw aluminium	21,51 EUR
BAL-FN-COV6000-AL	raw aluminium	43,01 EUR
BAL-FN-COV3000-NA	anodised aluminium	29,41 EUR
BAL-FN-COV6000-NA	anodised aluminium	58,83 EUR
BAL-FN-COV3000-NAS	satin anodised	45,86 EUR
BAL-FN-COV3000-NABL	black anodised	31,63 EUR
BAL-FN-COV6000-NABL	black anodised	63,25 EUR

Aluminium balustrade profile - lateral side installation pre-drilled and ready for installation




material: aluminium
glass thickness: 12,76 – 21,52 mm
length: 3005; 6005 mm

Gaskets and wedge inserts not included.

Fixing accessories not included.

Please specify the glass thickness.



CODE	LENGTH	GLASS THICKNESS	FINISH	PRICE (EUR)
BAL-SN3000-SET-AL	3000 mm	13, 17, 18, 21, 22 mm	raw aluminium	377,93 EUR
BAL-SN3000-SET-NA	3000 mm	13, 17, 18, 21, 22 mm	anodised aluminium	408,30 EUR
BAL-SN3000-SET-NAB	3000 mm	13, 17, 18, 21, 22 mm	black anodised	422,53 EUR
BAL-SN3000-SET-NAS	3000 mm	13, 17, 18, 21, 22 mm	satin anodised	413,04 EUR
BAL-SN6000-SET-AL	6000 mm	13, 17, 18, 21, 22 mm	raw aluminium	755,56 EUR
BAL-SN6000-SET-NA	6000 mm	13, 17, 18, 21, 22 mm	anodised aluminium	816,28 EUR
BAL-SN6000-SET-NAB	6000 mm	13, 17, 18, 21, 22 mm	black anodised	844,75 EUR
BAL-SN6000-SET-NAS	6000 mm	13, 17, 18, 21, 22 mm	satin anodised	825,77 EUR

Please specify required glass thickness when ordering (13, 17, 18, 21 or 22 mm).



Cover for balustrade profile BAL-SN

material: aluminium
length: 3005; 6005 mm

CODE	FINISH	PRICE (EUR)
BAL-SN-COV3000-AL	raw aluminium	32,89 EUR
BAL-SN-COV6000-AL	raw aluminium	65,78 EUR
BAL-SN-COV3000-NA	anodised aluminium	45,23 EUR
BAL-SN-COV6000-NA	anodised aluminium	90,45 EUR
BAL-SN-COV3000-NAS	satin anodised	70,53 EUR
BAL-SN-COV3000-NABL	black anodised	47,44 EUR
BAL-SN-COV6000-NABL	black anodised	94,88 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	End cap for balustrade profile BAL-DN material: stainless steel	BAL-DN-EC-SSS	 satin	6,11 EUR
		BAL-DN-EC-RAL	 RAL 9006	6,68 EUR
	End cap for balustrade profile BAL-FN - left material: stainless steel	BAL-FN-ECLH-SSS	 satin	10,47 EUR
		BAL-FN-ECLH-RAL	 RAL 9006	10,93 EUR
	End cap for balustrade profile BAL-FN - right material: stainless steel	BAL-FN-ECRH-SSS	 satin	10,47 EUR
		BAL-FN-ECRH-RAL	 RAL 9006	10,93 EUR
	End cap for balustrade profile BAL-SN material: stainless steel	BAL-SN-EC-SSS	 satin	10,44 EUR
		BAL-SN-EC-RAL	 RAL 9006	10,44 EUR
	Connecting-centring pins material: steel	BAL-N-CONNECTOR	 galvanised	0,76 EUR
	Balustrade glass-edge protection profile length: 3000 mm material: aluminium glass thickness: 12,76 – 17,52 mm	U22X12-3000NAS	 satin anodised	31,51 EUR
		U22X12-3000NA	 silver anodised	21,28 EUR

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
-------	-------------	------	--------	-------------

HANDRAIL



Top aluminium profile FCM27U
used as a handrail
material: aluminium
length: 3000 mm

FCM27U-NA	 silver anodised	40,49 EUR
FCM27U-NAS	 satin anodised	58,60 EUR
FCM27U-NABL	 black anodised	46,32 EUR



Fixed seal uniseal
material: PVC
length: 3000 mm

FCM27-UNISEAL-BL	 black	1,00 EUR
FCM27-UNISEAL-GR	 gray	1,00 EUR
FCM27-UNISEAL-CLEAR	 transparent	1,00 EUR

HANDRAIL



Top aluminium profile FCM38U
used as a handrail
material: aluminium
length: 3000 mm

FCM38U-AL	 raw aluminium	72,01 EUR
FCM38U-NA	 silver anodised	82,91 EUR
FCM38U-NAS	 satin anodised	111,87 EUR
FCM38U-NABL	 black anodised	88,70 EUR



Fixed seal uniseal
material: PVC
length: 3000 mm


FCM38RS12ST-BL	 black	2,00 EUR
FCM38RS12ST-GR	 gray	4,00 EUR

CONNECTING ACCESSORIES FOR FCM38U PROFILE



180° connector for FCM38U
material: stainless steel

CDA-BR180SSS	 raw	8,64 EUR
---------------------	---	-----------------



90° connector for FCM38U
material: stainless steel

CDA-BR90SSS	 raw	9,87 EUR
--------------------	---	-----------------



135° connector for FCM38U
material: stainless steel


CDA-BR135SSS	 raw	9,87 EUR
---------------------	---	-----------------



Universal inter-panel seal
material: polycarbonate

BCSE-3000	 transparent	22,85 EUR
------------------	---	------------------


Glass Balustrade - floor installation



glass thickness: 8 - 12,76 mm

Code	Accessories	CUSTOM QUOTE
CDA-BP6005AL	balustrade post	
CDA-2FP86SET	floor flange - set	
CDA-HINS-SET	mounting insert of the handrail to balustrade post	
CDA-HBASE/5800AL	main handrail profile	
CDA-HCOV/5800AL	handrail	
FCM38	top transom profile	
FCM38U	bottom transom profile "U"	
	self-tapping screw 3,9X32	
	Fixing of the transom profile to the balustrade post	


Glass Balustrade - floor installation



glass thickness: 8-8,76 mm

Code	Accessories	CUSTOM QUOTE
CDA-BP6005AL	balustrade post	
CDA-2FP86SET	side flange - set	
CDA-HINS-SET	mounting insert of the handrail to balustrade post	
CDA-HBASE/5800AL	main handrail profile	
CDA-HCOV/5800AL	handrail	
FIXCOR	bottom transom profile	
	self-tapping screw 3,9X32	
	Fixing of the transom profile to the balustrade post	

Glass Balustrade - side installation with FCM38 profiles




glass thickness: 8-12,76 mm

Code	Accessories
CDA-BP6005AL	balustrade post
CDA- FP107SET	side flange - set
CDA-HINS-SET	mounting insert of the handrail to balustrade post
CDA-HBASE/5800AL	main handrail profile
CDA-HCOV/5800AL	handrail
FCM38	top transom profile
FCM38U	bottom transom profile "U,"
FCM38-SCREWNUT	Fixing of the transom profile to the balustrade post

CUSTOM
QUOTE

Glass Balustrade - side installation with fixcor profile



glass thickness: 8-8,76 mm

Code	Accessories
CDA-BP6005AL	balustrade post
CDA- FP107SET	side flange - set
CDA-HINS-SET	mounting insert of the handrail to balustrade post
CDA-HBASE/5800AL	main handrail profile
CDA-HCOV/5800AL	handrail
FIXCOR	bottom transom profile
FIXCOR-SCREWNUT	Fixing of the transom profile to the balustrade post

CUSTOM
QUOTE

Note: Products are available in raw aluminium – they can be painted in any RAL color.

All information is available from the Sales Department.

Note: When installing on the side, in order for the balustrade to meet the requirements of the K.O.T. and PN-EN 1991-1-1:2004 regarding resistance to forces acting perpendicular to the plane of the balustrade, it is necessary to place the reinforcing flat bars CDA-PW15X15AL and CDA-PW20X8AL inside the CDA-BP6005AL balustrade post.

PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Bottom transom profile material: aluminium glass thickness: 8 - 8,76 mm length: 6005 mm	FIXCORA-6005AL	 raw aluminium	36,70 EUR
	Screw with nut for mounting FIXCOR with balustrade post material: aluminium stainless steel	FIXCOR-SCREWNUT	 X raw	3,39 EUR
	„U” seal for FIXCOR profile material: PVC glass thickness: 8 - 8,75 mm	ECO-SEAL8WH ECO-SEAL8BL	 transparent  black	3,08 EUR 3,08 EUR



PHOTO	DESCRIPTION	CODE	FINISH	PRICE (EUR)
	Glass Balustrade Spigot with adjustable fixing plate – for glass 10-19 mm material: stainless steel glass thickness: 10 - 19 mm	NEW DZM-0105-SSS	 satin	82,86 EUR
		NEW DZM-0105-BL	 black	93,94 EUR
	Balustrade Spigot with adjustable fixing plate – for glass 10-12.5 mm material: stainless steel glass thickness: 10 - 12.5 mm	NEW DZM-0106B-SSS	 satin	63,46 EUR
		NEW DZM-0106B-BL	 black	69,00 EUR
	Balustrade Spigot - side installation – for glass 10-12 mm material: stainless steel glass thickness: 10 - 12.5 mm	NEW DZM-S0129-SSS	 satin	107,80 EUR
		NEW DZM-S0129-BL	 black	118,88 EUR
	Spigot fitting - side installation – for glass 10-12 mm material: stainless steel glass thickness: 10 - 12 mm	NEW DZM-S0135-SSS	 satin	60,69 EUR
		NEW DZM-S0135-BL	 black	66,23 EUR
	Stabilizing clamp (glass to glass 180°) – for glass 10-22 mm material: stainless steel glass thickness: 10 - 22 mm	NEW DZM-0403GG-SSS	 satin	21,89 EUR
		NEW DZM-0403GG-BL	 black	27,43 EUR
	Stabilizing clamp (glass to glass 180°) – for glass 10-12 mm material: stainless steel glass thickness: 10 - 12 mm	NEW DZM-0403D-GG-SSS	 satin	19,12 EUR
		NEW DZM-0403D-GG-BL	 black	21,89 EUR
	Stabilizing clamp (glass to glass 90°) – for glass 10-22 mm material: stainless steel glass thickness: 10 - 22 mm	NEW DZM-0402GG-SSS	 satin	27,43 EUR
		NEW DZM-0402GG-BL	 black	32,98 EUR
	Stabilizing clamp (glass to glass 90°) – for glass 10-12.5 mm material: stainless steel glass thickness: 10 - 12.5 mm	NEW DZM-0402B-GG-SSS	 satin	19,12 EUR
		NEW DZM-0402B-GG-BL	 black	21,89 EUR
	Stabilizing clamp (wall to glass 90°) – offset installation – for glass 10-12.5 mm material: stainless steel glass thickness: 10 - 12.5 mm	NEW DZM-0404-SSS	 satin	19,12 EUR
		NEW DZM-0404-BL	 black	21,89 EUR



*Design that captivates.
Functionality that endures.*



CDA | BUFA B



**HEADQUARTER
WROCLAW**

Skrzypowa St. 1
54-530 Wrocław
+48 71 797 80 28
biuro@cdabufab.pl



**BRANCH
GDANSK**

Sąsiedzka St. 29
80-298 Gdansk
+48 58 719 28 78



**BRANCH
WARSAW**

Łodygowa St. 25
03-687 Warsaw
+48 22 675 05 89

www.cdabufab.pl